RCRA Facility Investigation Report Phase II Former BASF Huntington Works Facility Huntington, West Virginia EPA Facility ID WVD00068601

Prepared for:

BASF Corporation Florham Park, New Jersey

May 14, 2010

Prepared by:

The ELM Group, Inc. 218 Wall Street, Research Park Princeton, NJ 08540-1512 www.Explore**ELM**.com

Lauren LaPort Project Engineer Hank Martin

Principal



EXECUTIVE SUMMARY

This RCRA Facility Investigation (RFI) Phase II Report has been prepared on behalf of BASF Corporation (BASF) for the former BASF Huntington Works Facility located in Huntington, West Virginia. The RFI Phase II Report present the results of the RFI Phase II investigation completed in July 2009. The investigation was completed based on the scope of work in the November 2008 RFI Phase II Field Sampling Plan and Quality Assurance Project Plan. The RFI Phase II included an initial soil investigation of three former/existing site features: (1) Former Process Sewers (AOC 2), (2) On-Site Wastewater Treatment System (AOC 5); and (3) Former Above Ground Storage Tanks (AOC 6). A ground water investigation was also completed to assess current ground water conditions and compare this data to data collected in 2002, 2003 and 2005, to assess any changes or trends. The objective of the RFI Phase II investigation was to characterize and evaluate soil at AOCs 2, 5 and 6 identified in the June 2000 Initial Phase RCRA Facility Investigation (IRFI) Workplan and to assess current groundwater conditions.

The former BASF Huntington Works (the site) is located at the corner of 24th Street and 5th Avenue in the City of Huntington, Cabell County, West Virginia and occupies five blocks. The entire facility, with the exception of a visitor parking lot and a grass park area (AOC 4 Former Gasoline Station), is enclosed by a fence. A full time security force controls access to the facility. Buildings, asphalt and concrete cover the majority of the facility with the exception of two areas: the former 25th Street Landfill and the Shipping and Warehouse Area.

The former 25th Street Landfill is fenced off from the public and facility (i.e. workers do not have access) and is covered by a soil cap, approximately one foot thick, and vegetation (grasses, shrub and trees). The Shipping Warehouse Area (Buildings 1, 9, 9A and 9B) is located on the northeastern block of 24th Street and 5th Avenue (Figure 2), and the block is completely fenced. The ground surface surrounding the buildings is a combination of asphalt, gravel and grass.



Unconsolidated sediments consisting of sand, silt and clay deposited in alternating layers immediately underlie the facility. The first stratigraphic unit, beginning at the ground surface, consists of dense fine grain silty clay ranging from approximately 20 to 30 feet in thickness. This deposit is underlain by a layer of very dense sand with clay and silt, and a small amount of gravel that is also approximately 20 to 30 feet in thickness. A sand and gravel deposit, approximately 10 feet thick, underlies the silty sand and extends to bedrock, which is present at a depth of approximately 55 to 60 feet below ground surface (bgs).

Ground water at the facility occurs in the unconsolidated alluvial sediments at depths of approximately 23 to 32 feet below grade, under unconfined (water table) conditions. The potentiometric ground water elevation at the site is approximately 524 feet MSL. The ground water table flow direction is generally to the north toward the Ohio River. The average hydraulic gradient for the site has ranged from 0.0004 to 0.0025 feet/foot (ft/ft) based on ground water depth measurements conducted from 2002 to 2009. The hydraulic conductivity (K) of the aquifer ranges from 1.082x10-2 to 1.934x10-2 cm/sec (31-55 ft/day), based on hydraulic (slug) tests conducted during the February 2003 ground water investigation. Based on the measured hydraulic gradient and conductivity, and an assumed porosity of 0.3, the ground water velocity is calculated to range from 0.04 ft/day to 0.46 ft/day, with an average velocity of 0.15 ft/day.

The site has been an active dyestuffs and pigment manufacturing facility since 1912. The site was constructed in 1909 and manufacturing began in 1912. Standard Ultramarine Company (SUCo) operated the facility from 1912 to 1964. Between 1962 and 1964, the company merged with the Holland Colors and Chemical Company and the facility became known as Holland-SUCo Color Company. In 1964 the facility was acquired by Chemetron Corporation and operated under that name until 1979 when the facility was acquired by the Pigments and Dyestuffs Division of BASF Wyandotte Corporation. BASF Wyandotte Corporation was renamed BASF Corporation in 1986 and the facility became the Huntington Works of BASF Corporation. In 2004, the facility operated under the ownership of Flint Group Pigments (owned by XSYS Printing Systems) after Flint Group



Pigments was formed by the merger of BASF Printing Systems and ANI Printing Inks following their respective acquisitions at the end of 2004 by CVC Capital Partners (a private equity firm).

The site was entered into a facility-lead corrective action program in 1999 in response to the EPA identification of the site as one of EPA Region III's "high priority" RCRA Corrective Action sites. Under the EPA RCRA Corrective Action program, the facility was evaluated by the WVDEP in July 1999 using the EPA EIs to: (1) assess whether current human exposures to any contamination that may be present are acceptable; and (2) determine whether any contaminated ground water that may be present is stable. The results of the inspection reported that although the facility is considered "a model facility in terms of [current] environmental practices", more information regarding the possible effects of historical operations on soil and ground water was needed to make the EI determinations. BASF agreed to enter into a facility lead corrective action as documented in BASF's December 7, 1999 Commitment Letter.

In 2000 BASF prepared the Initial RCRA Facility Investigation Workplan, and in 2003 prepared a Workplan Addendum for the first phase (Phase I) of the facility investigation. The objectives of the initial phase RFI were to collect the necessary facility information and environmental data to determine if the EPA EIs were achieved at the BASF facility and to assess the need for additional investigation or potential corrective action measures.

The initial RFI (Phase I) was completed to address the EPA RCRA Corrective Action Program EIs, "Current Human Exposures Under Control" and "Migration of Contaminated Ground Water Under Control". The objectives of the initial RFI were to collect the necessary facility information and environmental data, to determine if the EPA EIs were achieved at the site and to assess the need for additional investigation or potential corrective action measures. The initial RFI Workplan identified eight soil AOCs, of which five (AOC 1 25th Street Landfill, AOC 3 Onsite Railroad Line, AOC 4 Former Gasoline Station, AOC 7 Electrical Transformers and AOC 8 Former Coal Storage Area) were



investigated to assess whether current human exposures to any contamination that may be present are acceptable. A ground water investigation was conducted to determine whether any contaminated ground water is present and if it is stable.

Results of the initial RFI were reported to the EPA in the August 13, 2003 IRFI Report and the September 20, 2005 Supplemental Ground Water Investigation Results letter report to the EPA. The data from the initial RFI was evaluated against applicable remedial standards (September 2001 Region III RBCs and WVDEP de minimis criteria) and evaluated to determine if the EPA EIs were achieved at the site.

No further action was recommended for soil at the following AOCs: former 25th Street Landfill (AOC 1); on-site rail lines (AOC 3); former gasoline station (AOC 4); electrical transformer (AOC 7) and the former coal storage areas (AOC 8). The soil data supported the conclusion that the detected concentrations of contaminants are within acceptable risk-based levels for the current usage of the facility, and the EI for Human Exposure was achieved for soil.

The EI for "Ground Water Migration Under Control" and "Current Human Exposures Acceptable" were also achieved for the ground water pathway. Specifically:

- Trends in the concentrations of chlorinated VOCs showed the levels were either
 declining or stable. There is no expansion of the chlorinated VOC plume, and the
 migration of ground water containing chlorinated VOCs is under control.
- Trends in the concentrations of BTEX in up gradient well TMW-4S were declining.

 There is no expansion of the BTEX plume and migration of contaminated ground water containing BTEX is under control.
- Transport velocities calculated for SVOCs in TMW-4S using site-specific retardation factors are so slow as to make the SVOCs essentially immobile.



• There is no current or prospective use of potable water in Huntington, West Virginia. Combined with the results of the Johnson and Ettinger modeling showing that there is not an unacceptable risk to down gradient receptors via the vapor intrusion to indoor air pathway, the Human Exposure EI for ground water is achieved.

The objective of the RFI Phase II was to characterize soil conditions at the three AOCs not included in the initial RFI: (1) AOC 2 Former Process Sewers, (2) AOC 5 On-Site Wastewater Treatment System, and (3) AOC 6 Aboveground Storage Tanks, and to determine if current ground water conditions were consistent with the trends observed from 2002 through 2005, when the EI determinations were made. The scope of the Phase II RFI was proposed in the November 2008 Phase II RCRA Facility Investigation Field Sampling Plan (ELM. 2008a).

A total of 45 soil samples were collected from three soil AOCs (AOC 2, AOC 5, and AOC 6) and analyzed for Appendix IX parameters. An additional ground water monitoring well (TMW-12D) was installed approximately 80 feet down gradient of the site's northern property line, and samples were collected from 11 ground water monitoring wells and analyzed for Appendix IX parameters.

The results of the RFI Phase II investigation were evaluated against the following applicable remedial action standards:

- WVCSR 60-3 Voluntary Remediation and Redevelopment Rule, De Minimis Standards for Industrial Soils and Migration to Ground Water, Table 60-3B
- EPA Human Health Regional Screening Levels (RSLs) for Industrial Soil,

 December 2009
- WVCSR 60-3 Voluntary Remediation and Redevelopment Rule, De Minimis Standards for Ground Water, Table 60-3B



The investigation of the former process sewer lines (AOC2) consisted of installing twenty soil borings throughout the central and western portion of the facility.

Constituents were found at levels greater than the WVDEP ISDMS in three locations:

- 1. Arsenic was found at a concentration of 48.1 mg/Kg at AOC2-04 (ISDMS of 27 mg/Kg);
- 2. TCE was found at a concentration of 2.3 mg/Kg at AOC2-17 (ISDMS of 0.92 mg/Kg); and
- 3. Arsenic, lead, TCE, 1,2,4-trichlorobenzene, and PCBs were found at levels greater than their respective ISDMS at location AOC2-18. It is to be noted that there were elevated detection limits for several constituents in this sample, so it is possible that other constituents may have been present at levels greater than their ISDMS. The concentration of PCBs (3,400 mg/Kg) was also above the EPA level for applicability of the Toxic Substances Control Act (TSCA) regulations for site cleanup.

Additionally, low levels of metals and SVOCs were found at concentrations exceeding the WVDEP MGWDMS. However, with the exceptions of location AOC2-16, where aniline was found at 61 mg/Kg at a depth of 11 to 11.5 feet, and the locations at which the WVDEP ISDMS were exceeded (see below), the results do not support a conclusion that an adequate mass of constituents is present to create an impact to ground water.

Additional soil sampling is recommended for AOC 2 at the three locations at which constituents were found at levels greater than the WVDEP ISDMS and in the location where elevated aniline levels were found.

The investigation of the wastewater treatment system tanks (AOC 5) consisted of installing six soil borings to a depth of approximately 25 ft bgs. One soil sample was collected from



each boring at the 6-inch interval at a depth approximately 6 inches beneath the invert of the tanks, biased toward elevated PID reading and visual evidence of contamination.

No contaminants were detected at concentrations exceeding the WVDEP ISDMS, although the WVDEP MGWDMS were exceeded in three locations.

No further investigation of AOC 5 is recommended. No constituents were found at levels greater than the WVDEP ISDMS. Although arsenic was detected in every sample at concentrations greater than the EPA SSL, the concentrations of arsenic found are well within the range of naturally occurring arsenic in West Virginia soils. The PCBs detected in soil are not pervasive and are only slightly above the WVDEP MGWDMS. There is no evidence of any significant mass of PCBs in the subsurface that could represent a source of dissolved-phase PCB concentrations such that the MCL or WVDEP GWDMS would be exceeded.

The investigation of the AST area (AOC 6) consisted of installing sixteen borings in locations adjacent to the former ASTs. The borings were completed to a depth of approximately 8 ft bgs. One sample was collected from each boring from native soil at a depth of 6 to 12 inches below ground surface or from the six-inch interval of native soil with the highest PID reading or showing evidence of odors or staining.

All soil samples were analyzed for RCRA Appendix IX analytical parameters; samples from borings AOC6-05 and AOC6-06 were also analyzed for ethylene glycol and samples from borings AOC6-14, AOC6-15 and AOC6-16 were also analyzed for total petroleum hydrocarbon (diesel range organics). Field analysis for pH was conducted on soil samples collected from borings AOC6-01 through AOC6-06, and AOC6-09 through AOC6-13.

The WVDEP ISDMS were exceeded at only one location, located adjacent to the former toluene and xylenes AST areas. At this location, ethylbenzene (18,000 mg/Kg), toluene (6,100 mg/Kg) and total xylenes (12,000 mg/Kg) were found in the 2.0 ft depth interval.



Several VOCs, SVOCs, PCBs and metals were also found intermittently at levels greater than the WVDEP MGWDMS. The most significant of these was the aniline at locations AOC6-07, AOC6-08, AOC6-09 and AOC6-10, with concentrations ranging from 35 to 120 mg/Kg at depths of 2.0 to 6.5 ft.

No concentrations of diesel range TPH or ethylene glycol exceeded the WVDEP ISDMS.

Additional soil sampling is recommended for the locations where elevated aniline concentrations were found.

A ground water sampling event was completed in July 2009 and all site monitoring wells, including the new well (TMW-12D), were sampled.

The ground water results for July 2009 are consistent with the results from 2002 to 2005, and further document the trends in ground water concentrations observed over the earlier time period. Additionally, the results from the new well, TMW-12D, show that, within a relatively small distance from the northern, down gradient property boundary, the concentrations of all constituents in ground water approach or achieve their respective MCLs, and, with the one exception of 1,1,2,2-tetrachloroethane, approach or achieve the WVDEP GWDMS.

Consistent with previous sampling results, chlorinated VOCs, primarily trichloroethene and cis-1,2-dichloroethene, were detected at concentrations above the WVDEP GWDMS in deep monitoring wells in two locations on the site:

- 1) On the northern, down gradient portion of the site, in monitoring wells TMW-1D, and TMW-12D; and
- 2) Within the 25th St. Landfill area in monitoring wells TMW-5D and TMW-7D.



Also similar to previous results, aromatic VOCs (ethylbenzene and total xylenes) and several SVOCs (aniline and n-nitrosodiphenylamine) were detected in shallow monitoring wells located in the southern, up gradient portion of the site, TMW-4S and TMW-11S, at concentrations above the WVDEP GWDMS.

The 2009 ground water sampling results support the conclusion that the extent of dissolved-phase constituents is stable or declining. As presented in Tables 35 and 36:

- Concentrations of TCE, the parent chlorinated VOC, have declined by approximately 75% between 2002 and 2009 in TMW-1D. During all sampling events, degradation products were present, supporting the conclusion that biodegradation was occurring via reductive dechlorination.
- Concentrations of TCE, the parent chlorinated VOC, have declined by 50% and 40% in TMW-5D and TMW-7D, respectively, since the 2005 sampling event.
- BTEX and aniline levels in monitoring well TMW-4S increased from the levels found in 2005, but remain substantially less than the concentrations found in 2002 and 2003.
- BTEX levels in TMW-11S were substantially lower than those found in 2005.

There is no apparent source of the chlorinated VOCs found in either the down gradient portion of the site or the 25th Street Landfill. The highest dissolved-phase concentrations of TCE are consistently well below 1% of the aqueous solubility of TCE. Additionally, dissolved-phase concentrations have continuously declined since sampling began, which would not be predicted if there were any substantial source area mass.

Therefore, it can be concluded that the dissolved-phase chlorinated VOCs are a combination of sorbed and dissolved-phase constituents, with the sorbed and dissolved phase masses a function of localized partitioning. Based on site-specific calculations, the



partitioning of sorbed to dissolved phase is approximately 15:1. Given the presence of both sorbed and dissolved-phase constituents, and the preferential partitioning to the sorbed phase, it can be predicted that while dissolved-phase concentrations will continue to decline, it may be some time before the EPA MCL for all constituents are achieved.

The extent of the dissolved-phase aromatic VOCs and SVOCs in the shallow up gradient wells is stable or declining. As discussed previously, the aromatic VOCs have relatively high octanol/water partitioning coefficients (K_{ow}), and with the relatively high f_{oc} measured in soil (0.009), retardation rates are high, limiting the down gradient transport of these constituents. Additional soil sampling is proposed to further assess the source(s) of the constituents found in these wells.

Based on the ground water results from the 2009 sampling event, no additional ground water monitoring wells are proposed. However, it is possible, based on the results of the proposed supplemental soil investigation, that wells may be proposed in the future. A semi-annual ground water sampling program is proposed for the site to continue to monitor and assess ground water conditions.



TABLE OF CONTENTS

EXEC	CUTIVE	E SUMMARY	ii
LIST	OF FIG	GURES	xv
LIST	OF TA	BLES	xv i
		TACHMENTS	
LIST	OF AP	PENDICES	xix
1.0	INTI	RODUCTION	1
	1.1.	RFI Phase II Report Objective	1
	1.2.	RFI Phase II Objective	1
	1.3.	Basis for RCRA Facility Investigation	3
	1.4.	Site Description	4
	1.5.	Site Operation History	
	1.6.	Report Organization	5
	1.7.	Project Organization	6
2.0	ENV	IRONMENTAL SETTING	8
	2.1.	Regional Geology	8
	2.2.	Background Arsenic Concentrations	8
	2.3.	Site Geology	<u>C</u>
	2.4.	Regional Hydrogeology	10
	2.5.	Site Hydrogeology	11
	2.6.	Surface Water	
	2.7.	Surrounding Land Use	
	2.8.	Regional Water Use	
3.0	INIT	IAL RCRA FACILITY INVESTIGATION (PHASE I) SUMMARY	12
	3.1.	AOC 1 25th Street Landfill	13
		3.1.1. 25th Street Landfill History	
		3.1.2. RFI Phase I Investigation Scope	
		3.1.3. RFI Phase I Investigation Results	15
	3.2.	AOC 3 Onsite Railroad Line	
		3.2.1. Onsite Railroad Line History	
		3.2.2. RFI Phase I Investigation Scope	10 14
	2 2	3.2.3. RFI Phase I Investigation Results	
	3.3.	3.3.1. Former Gasoline Station History	
		3.3.2. RFI Phase I Investigation Scope	17 17
		3.3.3. RFI Phase I Investigation Results	18
	3.4.	AOC 7 Electrical Transformers	
	J. 1.	3.4.1. Electrical Transformers History	
		3.4.2. RFI Phase I Investigation Scope	



	6.1.	Summary of Proposed Investigation Scope and Procedures	52
6.0	RFI F	PHASE II GROUND WATER INVESTIGATION	52
		5.3.4. Conclusion and Recommendations	
		5.3.3. Soil Investigation Results	48
		5.3.2. Soil Investigation Scope and Procedures	
		5.3.1. Above Ground Storage Tanks History	47
	5.3.	AOC 6 Above Ground Storage Tanks	
		5.2.4. Conclusion and Recommendations	
		5.2.3. Soil Investigation Results	
		5.2.2. Soil Investigation Scope and Procedures	
		5.2.1. On-Site Wastewater Treatment System History	
	5.2.	AOC 5 On-Site Wastewater Treatment System	44
		5.1.4. Conclusion and Recommendations	
		5.1.3. Soil Investigation Results	
		5.1.2. Soil Investigation Scope and Procedures	41
		5.1.1. Former Process Sewers History	40
	5.1.	AOC 2 Former Process Sewers	
ວ.ບ			
5.0		PHASE II SOIL INVESTIGATION	
	4.7.	Data Handling and Management	
	4.6.	Sample Handling, Transport and Storage Procedures	
	4.5.	Analytical Data Validation	36
	4.4.	Field Analysis and Parameter Data Collection	36
	4.3.	Laboratory Sample Analysis	
		4.2.4. QA/QC Sampling	30
		4.2.3. Monitoring Well Sampling	30
		4.2.2. Monitoring Well Installation and Development	79
	4.4.	4.2.1. Soil Borings and Subsurface Soil Sampling	27 27
	4.2.	Data Acquisition/Field Sampling Methods	
		4.1.2. Ground Water Standards	
	4.1.	RFI Phase II Overview4.1.1. Soil Standards	
4.0	RCR	A FACILITY INVESTIGATION PHASE II	25
	3.7.	Summary of Initial RFI Conclusions and Recommendations	23
		3.6.3. RFI Phase I Investigation Results	21
		3.6.2. RFI Phase I Investigation Scope	20
		3.6.1. Ground Water Historical Data	
	3.6.	Ground Water	20
		3.5.3. RFI Phase I Investigation Results	
		3.5.2. RFI Phase I Investigation Scope	19
	0.01	3.5.1. Former Coal Storage Area History	
	3.5.	AOC 8 Former Coal Storage Area	
		3.4.3. RFI Phase I Investigation Results	19



	6.2.	Ground Water Results July 2009	52
	6.3.	Discussion of Ground Water Results	54
		6.3.1. Nature and Extent of Contamination	55
		6.3.2. Contaminant Fate and Transport	
	6.4.	Conclusion and Recommendations	57
7.0	CON	CLUSIONS AND RECOMMENDATIONS	59
		Conceptual Site Model	
		7.1.1. Chlorinated VOCs in Down Gradient Wells	59
		7.1.2. Chlorinated VOCs in 25 th Street Landfill	
		7.1.3. Aromatic VOCs and SVOCs in Up Gradient Portion of Site	
		7.1.4. Other Potential Sources to Ground Water	62
	7.2.	Soil	62
		7.2.1. Delineation of Constituents Found at Levels Greater than	
		WVDEP ISDMS	63
		7.2.2. Vertical Delineation of Aniline at Levels above WVDEP GWDMS	
	7.3.	Ground Water	65
8.0	REFE	RENCES	66
9.0	ACRO	DNYMS. ABBREVIATIONS AND UNITS OF MEASURE	68



LIST OF FIGURES

Figure 1:	Site Location Map
Figure 2:	Facility Layout Map Depicting Areas of Concern and Monitoring Well Locations
Figure 3:	Potentiometric Contours for Ground Water July 2009
Figure 4:	Initial RFI Soil Sample and Monitoring Well Locations
Figure 5:	Initial RFI Volatile and Semi-Volatile Organic Results for Ground Water 2002-2005
Figure 6:	Initial RFI Total PCBs and Metals Results for Ground Water - 2002 and 2005
Figure 7:	Initial RFI Volatile Organic Results for Parking Lot Area and TMW-1D - 2003
Figure 8:	RFI Phase II Soil Sample and Monitoring Wells Locations July 2009
Figure 9:	AOC 2 Former Process Sewers - Exceedances to the WVDEP Industrial Soil De Minimis Standards
Figure 10:	AOC 5 On-Site Wastewater Treatment System Sample Locations and Results
Figure 11:	AOC 6 Above Ground Storage Tanks - Exceedances to the WVDEP Industrial De Minimis Standards
Figure 12:	AOC 6 Above Ground Storage Tanks Sample Locations and pH Results
Figure 13:	Chlorinated Volatile Organic Compound Concentrations in Ground Water July 2009
Figure 14:	Chlorinated Volatile Organic Compound Concentrations in Ground Water 2002-2009
Figure 15:	Volatile and Semi-Volatile Ground Water Results for TMW-4S, TWM-4D and TMW-11S July 2009
Figure 16:	Volatile and Semi-Volatile Ground Water Results for TMW-4S, TWM-4D and TMW-11S from 2002 to 2009



LIST OF TABLES

Table 1:	Initial Phase RFI Sample Summary
Table 2:	Ground Water Volatile Organic Results 2002-2005
Table 3:	Ground Water Semi-Volatile Organic Results 2002-2005
Table 4:	Ground Water Polychlorinated Biphenyl and Metal Results 2002 - 2005
Table 5:	RCRA Facility Investigation Phase II Sample Summary
Table 6:	Monitoring Well Construction Details
Table 7:	Field Blank Results for Volatile Organic Compounds
Table 8:	Field Blank Results for Semi-Volatile Organic Compounds
Table 9:	Field Blank Results for PCBs
Table 10:	Field Blanks Results for Metals
Table 11:	Trip Blank Results for Volatile Organic Compounds
Table 12:	Performance Evaluation Soil Sample Results for Volatile Organic Compounds
Table 13:	Performance Evaluation Soil Sample Results for Semi-Volatile Organic Compounds
Table 14:	Performance Evaluation Soil Sample Results for PCBs and Metals
Table 15:	RFI Phase II Summary of Analytical Methods
Table 16:	RFI Phase II Analytical Parameters and EPA and WVDEP Standards
Table 17:	AOC 2 Soil Sample Results for Volatile Organic Compounds
Table 18:	AOC 2 Soil Sample Results for Semi-Volatile Organic Compound
Table 19:	AOC 2 Soil Sample Results for PCBs and Metals
Table 20:	AOC 5 Soil Sample Results for Volatile Organic Compounds
Table 21:	AOC 5 Soil Sample Results for Semi-Volatile Organic Compounds
Table 22:	AOC 5 Soil Sample Results for PCBs and Metals



Table 23:	AOC 6 Aboveground Storage Tanks Summary of Locations, Analytical Parameters and Historical AST Contents
Table 24:	AOC 6 Soil Sample Results for Volatile Organic Compounds
Table 25:	AOC 6 Soil Sample Results for Semi-Volatile Organic Compounds
Table 26:	AOC 6 Soil Sample Results for PCBs and Metals
Table 27:	AOC 6 Soil Sample Results for Total Petroleum Hydrocarbons
Table 28:	AOC 6 Soil Sample Results for Ethylene Glycol
Table 29:	AOC 6 Soil Sample Results for pH
Table 30:	Monitoring Well Field Sampling Data for July 2009
Table 31:	Ground Water Results for Volatile Organic Compounds July 2009
Table 32:	Ground Water Results for Semi-Volatile Organic Compounds July 2009
Table 33:	Ground Water Results for Metals July 2009
Table 34:	Ground Water Results for Natural Attenuation Parameters July 2009
Table 35:	Chlorinated Volatile Organic Compounds Data Trends for Ground Water at TMW-1D, TMW-5D and TMW-7D
Table 36:	Aromatic Volatile Organic Compounds Data Trends for Ground Water at TMW-4S and TMW-11S



LIST OF ATTACHMENTS

Attachment A:

Soil Boring Logs

Attachment B:

BASF Corporation December 7, 1999 Commitment Letter

Attachment C:

Monitoring Well Logs

Attachment D:

Slug Test Data

Attachment E:

Potentiometric Contours for Ground Water 2002, 2003 and 2005

Attachment F:

Soil Drill Cuttings and Purge Water Disposal Manifest

Attachment G:

July 2009 Ground Water Sampling Report

Attachment H:

Data Validation Reports (bound separately)

Attachment I:

Environmental Resource Associates Performance Evaluation Results

for Sample AOC2-22-10.0



LIST OF APPENDICES

Appendix 1: Laboratory Deliverable for 07/08/2009

TestAmerica Job # A9G100156 (Bound Separately)

Appendix 2: Laboratory Deliverable for 07/09/2009

TestAmerica Job # A9G100171 (Bound Separately)

Appendix 3: Laboratory Deliverable for 07/10/2009

TestAmerica Job # A9G110141 (Bound Separately)

Appendix 4: Laboratory Deliverable for 07/13/2009

TestAmerica Job # A9G150161 (Bound Separately)

Appendix 5: Laboratory Deliverable for 07/13/2009

TestAmerica Job # A9G200110 (Bound Separately)

Appendix 6: Laboratory Deliverable for 07/14/2009

TestAmerica Job # A9G150150 (Bound Separately)

Appendix 7: Laboratory Deliverable for 07/15/2009

TestAmerica Job # A9G160162 (Bound Separately)

Appendix 8: Laboratory Deliverable for 07/22/2009

TestAmerica Job # A9G230196 (Bound Separately)

Appendix 9: Laboratory Deliverable for 07/23/2009

TestAmerica Job # A9G240125 (Bound Separately)

Appendix 10: Laboratory Deliverable for 07/24/2009

TestAmerica Job # A9G250133 (Bound Separately)

Appendix 11: Laboratory Deliverable for 07/22/2009, Results Only

TestAmerica Job # A9G230196 Revised (Bound Separately)

Appendix 12: Laboratory Deliverable for 07/23/2009, Results Only

TestAmerica Job # A9G240125 Revised (Bound Separately)

Appendix 13: Laboratory Deliverable for 07/24/2009, Results Only

TestAmerica Job # A9G250133 Revised (Bound Separately)



1.0 INTRODUCTION

This RCRA Facility Investigation Phase II (RFI Phase II) Report has been prepared for the former BASF Corporation, Inc. (BASF), Huntington Works Facility located in Huntington, West Virginia. The report presents the results of the RFI Phase II investigation conducted in July 2009. The investigation was performed in accordance with the RCRA Facility Investigation Phase II Field Sampling Plan (FSP) and RCRA Facility Investigation Phase II Quality Assurance Project Plan (QAPP) prepared by The ELM Group, Inc. of Princeton, New Jersey (ELM, formerly known as Environmental Liability Management, Inc.) (ELM, 2008a; ELM, 2008b). The FSP and QAPP were approved by the EPA in a letter dated June 29, 2009.

1.1. RFI Phase II Report Objective

The objective of this report is to present the results of the RFI Phase II activities conducted at the site in July 2009. The RFI Phase II included an initial soil investigation of three former/existing site features: (1) Former Process Sewers (AOC 2), (2) On-Site Wastewater Treatment System (AOC 5); and (3) Former Above Ground Storage Tanks (AOC 6). A ground water investigation was also completed to assess current ground water conditions and compare this data to data collected in 2002, 2003 and 2005, to assess any changes or trends. The project quality objectives identified in the November 2008 QAPP include the generation of data to characterize soil conditions at the three AOCs, determine the nature of soil contamination (if present), assess current ground water conditions, assess ground water contaminant concentration trends based on historical data and identify if further investigation and/or corrective action is required.

1.2. RFI Phase II Objective

The RFI Phase II investigation scope of work was to characterize and evaluate soil at AOCs 2, 5 and 6 identified in the June 2000 IRFI Workplan and to assess current groundwater conditions. The three soil AOCs were identified, based on a review of historical facility operations and previous environmental data, but were not included in the



initial phase RCRA Facility Investigation because they were outside the scope of assessing whether the RCRA Environmental Indicators (EIs) had been achieved (see Section 1.3).

The results of the RFI Phase II investigation were evaluated against the following applicable remedial action standards:

- WVCSR 60-3 Voluntary Remediation and Redevelopment Rule, De Minimis Standards for Industrial Soils and Migration to Ground Water, Table 60-3B
- EPA Human Health Regional Screening Levels (RSLs) for Industrial Soil,

 December 2009
- WVCSR 60-3 Voluntary Remediation and Redevelopment Rule, De Minimis Standards for Ground Water, Table 60-3B

The WVCSR 60-3 Voluntary Remediation and Redevelopment Rule, De Minimis Standards for Industrial Soils and Migration to Ground Water, Table 60-3B, were the primary criteria against which the soil data were compared. If, however, a detected compound did not have a West Virginia Department of Environmental Protection (WVDEP) industrial soil standard, then the compound concentration was evaluated against the EPA RSL for industrial soil. In general, the WVDEP De Minimis Standards for Industrial Soils are equivalent to or lower than the EPA RSLs.

The site is an active industrial facility that has engineering controls (fencing, security, asphalt and concrete ground cover) in place, and the controls are maintained by the facility. Therefore the industrial soil standards are more applicable than the residential standards. Detected compound concentrations were also evaluated against the WVDEP De Minimis Standard for Migration to Ground Water, since the majority of the soil samples were collected subsurface and could potentially impact ground water which is encountered at depths approximately 23 to 32 feet bgs.



Ground water data was compared to the WVCSR 60-3 Voluntary Remediation and Redevelopment Rule, De Minimis Standards for Ground Water. The De Minimis Standards for Ground Water are equal to or more stringent than the EPA RSLs and MCLs for tap water. It is noted that the regional ground water in the area of the site is not used for potable purposes, as discussed in Section 2.8 of this report.

1.3. Basis for RCRA Facility Investigation

The site was entered into a facility-lead corrective action program in 1999, in response to the EPA identification of the site as one of EPA Region III's "high priority" RCRA Corrective Action sites. Under the EPA RCRA Corrective Action program, the facility was evaluated by the WVDEP in July 1999 using the EPA EIs to: (1) assess whether current human exposures to any contamination that may be present are acceptable; and (2) determine whether any contaminated ground water that may be present is stable. The results of the inspection reported that although the facility is considered "a model facility in terms of [current] environmental practices", more information regarding the possible effects of historical operations on soil and ground water was needed to make the EI determinations. BASF agreed to enter into a facility lead corrective action, as documented in BASF's December 7, 1999 Commitment Letter.

The former BASF Huntington Works facility was not a RCRA permitted facility. The facility formerly operated a hazardous waste (drum) storage area, under Interim Status, from 1981 to 1987, but no treatment or disposal was conducted at the facility. An Interim Permit Application was submitted to the EPA on November 17, 1980 and Interim Status was approved by the EPA on August 3, 1981. BASF initially submitted a Part A RCRA permit application for the hazardous waste storage area on July 27, 1982 and subsequently submitted revised Part A permit applications on February 14, 1984 and April 26, 1984. Prior to submitting the RCRA Part B permit application, BASF decided to close the hazardous waste storage area. BASF submitted the Closure Notice to the EPA on January 21, 1987 and the Final Closure for the hazardous waste storage area was approved by the EPA on April 14, 1988. Currently, the facility is still listed as a hazardous waste



generator (EPA ID WVD00068601) and stores hazardous waste at the facility for less than 90 days.

In 2000 BASF prepared the Initial RCRA Facility Investigation Workplan, and in 2003 BASF prepared a Workplan Addendum for the first phase (Phase I) of the facility investigation. The objectives of the initial phase RFI were to collect the necessary facility information and environmental data to determine if the EPA EIs were achieved at the BASF facility and to assess the need for additional investigation or potential corrective action measures. The soil investigation component of the initial phase RFI (investigation of five of the eight identified Areas of Concern) was completed in 2002, and the ground water investigation for all of the Areas of Concern was conducted in 2002, with subsequent phases of ground water work performed in 2003 and 2005. Results of the initial phase RFI was reported to the EPA in the August 13, 2003 Initial RFI Report and the September 20, 2005 Supplemental Ground Water Investigation Results letter report.

1.4. Site Description

The BASF Huntington Works (the site) is located at the corner of 24th Street and 5th Avenue in the City of Huntington, Cabell County, West Virginia (Figure 1) and occupies five blocks. The entire facility, with the exception of a visitor parking lot and a grass park area (AOC 4 Former Gasoline Station), is enclosed by a fence. A full time security force controls access to the facility. Buildings, asphalt and concrete cover the majority of the facility with the exception of two areas: the former 25th Street Landfill and the Shipping and Warehouse Area.

The former 25th Street Landfill is fenced off from the public and facility (i.e. workers do not have access) and is covered by a soil cap approximately one foot thick (see soil borings in for AOC 1 in Attachment A), and vegetation (grasses, shrub and trees). The Shipping Warehouse Area (Buildings 1, 9, 9A and 9B) is located on the northeastern block of 24th Street and 5th Avenue (Figure 2), and the block is completely fenced. The ground surface surrounding the buildings is a combination of asphalt, gravel and grass.



1.5. Site Operation History

The site has been an active dyestuffs and pigment manufacturing facility since 1912. The former BASF facility was constructed in 1909 and manufacturing began in 1912. Standard Ultramarine Company (SUCo) operated the facility from 1912 to 1964. Between 1962 and 1964, the company merged with the Holland Colors and Chemical Company and the facility became known as Holland-SUCo Color Company. In 1964 the facility was acquired by Chemetron Corporation and operated under that name until 1979 when the facility was acquired by the Pigments and Dyestuffs Division of BASF Wyandotte Corporation. BASF Wyandotte Corporation was renamed BASF Corporation in 1986 and the facility became the Huntington Works of BASF Corporation. In 2004, the facility operated under the ownership of Flint Group Pigments (owned by XSYS Printing Systems) after Flint Group Pigments was formed by the merger of BASF Printing Systems and ANI Printing Inks following their respective acquisitions at the end of 2004 by CVC Capital Partners (a private equity firm).

The primary manufactured product at the facility has been blue pigments. Initially, SUCo only manufactured ultramarine blue pigment, and then expanded its product line in 1925 to include alkali blue, acid blue, soluble blue and fuchsine pigments. In the 1930s SUCo built additional plants at the facility to manufacture barium-based pigments and chemicals, azo pigments, phthalocyanine blue pigments, iron blue pigments and pigment intermediates. SUCo continued to expand its product line in the 1940s and 1950s, and the product lines remained relatively the same during the time period Chemetron operated the facility. In 1979, when BASF acquired the facility, the production focused on alkali blue pigment, and the other product lines (methyl violet, phthalocyanine blue and green pigments, azo pigments, iron oxide red, yellow pigments, ferrous sulfate, and red lake C) were discontinued. To date, under the operation of Flint Group Pigments, alkali blue remains the primary pigment manufactured at the facility.

1.6. Report Organization

The remainder of this RFI Phase II Report is organized as follows:



- **Section 2** provides the environmental setting of the site including regional and site geology and hydrogeology, nearby surface waters, surround land and water use.
- **Section 3** summarizes information and data results from the RFI Phase I (initial) completed for the determination of Environmental Indicators for Human Exposure and Ground Water Control.
- **Section 4** describes the site characterization and sampling methods used to complete the RFI Phase II investigation.
- **Section 5** presents background information, scope of investigation and data results for the soil investigations completed for AOC 2, AOC 5, and AOC 6.
- **Section 6** details the groundwater investigation completed, data results and analysis of current and historical data.
- **Section 7** includes conclusions developed from the investigation data and recommendations for additional investigation.
- **Section 8** provides a list of referenced documents for this report.
- Section 9 provides a listing of acronyms, abbreviations and unit of measures for this report

Figures, tables, and attachments are included at the end of the report. Appendices containing the laboratory data reports are provided under separate cover.

1.7. Project Organization

The RCRA Facility Investigation for the former BASF Huntington Works facility is being completed by BASF. BASF agreed to enter into a facility lead corrective as documented in its December 7, 1999 Commitment Letter (Attachment B). The BASF Technical Coordinator



for the RFI is Vernon Burrows; he is a member of BASF's Corporate Ecology Group, located in Florham Park, New Jersey. As Technical Coordinator, Mr. Burrows provides oversight on all technical aspects of the investigation design and implementation, and will provide final review of any correspondences and reports before submission to the EPA and WVDEP.

ELM is the primary consultant for the RFI and is responsible for the preparation of the workplans and reports for the RFI, and the implementation of field investigations. The ELM Project Coordinator is Mr. Hank Martin and he is responsible for the coordination of all scheduling and budgeting, overall quality assurance, systems auditing and review of all the RFI Phase II before submittal to the BASF Contact, and then to the EPA and WVDEP. The ELM Project Manager is Ms. Lauren LaPort and she also served as the Field Coordinator and Quality Assurance Officer for the RFI Phase II. ELM is also responsible for the data management for the RFI Phase II which included development of a GIS database and production of tables, graphics and figures for the report.

Several subcontractors were used in the completion of the RFI Phase II field work and report preparation. Subcontracted services included soil boring, monitoring well installation and sampling, surveying, laboratory analysis and data validation. The following is a list of primary subcontractors supporting the RFI Phase II:

- Subsurface, Inc., Gauley Bridge, WV Soil Boring Installation
- EnviroProbe Integrated Solutions, Inc., Nitro, WV Monitoring Well Installation
- Potesta & Associates, Inc., Charleston, WV Monitoring Well Sampling, Surveying
- TestAmerica Inc., North Canton, OH Laboratory for Sample Analysis
- Geophysical Survey Investigations, Greensboro, NC Subsurface Utility Clearance
- Alpha Geoscience, Clifton Park, NY Data Validation
- Eco-First, Inc., Lesage, WV Soil Cuttings and Purge Water Disposal



2.0 ENVIRONMENTAL SETTING

The following sections summarize the physical setting and additional information collected during the RFI Phase I and Phase II investigations. Regional and site-specific geology and hydrology information is provided. Information regarding surface waters, surrounding land use and regional water use is also provided for the evaluation of RFI results.

2.1. Regional Geology

The site is located within the Allegheny Plateau physiographic province, approximately 3,500 feet south of the Ohio River and 6,000 feet west of the Guyandotte River. The geology of this vicinity of West Virginia generally consists of interrelated deltaic and coastal plain deposits approximately 60 feet thick, which overlie bedrock of the Conemaugh Group.

The unconsolidated alluvium is comprised of sand, gravel, silt and clay sediments, and was deposited in interlayered sequences as the Ohio and Guyandotte Rivers meandered across the area currently occupied by the site and the City of Huntington. Typically, the alluvium would become thicker following each flooding event, as sediments entrained by flooding river water were deposited once the water began to recede. Coarse grain sediments such as sand and gravel tend to be deposited in migrating channels, whereas fine grain sediments such as silt and clay tend to be deposited as overbank deposits and as fill in abandoned channels.

The bedrock of the Conemaugh Group consists of interrelated deltaic and coastal plain deposits. Sandstone, siltstone and shale are the primary lithologies with associated coals and marine limestones present in the sequence. The Conemaugh varies in thickness across West Virginia but ranges between 500 and 600 feet on average.

2.2. Background Arsenic Concentrations

As discussed in greater depth in Section 5, "RFI Phase II Soil Investigation", arsenic is found at levels greater than the EPA Regional Screening Level (RSL) of 1.6 milligrams per kilogram (mg/Kg), the West Virginia Voluntary Remediation and Redevelopment Rule,



De Minimis Standards for Industrial Soils and Migration to Ground Water of 5.8 mg/Kg in soil samples collected across the site. As such, it is important to document the typical range of background arsenic concentrations in soil so that the arsenic associated with a discharge can be segregated from the arsenic that is naturally-occurring.

An effort was made to obtain any documentation available from the WVDEP or other state agency, but this was unsuccessful. The United States Geologic Service (USGS) published an evaluation of naturally-occurring metals in soil throughout the United States (Shacklette & Boerngen, 1984), but the statistical rigor of the paper was uncertain. Therefore, a literature search was conducted and a peer-reviewed study of background arsenic conditions in seven states was obtained (Vosnakis, *et al.*, 2009). In this study, a statistical analysis of over 500 background samples collected in West Virginia was conducted. The study concluded that a reasonable estimate of the upper range of naturally-occurring arsenic concentrations in surface soil in West Virginia was 15.0 mg/Kg and in subsurface soil 21.9 mg/Kg.

2.3. Site Geology

Unconsolidated sediments consisting of sand, silt and clay deposited in alternating layers immediately underlie the facility. The first stratigraphic unit, beginning at the ground surface, consists of dense fine grain silty clay ranging from approximately 20 to 30 feet in thickness. This deposit is underlain by a layer of very dense sand with clay and silt, and a small amount of gravel that is also approximately 20 to 30 feet in thickness. A sand and gravel deposit, approximately 10 feet thick, underlies the silty sand and extends to bedrock, which is present at a depth of approximately 55 to 60 feet below ground surface (bgs). Running sands were encountered at a depth of approximately 30 to 40 feet bgs during the installation of all monitoring wells. The consistency of the soils to a depth of 30 feet bgs was determined by blow counts recorded during the installation of monitoring wells during the 2002 RFI Phase I investigation.



Two soils samples were collected from the saturated soil (below the water table) at temporary well point locations WP-2 and WP-4 for soil particle size distribution during the February 2003 ground water investigation, and to determine the soil Burmister description. The soil sample collected from WP-2 (35 to 35.5 ft bgs) is a medium to fine (+) SAND, some Silt & Clay, little Gravel and soil from WP-4 (35 to 35.5 ft bgs) is a medium to fine (+) SAND, little Clay & Silt, trace Gravel based on the soil sieve analysis. The laboratory derived Burmister description is consistent with the field soil description recorded during the installation of the monitoring wells. The modified Burmister Soil Classification was used for preparing all soil boring and monitoring well logs (Attachments A and C, respectively).

2.4. Regional Hydrogeology

Ground water occurs in the unconsolidated alluvial sediments and in the Conemaugh Group under water table and confined conditions, respectively. Generally, ground water in the unconsolidated deposits moves from areas of higher potentiometric elevations to areas of lower potentiometric elevations, which are often directions similar to the slopes of the ground surface topography. Ground water flow in the unconsolidated sediments can be relatively rapid if the surface topography, and resulting potentiometric gradient, slopes steeply; conversely, flow can be slow if the surface topography, and potentiometric gradient, is relatively flat. Typically, ground water velocities within unconsolidated deposits range from a few feet to a few tens of feet per year (ft/yr).

Ground water occurring in the Conemaugh bedrock under confined conditions typically may have the potential to flow at higher rates than ground water within unconfined aquifers within unconsolidated deposits. Additionally, the direction of ground water flow within bedrock cannot reliably be predicted based on ground surface topography, but rather is controlled predominantly by the character of the potentiometric surface, orientations of the fractures and bedding planes, and the presence and distribution of matrix porosity.



2.5. Site Hydrogeology

Ground water at the facility occurs in the unconsolidated alluvial sediments at depths of approximately 35 to 45 feet below grade, under unconfined (water table) conditions. The potentiometric ground water elevation at the site is approximately 524 feet MSL. As presented in Figure 3, the ground water table flow direction is generally to the north toward the Ohio River. The average hydraulic gradient for the site, as measured between the most up gradient well, TMW-2D and the most down gradient well, TMW-1D, ranged from 0.0004 to 0.0025 feet/foot (ft/ft) based on ground water depth measurements conducted from 2002 to 2009, as summarized in the table below.

Average Site Hydraulic Gradient (TMW-2D to TMW-1D)

Date	TMW-1D GWE (ft MSL)	TMW-2D (ft MSL)	Distance Between Wells (ft)	Hydraulic Gradient (feet/foot)
July 22, 2009	523.57	524.34	830	0.0009
February 28, 2005	526.32	526.67	830	0.0004
February 22, 2003	521.71	523.77	830	0.0025
August 6, 2002	522.06	522.41	830	0.0004

The hydraulic conductivity (K) of the aquifer ranges from 1.082x10⁻² to 1.934x10⁻² cm/sec (31–55 ft/day). The transmissivity (T) of the aquifer was calculated to range from 7,687 to 12,720 gal/day/ft. The hydraulic conductivity and transmissivity values were derived from the completion of hydraulic (slug) testing of on-site wells. During the February 2003 ground water investigation, slug tests were completed on wells TMW-1D, TMW-3D and TMW-7D. Data were analyzed using the Bower and Rice Method to determine the hydraulic conductivity and transmissivity of the aquifer. The slug test data and graphic analysis for each well from the February 2003 investigation is enclosed in Attachment D.

Based on the measured hydraulic gradient and conductivity, and an assumed porosity of 0.3, the ground water velocity is calculated to range from 0.04 ft/day to 0.46 ft/day, with an average velocity of 0.15 ft/day.



2.6. Surface Water

The site does not have any surface water features within its boundary. The nearest surface water bodies to the BASF facility are the Ohio and Guyandotte Rivers. The facility is approximately 0.7 miles south of the Ohio River and 1.1 miles west of the Guyandotte River (Figure 1).

2.7. Surrounding Land Use

The BASF facility is surrounded by a mix of residential, commercial and industrial areas. The facility is located within the City of Huntington limits, and the area is classified as urban on the USGS Huntington Quadrangle Topography Map (Figure 1). Residential properties bound the facility to the northeast (25th Street), while industrial/commercial properties bound the facility to the north, south and west. CSX Transportation, maintains a Locomotive Shop Yard directly south of BASF, and has operated at that location since the 1920s.

2.8. Regional Water Use

Potable water for the area is supplied by the City of Huntington, which uses the Ohio River as its source. The WVDEP Division of Water Resources and the Cabell County Department of Health were contacted regarding the existence and use of private potable wells in Huntington and in the vicinity of the BASF facility. No private potable wells exist within one-mile of the facility. A well search conducted as part of the initial RFI resulted in no records for any private potable wells within the City of Huntington.

3.0 INITIAL RCRA FACILITY INVESTIGATION (PHASE I) SUMMARY

The initial RFI (Phase I) was completed to address the EPA RCRA Corrective Action Program EIs, "Current Human Exposures Under Control" and "Migration of Contaminated Ground Water Under Control". The objectives of the initial RFI were to collect the necessary facility information and environmental data to determine if the EPA EIs were achieved at the site and to assess the need for additional investigation or potential



corrective action measures. As stated in Section 1 of this report, the initial RFI Workplan prepared in June 2000, identified eight soil AOCs, of which five (AOC 1 25th Street Landfill, AOC 3 Onsite Railroad Line, AOC 4 Former Gasoline Station, AOC 7 Electrical Transformers and AOC 8 Former Coal Storage Area) were investigated to assess whether current human exposures to any contamination that may be present are acceptable. A ground water investigation was conducted to determine whether any contaminated ground water is present and if it is stable.

The soil investigation for the initial RFI was completed in June 2002 to characterize soil conditions at the five AOCs. A total of 24 soil borings were completed and a total of 28 soil samples were collected.

Ten monitoring wells were installed across the site in June 2002 and initially sampled in July 2002. Additional ground water investigations were completed in February 2003 and in January/February 2005 to further characterize ground water.

A summary of the soil and ground water samples collected for the initial RFI are summarized on Table 1. Soil sample and monitoring well locations for the initial RFI are depicted on Figure 4. Soil boring logs for the field investigation are provided in Attachment A, and copies of the monitoring well logs are provided in Attachment C. The following sections provide summary of the scope of work and results for the initial RFI.

3.1. AOC 1 25th Street Landfill

3.1.1. 25th Street Landfill History

The 25th Street Landfill was reportedly used for disposal of manufacturing residues, filter cakes, trash, building debris and discarded equipment former operators of the site (SUCo, and Chemetron). A review of historic aerial photographs from 1951 to 1988 documented that the landfill was used from approximately 1951 to 1980. Aerials from 1983 and 1988 did not depict any evidence of land disturbance.



The 1957 aerial photograph shows that the southern and southwestern portions of the property were disturbed, while the northern and eastern portions of the landfill were covered with vegetation. The filling of the southern portion of the landfill appears to have ceased by 1966 as observed from the 1966 aerial photograph. Vegetation was observed in the southern portion, while the southwestern area of the landfill still appeared to be active. The 1969, 1974, and 1980 aerial photographs show vehicles parked on the southern area and the southwestern area as being disturbed. The 1983 and 1988 aerial photographs show little change from the 1980 aerials.

It is reported that BASF contracted SMC Martin Inc. (SMC) of Valley Forge, Pennsylvania to prepare Closure Plan in 1981. However, the closure documentation was not available for review. Documentation regarding the capping/final cover of the landfill was not available for review, although it was reported to be sand and gravel. Based on the boring logs (see Attachment C) for the site, the surface cover on the former landfill is approximately one foot thick and consists of stone and dirt, covered with a mix of vegetation. The entire landfill is surrounded by a gated fence.

3.1.2. RFI Phase I Investigation Scope

Four shallow soil samples (AOC1-01 to AOC1-04) were collected to assess the current potential for human exposure to any constituents that may be present in surface soils in the landfill. At each sample location a boring was completed to four feet below ground surface and the recovered soil was logged and screened with the PID. One soil sample was collected from the 6-inch interval of soil exhibiting the highest PID reading or, if elevated PID readings were not observed, the sample was collected from the shallowest six-inch interval in which material classified as "fill material" was encountered. All samples were analyzed for TCL VOCs, SVOCs, PCBs and TAL metals.. One duplicate soil sample (AOC1-05) was collected from sample location AOC1-03. Sample locations are shown in Figure 4.



3.1.3. RFI Phase I Investigation Results

The soil investigation for the former 25th Landfill detected three compounds, hexachlorobenzene, PCBs (aroclor 1248) and arsenic, at concentrations greater than the September 2001 Region III RBCs. The concentrations at which these three compounds were found were then compared to the WVDEP de minimis criteria for industrial facilities. Hexachlorobenzene was found at a level greater than the WVDEP criterion; therefore a risk-based evaluation was completed to assess whether additional data collection and/or remedial action were needed to achieve compliance with the EIs.

An evaluation of potential exposure pathways existing current conditions was completed and it was concluded that no further action was necessary to confirm that the EI for Human Exposure is achieved in the landfill. With the exception of the hexachlorobenzene found in AOC 1, all constituents were present at concentrations lower than their respective WVDEP de minimis criterion for industrial settings, signifying that, pursuant to WVDEP regulation, uncontrolled exposure to these constituents in an industrial environment would not represent an unacceptable human exposure. Engineering controls currently exist and are maintained by facility personnel, thereby preventing direct contact exposure to any constituent and ensuring that potential exposure pathways are incomplete. Further, no constituent detect in the soil samples for AOC 1 is found in ground water.

3.2. AOC 3 Onsite Railroad Line

3.2.1. Onsite Railroad Line History

The on-site railroad lines have been present at the facility since it was developed in 1909. A 1968 historic map of the facility identified unloading stations along the railroad tracks on the southern portion of the facility, supporting a conclusion that the rail lines were used to transport raw materials to the facility. Unloading areas used by BASF and subsequent owners, including the rail unloading areas, are operated in accordance with the facility's Spill Prevention Control and Countermeasures (SPCC) Plan. The SPCC Plan documents controls that are used to control spills and releases, and provides the procedures to record



any spill or release. The SPCC requirements were originally promulgated in December 1973 under the Clean Water Act, which is prior to BASF ownership of the facility. Interviews with both BASF personnel and representatives of subsequent property owners determined that, to best of the facility personnel's knowledge, the rail unloading areas have been operated in accordance with the facility's Spill Prevention Control and Countermeasures (SPCC) Plan since BASF's ownership of the facility in 1979.

3.2.2. RFI Phase I Investigation Scope

Seven soil samples (AOC3-01 to AOC3-07) were collected from the on-site railroad track loading/unloading areas as shown on Figure 4. The FSP proposed soil locations where no asphalt was present; however the entire area is covered with asphalt or concrete, and no exposed soil was present. Therefore, soil borings were completed at loading/unloading areas near the railroad track spur. A total of seven soil borings were drilled to four feet below ground surface and field screened with a PID. One soil sample was collected from each location at the 6-inch interval with the highest PID reading or, if no elevated PID reading was observed, the sample was collected from the first 6-inch interval of natural soil immediately below the asphalt and gravel base.

The seven soil samples (AOC3-01 to AOC3-07) were analyzed for TCL VOCs, SVOCs, PCBs, and TAL metals. One duplicate soil sample (AOC3-08) was collected with sample AOC3-03. Sample designation AOC3-09 was used to identify a soil performance evaluation (PE) sample submitted to the laboratory for QA/QC and was not a soil sample collected in the field.

3.2.3. RFI Phase I Investigation Results

Soil samples AOC3-01 through AOC3-07 were collected from the on-site railroad track loading/unloading areas and analyzed for TCL VOCs, SVOCs, PCBs, and TAL metals. Three compounds, TCE, hexachlorobenzene and arsenic, were detected in the soil samples at concentrations above the September 2001 Region III RBCs, but below the WVDEP de minimis risk-based industrial criteria. It was concluded in the August 2003 Initial Phase



RFI Report that the EI for human exposure was achieved, and no further action for the onsite rail line area was proposed.

3.3. AOC 4 Former Gasoline Station

3.3.1. Former Gasoline Station History

Historical information regarding the former gasoline station is based on a review of Sanborn Maps (1931, 1938, 1950, 1954, 1963, 1965, and 1968) and aerial photographs (1938, 1950, 1957, 1959, 1969, 1974, 1980, 1983, and 1988) for the facility and surrounding area. The gasoline station was in operation prior to 1931 and the station consisted of a one-story building, with three gasoline tanks as documented on the Sanborn Maps. The Sanborn Maps do not definitive identify whether the tanks were aboveground or underground; therefore it was assumed that the tanks were underground. It is highly unlikely that bulk storage of gasoline in aboveground tanks would have been allowed by the local fire code. The 1965 and 1968 Sanborn Maps identify the gas station as an auto sales operation although the three gasoline tanks were still present on the maps. The building is no longer present in the 1974 aerial photograph, and there is no evidence of any tanks. The 1974, 1980, 1983 aerial photographs show the property was used as a parking lot, and the 1988 aerial photograph depicts the property as being vegetated with grass (existing conditions).

3.3.2. RFI Phase I Investigation Scope

The initial RFI FSP proposed a non-invasive geophysical survey to be completed, to determine if underground storage tanks (USTs) were present on the property. The geophysical survey was completed by Schnabel Engineering Associates, Inc. (Schnabel) of Greensboro, North Carolina. The work plan stated that if the results of the geophysical survey supported the conclusion that one or more USTs was present on the property, then soil borings would be completed.



3.3.3. RFI Phase I Investigation Results

A non-invasive geophysical survey was completed to determine if underground storage tanks (USTs) still existed on the property in June 2002. The geophysical investigation was completed by performing an electromagnetic (EM) induction survey, and ground penetrating radar (GPR) survey was completed on selected areas based on the results of the EM survey. The geophysical survey did not detect any underground storage tanks (USTs) at the former gasoline station area. Since no evidence of underground storage tanks was documented, no further investigation of the AOC was conducted. Based on the geophysical survey, it was concluded that the Human Exposure EI was achieved and the August 2003 Initial Phase RFI Report proposed no further action for the former gasoline station.

3.4. AOC 7 Electrical Transformers

3.4.1. Electrical Transformers History

Based on review of BASF records for the facility, several PCB-containing electrical transformers were previously in service. However no information regarding the use and PCB content of transformers at the facility prior to BASF was available for review. Currently, the facility has three transformers at the facility: the west side of Building 42, the east side of Building 50, and the east side of Building 69. All three transformers are located on concrete pads with dikes and fencing surrounds the dikes. The operation and maintenance of the transformers are included in the facility's SPCC Plan.

3.4.2. RFI Phase I Investigation Scope

Three electrical transformers, located on concrete pads within fenced enclosures, are currently present at the facility. The transformers, concrete pads and surrounding soils were visually inspected for evidence of leakage; no staining of either the transformers or the soil was observed. A total of nine soil samples (AOC-01 to AOC7-09) were collected from soil at the base of the concrete pads surrounding on-site electrical transformers (Figure 4). All soil samples were collected from 0.5 to 1.0 ft bgs and analyzed for PCBs.



3.4.3. RFI Phase I Investigation Results

PCBs were detected in only one sample, AOC7-07. Aroclor 1254 was detected at 0.436 mg/kg, which was below both the September 2001 Region III RBC and the WVDEP de minimis level of 1.4 mg/kg and 1.0 mg/kg, respectively. Based on the PCB results from the soil investigation for AOC 7, it was concluded that the Human Exposure EI had been achieved and the August 2003 Initial Phase RFI proposed no further action for the electrical transformers, no further action is warranted.

3.5. AOC 8 Former Coal Storage Area

3.5.1. Former Coal Storage Area History

The former coal storage areas were located adjacent to the former pot kiln building (H-4 or -6) and the boiler/pump room (R-5 or Bldg. 71). Both storage areas were next to railroad tracks, supporting a conclusion that coal may have been delivered to the storage areas by rail cars. The Sanborn Maps document that the storage areas were part of the original SUCo facility and remained until the former pot kiln building and boiler/pump room were demolished by BASF in 1985.

3.5.2. RFI Phase I Investigation Scope

Soil borings were proposed in the area of the former coal storage areas, to determine if the historic coal storage activities on the northern portion of the property (Figure 4) had resulted in the presence of one or more constituents at levels greater than EPA and WV criteria. No soil samples were proposed to be collected at the former coal storage area on the southern portion of the facility near the boiler/pump room (R-5 or Bldg. 71). The area of this former coal storage area is covered with asphalt; therefore there is no potential for human exposure under current conditions.

Two soil borings (AOC8-01 and AOC8-02) were installed to characterize the former coal storage area on the northern portion of the property. The former coal storage area and adjacent Building 1 no longer exist; however the footprint of the former structures was



observed. The two soil borings were each drilled to 4 feet below ground surface adjacent to the former coal storage area. At each soil boring location two soil samples were collected. The first sample was collected from the first six-inch interval of native soil. The second (deeper) soil sample was collected from a six-inch interval where coal fragments were observed. The four soil samples were analyzed for TCL PAHs and TAL metals.

3.5.3. RFI Phase I Investigation Results

PAH compounds were not detected in any of the four soil samples. As with the other AOCs, except for arsenic found at background levels, metals were either not detected or were detected at concentrations below the applicable September 2001 Region III RBC in the four soil samples. All detected metal concentrations, including arsenic, were detected below the WVDEP de minimis values for industrial soil. It was concluded that the Human Exposure was achieved, and the August 2003 Initial Phase RFI report proposed No further action for the former coal storage area.

3.6. Ground Water

3.6.1. Ground Water Historical Data

Ground water data for the facility prior to the RFI was limited to one ground water sampling event completed for the 25th Street Landfill as part of the landfill closure plan. In March 1981, ground water samples were collected from four former monitoring wells, MW1-25, MW2-25, MW3-25 and MW4-25, on the landfill. As shown on Figure 5, the monitoring wells were reported to contain low to moderate levels of several chlorinated VOCs, including trans-1,2-dichloroethylene, 1,1,2,2-tetrachloroethylene, methylene chloride, and trichloroethylene. Low levels of several metals, including barium, copper, chromium, iron and silver were also detected.

3.6.2. RFI Phase I Investigation Scope

The initial RFI ground water investigation was completed in several events. The first event, occurring in June and August 2002, consisted of the installation and sampling of ten



monitoring wells. Based on the results of the 2002 of the investigation, nine additional temporary wellpoints were installed in February 2003 and sampled along with a select group of the previously-installed monitoring wells. At this time, slug tests were conducted on three wells. A third phase of investigation was conducted in 2005 and consisted of installing an additional shallow monitoring well (TMW-11S) and sampling of seven monitoring wells in February/March 2005. The results of the Initial RFI ground water investigation were reported to the EPA in the August 2003 Initial RFI Report and September 2005 Supplemental Ground Water Investigation Report. Also included in the September 2005 Supplemental Ground Water Investigation Report were the results of vapor intrusion modeling using the Johnson and Ettinger model (Johnson, 2002) evaluating the potential impacts of vapor intrusion of chlorinated hydrocarbons from ground water to buildings.

A summary of the ground water results from 2002 to 2005 is provided on Figures 5, 6 and 7, and Tables 2, 3 and 4. Copies of the monitoring well and temporary well point logs are provided in Attachment C and ground water contours for the three sampling events in 2002, 2003 and 2005 are provided in Attachment E.

3.6.3. RFI Phase I Investigation Results

As presented in the September 2005 Supplemental Ground Water Investigation Report and the August 2003 Phase I IRFI Report, four general categories of constituents were found at the site at concentrations exceeding WVDEP *de minimis* standards for Ground Water (Table 60-3B) and EPA Drinking Water Standard Maximum Contaminant Levels (MCLs, which are the same as WVDEP CSR12 Requirements Governing Groundwater Standards):

- Chlorinated VOCs found in and adjacent to the 25th Street Landfill (TMW-5D and TMW-7D) and at the down gradient property boundary (TMW-1D);
- Aromatic compounds, benzene, toluene, ethylbenzene and xylenes (BTEX), found along the rail line area (TMW-4S and TMW-11S);



- Semivolatile organic compounds found along the rail line area (TMW-4S and TMW-11S); and
- Arsenic (TMW-4S) and iron (TMW-4S and TMW-11S) found along the rail line area.

Based on the three rounds of ground water monitoring data, it was concluded that:

- Chlorinated VOC concentrations are either stable (25th Street Landfill) or declining (TMW-1D in the employee parking lot area, north of the main facility). Therefore, it can be concluded that there is no expansion of the chlorinated VOC ground water plume. It was further determined that:
 - Reductive dechlorination of the dissolved-phase chlorinated constituents is occurring. The presence of cis-1,2-dichloroethene and vinyl chloride, as well as the very supportive geochemical indicators (depleted dissolved oxygen and nitrate, elevated chloride levels), strongly support the conclusion that the dissolved-phase constituents are undergoing biological degradation. Therefore, it can be predicted that the extent of chlorinated VOCs will continue to decline.
 - There is no evidence of an ongoing source of the chlorinated constituents, and no evidence that any residual source material is present. Without additional source input into ground water, it can be predicted that the current trend of declining chlorinated VOC concentrations in ground water will continue.
- BTEX concentrations in TMW-4S, located at the up gradient, southern property line, are declining as documented by the 2002, 2003 and 2005 data.
- Semivolatile organic compounds in TMW-4S are either declining or have such a low constituent transport velocity that no significant transport can occur. Based on a



site-specific retardation factor calculation, it was predicted that the SVOCs found in TMW-4S were essentially immobile.

- The BTEX, aniline and n-nitrosodiphenylamine concentrations in ground water are not migrating off-site, as documented by ground water data from TMW-3D and TMW-1D, which are downgradient of TMW-4S.
- The results of the Johnson and Ettinger modeling, submitted in the 2005 Supplemental Ground Water Investigation Report, found that there would be no unacceptable risk via the vapor intrusion to indoor air pathway to receptors down gradient of the site. The evaluation used site-specific soil characteristic data and the highest concentrations of chlorinated VOCs found in on-site down gradient monitoring wells.

Additional characterization and monitoring of ground water was recommended in the August 2003 Initial Phase RFI Report and the September 2005 Supplemental Ground Water Investigation Results letter to the EPA. Section 6 of this report presents the results of the additional ground water investigation as part of the RFI Phase II.

3.7. Summary of Initial RFI Conclusions and Recommendations

Results of the initial RFI was reported to the EPA in the August 13, 2003 IRFI Report and the September 20, 2005 Supplemental Ground Water Investigation Results letter report to the EPA. The data from the initial RFI was evaluated against applicable remedial standards (September 2001 Region III RBCs and WVDEP de minimis criteria) and evaluated to determine if the EPA EIs were achieved at the site.

The results of the initial RFI for ground water provided sufficient data to: (1) complete the EI evaluation; (2) recommend no further action for soils at the five AOCs, and (3) recommend further investigation for ground water.



No further action was recommended for soil at the following AOCs: former 25th Street Landfill (AOC 1); on-site rail lines (AOC 3); former gasoline station (AOC 4); electrical transformer (AOC 7) and the former coal storage areas (AOC 8). The soil data supported the conclusion the detected concentrations of contaminants are within acceptable risk-based levels for the current usage of the facility, and the EI for Human Exposure was achieved for soil.

The EI for "Ground Water Migration Under Control" and "Current Human Exposures Acceptable" were achieved for the ground water pathway. Specifically:

- Trends in the concentrations of chlorinated VOCs showed the levels were either
 declining or stable. Therefore, there is no expansion of the chlorinated VOC plume,
 and the migration of ground water containing chlorinated VOCs is under control.
- Trends in the concentrations of BTEX in up gradient well TMW-4S were declining.
 Therefore, there is no expansion of the BTEX plume and migration of contaminated ground water containing BTEX is under control.
- Transport velocities calculated for SVOCs in TMW-4S using site-specific retardation factors are so slow as to make the SVOCs essentially immobile. Therefore, there is no expansion of the SVOC plume and migration of contaminated ground water containing the SVOCs is under control.
- There is no current or prospective use of potable water in Huntington, West Virginia. Combined with the results of the Johnson and Ettinger modeling showing that there is not an unacceptable risk to down gradient receptors via the vapor intrusion to indoor air pathway, the Human Exposure EI for ground water is achieved.



4.0 RCRA FACILITY INVESTIGATION PHASE II

4.1. RFI Phase II Overview

The objective of RFI Phase II was to characterize soil conditions at the three AOCs not included in the initial RFI: (1) AOC 2 Former Process Sewers, (2) AOC 5 On-Site Wastewater Treatment System, and (3) AOC 6 Aboveground Storage Tanks, and to determine if current ground water conditions were consistent with the trends observed from 2002 through 2005, when the EI determinations were made. Results of the Phase II RFI were used to identify additional investigation areas for these three AOCs and ground water or to determine if the data supports the conclusion of No Further Action. The conclusions and recommendations are discussed in Section 5 for each soil AOC, Section 6 for ground water and in Section 7.

A total of 45 soil samples were collected from three soil AOCs (AOC 2, AOC 5, and AOC 6) and samples were collected from 11 ground water monitoring wells, as summarized on Table 5. Additionally, three duplicate soil samples (one from each AOC) and one duplicate ground water sample were collected. Field and trip blank samples were also collected. A Performance Evaluation soil sample was submitted to the laboratory as part of the soil investigation for AOC 2.

Since the completion of the RFI Phase II in July 2009, the Flint Group Pigment facility had a release of approximately 50,000 pounds of aniline from a railroad tank car in September 2009. The area of the release was located near AOC 3, AOC 6 and monitoring wells TMW-4D, TMW-4S and TMW-11S. The aniline was discharged as facility works offloaded the raw material from the railroad tanker car. The aniline that was released had flowed onto the paved surface areas and entered into a drain that was connected to the facility process sewer lines. It is noted that the release occurred after the RFI Phase II investigation; therefore data presented in this report is not affected; however future soil and ground water sampling events and data results for this area may have elevated results due this release.



4.1.1. Soil Standards

Soil data was evaluated against the WVCSR 60-3 Voluntary Remediation and Redevelopment Rule De Minimis Standards for Industrial Soils Table 60-3B (ISDMS) and the December 2009 EPA RSL. If a detected contaminant did not have a WVDEP industrial soil standard, then the contaminant concentration was evaluated against the EPA December 2009 RSL for industrial soil. The site is an active industrial facility that has engineering controls (fencing, security, asphalt and concrete ground cover) in place, and the controls are maintained by the facility. Therefore the industrial soil standards are applicable to the current and prospective land use.

The WVDEP De Minimis Standards for Industrial Soils are risk-based human health screening levels that reflects a 1x10-5 carcinogenic risk for industrial settings. The screening levels/standards are derived from the USEPA Region III Risk-Based Concentration Tables, and contaminant concentrations detected below these values do not present significant risk to human health. The De Minimis Standards applies to contaminants where the primary exposure routes would be ingestion of soil or ground water.

Detected soil contaminant concentrations were also evaluated against the WVDEP De Minimis Standard for Migration to Ground Water (MGWDMS) since the majority of the soil samples were collected subsurface and could potentially impact ground water which is encountered at depths approximately 23 to 32 feet bgs across the facility. The WVDEP MGWDMS are considered screening criteria that indicate the potential for an impact to ground water, but the WVDEP regulations allow for development of alternative standards for ground water protection based on site-specific conditions. As discussed in greater depth in Section 5, the comparison to the WVDEP MGWDMS was used, along with other considerations, to identify locations where additional investigation of soil was needed to assess the potential for an impact to ground water.



4.1.2. Ground Water Standards

Ground water data was compared to the WVCSR 60-3 Voluntary Remediation and Redevelopment Rule, De Minimis Standards for Ground Water (GWDMS), Table 6-3B. The values listed in this table are the highest value of the following:

- Ground water contaminant concentrations limits for West Virginia State Rule Title 46 Series 12 (46CRS12):
- Risk-Based Concentrations developed for Table 60-3B, and
- Natural background values for inorganics.

The De Minimis Standards for Ground Water (GWDMS) are equal to or more stringent than the EPA December 2009 RSLs and MCLs for tap water. It is noted that the regional ground water in the area of the site is not used for potable purposes, as discussed in Section 2.8 of this report.

4.2. Data Acquisition/Field Sampling Methods

The RFI Phase II field sampling activities included installation of 41 soil borings and one monitoring well, subsurface soil sampling, ground water sampling, and laboratory and field analysis of soil and ground water samples. All field activities were completed in accordance with the November 2008 FSP and QAPP.

4.2.1. Soil Borings and Subsurface Soil Sampling

Soil samples were collected using a geoprobe direct-push drill rig operated by Subsurface, Inc. Clear acetate liners, 60 inches in length, were used to collect soil samples at each boring. The soils were logs in the field and all observations such as soil lithology, moisture content, visual observation fill or debris, visual observation contamination, PID readings, and sample depths were recorded on soil boring logs. Upon retrieving and opening of the acetate liners, the soil was screened with a photoionization detector (PID) for total volatile



organic vapors. VOC soil samples were collected first from the six-inch soil sample interval using a TerraCore™ sampler. The remaining soil from the six-inch sample interval was then homogenized and places in laboratory provided glass soil jars for analysis. After each boring, the non-dedicated drill rig and sampling equipment was decontaminated between sampling locations in accordance with the Sampling Equipment Decontamination SOP in the November 2008 QAPP. Upon completion of the field investigation, field boring log data were entered into the gINT software program to produce the soil boring logs included in Attachment A.

All boring soil spoils were placed down hole after the boring was complete. As part of the field investigation, QA/QC samples such as field duplicate, field blank and trip blank samples were collected in accordance with the FSP and the QAPP. In addition, a Performance Evaluation sample was provided to the laboratory for analysis. The complete discussion of the QA/QC samples is presented in Section 4.2.4 of this report.

Prior to advancement of the soil borings, a utility mark out was conducted by Geophysical Survey Investigations at all the proposed boring locations, to prevent encountering any subsurface utilities or features during the boring activities. An electromagnetic scan using an EM61 detector and ground penetrating radar (GPR) was used to complete the subsurface utility clearance. If unknown obstructions were identified by the scans, the boring locations were adjusted to a safe location.

The horizontal locations for the soil borings were captured in the field using a Trimble Navigation Global Positioning System (GPS) receiver (Trimble GeoXH). All GPS data were then differentially corrected during post-processing operations using GPS data files from the Trimble Community Base Station at the WVDEP Nitro, West Virginia station in accordance with the WVDEP Geospatial Data Policy. The accuracy of the GPS data was routinely checked by capturing the locations of site-specific features (i.e. surveyed monitoring wells).



4.2.2. Monitoring Well Installation and Development

One monitoring well (TMW-12D) was installed on July 8, 2009 in accordance with the November 2008 FSP and WVDEP Monitoring Well Design Standards (47CSR60). The monitoring well was installed to characterize and evaluate ground water hydraulically down gradient of the site and TMW-1D. EnviroProbe Integrated Solutions, a licensed West Virginia well driller, installed the well using a hollow stem auger (HSA) drill rig. Construction detail for the well is provided on Table 6 as well as on the well log in Attachment C.

Continuous macro cores (5-feet lengths) were collected to document subsurface geologic conditions and to determine the appropriate screening interval for the well. The boring was advanced to refusal at approximately 54 ft bgs. Drill cuttings were continuously monitored for volatile organic vapors using a photo ionization detector (PID). No PID readings were observed from the drill cuttings during the monitoring well installation. All drill cuttings were drummed and a waste classification sample was collected for soil disposal purposes. The waste classification sample results documented the soil was non-hazardous and the facility disposed the soil with the facility's non-hazardous waste. A copy of the laboratory report is included in Appendix 1. Disposal documentation is provided in Attachment F.

The monitoring well was constructed of 4-inch diameter PVC riser and a 10-foot long, 0.01-inch slot screened interval that had a prepacked filter material surrounding the screen. The screen was installed from 44 to 54 feet bgs. Additional filter pack media, consisted of silica-based filter sand, was installed in the annular space of the screen and was extended approximately two to three feet above the top of the screen. The annular space was then filled with bentonite pellets, cement grout and then the ground surface seal consisted of bentonite-cement grout. The well was completed with a lockable plug, flush mount casing and concrete pad.



Upon installation of the well, EnviroProbe developed the well using a submersible pump. The water was purged from the well at approximately 5-gallons per minute and the water was agitated to remove sediment from the well screen and settled sediment at the bottom of the well. The new monitoring well was surveyed by Potesta & Associates, to determine the horizontal location and vertical elevation of the well top-of-casing.

During the Phase II RFI in July 2009, repairs were made to monitoring well TMW-2D, TMW-4S, and TMS-4D. The outer protective casing for TMW-2S and TMW-4D were observed to be damaged and were replaced. The protective outer cover and inner casing for TMW-4S were also damaged and repaired. The top-of-casing elevation for TMW-4S was resurveyed by Potesta & Associates, and the new casing elevation is noted on Table 6 and on the ground water sampling report for July 2009 (Attachment G).

4.2.3. Monitoring Well Sampling

All site monitoring wells were sampled on July 22, 23 and 24, 2009 as part of the Phase II RFI, using EPA low-flow purging and sampling methods as outlined in the November 2008 FSP and QAPP. The monitoring wells were sampled by Potesta & Associates Inc. Prior to purging and sampling the wells, the depth to water was measured in each well. A flow through cell was used to measure field parameters (pH, temperature, DO, conductivity, turbidity and ORP) and assess ground water quality stabilization. Upon purging and stabilization of ground water, the flow-through cells were disconnected from the sampling tubing and samples were collected using glass sample vials/jars provided by the laboratory. VOC sample was collected first and then the samples for SVOCs, dissolved gases, metals and anions were collected subsequently.

Purge water from monitoring wells TMW-4S and TMW-11S was drummed for off-site disposal due to the known high VOC concentrations at these two wells. The purge water was disposed off-site by Eco-First, Inc., and the disposal documentation is provided in Attachment F. The laboratory data from the sampling of these two wells was used to characterize the purge water for disposal.



4.2.4. QA/QC Sampling

Equipment blanks, trip blanks, field duplicate, performance evaluation, matrix spike, and matrix spike duplicates samples were collected for QA/QC purposes as outlined in the November 2008 QAPP. The following sections provide a brief summary on the QA/QC samples utilized for the Phase II RFI.

Field Duplicate Samples

Field duplicates provide a measure of overall sampling and test method precision as well as sample heterogeneity. Field duplicate samples were collected from each AOC at a frequency of one per 20 samples collected at each AOC (i.e. one per each AOC). The duplicate samples were collected simultaneously or in immediate succession, using identical recovery techniques, and treated in an identical manner during storage, transportation, and analysis. The field duplicate samples were labeled so the laboratory did not know the samples were duplicates so the potential for analytical bias was eliminated. The table below identifies the field and duplication sample ID, and the analyses completed.

Field Duplicate Sample Identification

Field Sample	Duplicate Sample	Analyses
AOC2-03-8.0	AOC2-21-8.0	VOCs, SVOCs, PCBs, Metals
AOC5-02-20.0	AOC5-07-20.0	VOCs, SVOCs, PCBs, Metals
A0C6-03-1.0	A0C6-22-1.0	VOCs, SVOCs, PCBs, Metals
TMW-4D	TMW-10	VOCs, SVOCs, Metals, Dissolve Gasses, Anions

The precision measurement is determined using the relative percent difference (RPD) between the sample and duplicate sample results. The calculated RPD for detected compounds for the duplicate samples are provided in the data validation reports for the



laboratory data packages A9G150161, A9G100171, A9G160162 and A9G240125 (Attachment H).

Equipment Blanks

Equipment blanks were collected and used for internal data quality control for evaluating field and laboratory performance. Analytical results for the equipment blank samples are summarized on Tables 7 through 10. Equipment blanks were collected to assess the effectiveness of equipment decontamination procedures. Low concentrations of acetone, 2-butanone, benzene, chloroform, toluene and xylenes were detected in several of the equipment and equipment blanks from the July 2009 soil and ground water sampling events. Bis(2-ethylhexyl)phthalate and acetophenone were detected in several equipment blanks. Additionally, low concentrations of several metals (antimony, arsenic, barium, chromium, thallium and zinc) were detected in several of the equipment blanks.

Field blanks collected with soil samples were labeled as FB-MMDDYY, such as FB-071309 for the field blank collected on July 13, 2009. Field blanks collected with the ground water samples were labeled in the field as Field Blank MM-DD-YY (sampling date) and were then converted to the nomenclature for the soil field blanks in the EQuIS database and on the tables. The table below summarizes the field and trip blank ID changes. The EQuIS database ID is used in this report and on the data tables.

Summary of Field Blank Sample ID Changes

Field Sample ID	Sample Date	EQuIS Database ID	Laboratory Sample ID
Field Blank 7-22-09	7-22-09	FB-072209	A9G230196002
Field Blank 7-23-09	7-23-09	FB-072309	A9G240125006
Field Blank 7-24-09	7-24-09	FB-072409	A9G250133004



Trip Blanks

Trip blanks were collected for internal data quality control for evaluating field and laboratory performance to assess the potential introduction of contaminants from sample containers or during the transportation and storage procedures. One trip blank was included in each cooler of samples sent to the laboratory for VOCs analysis. A total of seven trip blanks were analyzed for VOCs as part of the Phase II RFI. As noted in Section 7.2.2 of this report, a trip blank was not included in the cooler with samples collected on July 15, 2009 (TestAmerica Lot #A9G160162). VOC results for all trip blanks are presented on Table 11. Acetone was detected in two of the trip blanks (TB-071409 and TB-072309) and isobutyl alcohol was detected in one the trip blanks (TB-072309).

The sample IDs for trips blanks (TB and Trip Blank) were converted to the sample ID format of TB-MMDDYY in the EQuIS database. The table below summarizes the field and trip blank ID changes. The EQuIS database ID is used in this report and on the data tables.

Summary	of Trip	Blanks Sam	ple ID Changes
----------------	---------	-------------------	----------------

Field Sample ID	Sample Date	EQuIS Database ID	Laboratory Sample ID
ТВ	7-09-09	TB-070909	A9G100171002
ТВ	7-10-09	TB-071009	A9G110141002
ТВ	7-13-09	TB-071309	A9G150161002
ТВ	7-14-09	TB-071409	A9G150150002
Trip Blank	7-22-09	TB-072209	A9G230196004
Trip Blank	7-23-09	TB-072309	A9G240125008
Trip Blank	7-24-09	TB-072409	A9G250133006

Performance Evaluation Samples

Soil Performance Evaluation (PE) samples were sent to the laboratory as blind samples to evaluate the laboratory's performance. The PE samples for VOCs, SVOCs, PCBs and metals were purchased from Environmental Resource Associates of Arvada, CO. The PE samples, identified as AOC2-22-10.0 on the sample chain-of-custody, were sent to TestAmerica for



VOCs, SVOCs, PCBs and metals analysis. Analytical results and the ERA certified values for PE sample are summarized in Tables 12 through 14, and the tables only included compounds listed in the ERA Certified Value reports and not the full Appendix IX list for VOCs, SVOCs, PCBs and metals. The laboratory data report for the sample analysis is provided in Appendix 5 and a copy of the ERA Certificate of Analyses is provided in Attachment I. The VOC, SVOC, PCB and metals results for all compounds except for four, were within the 95% confidence level (performance acceptance limits) with minor exceptions. Compounds not meeting the 95% confidence level include bromoform, tetrachloroethene, lead, and thallium.

Matrix Spike and Matrix Spike Duplicates

The MS/MSD samples were used to evaluate the potential effect of the matrix of the sample on the laboratory analysis. MS/MSD samples also provide an indication of precision and accuracy. The one set of matrix spike/matrix spike duplicates was collected at AOC 2 and during ground water sampling. MS/MSD samples were collected with soil sample AOC2-04-7.5 (TestAmerica Report A9G150161, Appendix 4) and ground water sample TMW-5D (TestAmerica Report # A9G250133, Appendix 10).

4.3. Laboratory Sample Analysis

Soil and ground water samples collected for the RFI Phase II were analyzed for RCRA Appendix IX list for VOCs, SVOCs, PCBs, and metals, total petroleum hydrocarbons diesel range organics (TPH-DRO), and ethylene glycol using EPA SW-846 methods as summarized on Table 15. The laboratory data packages for the RFI Phase II investigation are provided in Appendices 1 through 13. All samples were transported to the laboratory and analyzed within the USEPA Region III holding times.

The VOC list was expanded to include 1,4-dioxane, and the SVOC list was expanded to include benzidine, 1,2-diphenylhydrazine, and 3,3'-dimethoxybenzidine. The additional three SVOC compounds are specific to the pigment and dye industry. Table 16 provides a list of all compounds included in the RCRA Appendix IX List of for VOCs, SVOCs, PCBs, and



metals. TestAmerica Laboratories, Inc. (TestAmerica) of North Canton, Ohio completed the analysis of all soil and ground water samples collected, except for soil samples collected for ethylene glycol analysis, which were analyzed by the TestAmerica Buffalo, New York laboratory.

The soil and ground water results for the Phase II RFI are presented on Tables 17 through 28. Data flags (qualifiers) for the reported data are as follows:

- B = Sample contains concentrations of target analyte at a reportable level in the associated Method Blank(s).
- J = Target analyte result is between the Minimum Detection Limit and the Reporting Limit. There is a possibility of false positive or mis-identification at these quantitation levels.
- U = Target analyte was not detected. The associated number indicates the approximate sample concentration necessary to be detected (i.e. Reporting Limit).

The analytical qualifiers are listed adjacent to the reported data results on the data tables under the heading LQ.

The ground water laboratory reports (Appendices 8, 9 and 10) were revised and the results only were reproduced (Appendices 11, 12, and 13) to include the reporting of cis-1,2-dichlorethene, for ground water. Cis-1,2-dichloroethene is not included as RCRA Appendix IX list VOC. However it is a Constituent of Potential Environmental Concern (COPEC) since it has been historically detected in ground water at the site and it is a breakdown product trichloroethene which has been historically detected at the site in ground water at concentrations exceeding the WVDEP GWDMS.



4.4. Field Analysis and Parameter Data Collection

Field analysis and parameter monitoring were completed during the Phase II RFI for soil and ground water. Field analysis of soil pH was completed for several soil samples from AOC 6. The pH analysis was completed in accordance with EPA SW-846 Method 9045 D, as specified in the November 2008 QAPP (ELM, 2008b).

PID screening was conducted on soil and ground water samples collected during the Phase II RFI. The results of the PID screening were recorded on the soil boring logs (Attachment A) and ground water sampling report (Attachment G).

Field parameters collected during ground water sampling included temperature, pH, dissolved oxygen (DO), conductivity and oxygen reduction potential (ORP). These parameters were monitored as part of the low-flow ground water sampling activities, to demonstrate that the aquifer had stabilized and that the ground water samples from the monitoring wells were representative of ambient aquifer conditions.

The DO readings collected during the ground water purging and sampling are suspected to be erroneous. During the ground water sampling, the field crew noticed the DO meter listed the DO concentration to be zero during purging and sampling of the majority of the monitoring wells. The DO meter was recalibrated several times and the vendor of the DO meter was contacted as the meter was new. The field crew followed the vendor's instructions for resetting and calibration of the meter. Although the DO meter readings are listed as recorded during the sampling, since the data is suspect, the DO values were not used to gauge when the aquifer had stabilized during low-flow purging and sampling.

4.5. Analytical Data Validation

Data validation was completed by Alpha Geoscience in accordance with the November 2008 QAPP, and established EPA guidelines, June 1995 Region III Innovative Approaches to Data Review Guidance Document. Organic data (VOCs, SVOCs, PCBs and ethylene glycol) for soil and ground water samples was validated using the M-2 level



review procedures. Metals data for soil and ground water samples was validated using the IM-1 level review procedures. Copies of data validation reports for each laboratory data package are included in Attachment H.

Data validations qualifier that were applied to the data according to the validation guidance criteria outline by the USEPA Region III M-2 and IM-1 level review procedures, are as follows:

- U = Not detected. The associated number indicates the approximate sample concentration necessary to be detected.
- J = Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- B = Not detected substantially above the level reported in the laboratory or field blanks.
- R = Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm the result.
- N = Tentative identification. Analyte is considered present. Special methods may be needed to confirm its presence or absence during future sampling efforts.
- K = Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L = Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- UI = Not detected, quantitation limit may be inaccurate or imprecise



• UL = Not detected, quantitation limit is probably higher

These qualifiers are used for data validation purposes only and differ from the qualifiers that the laboratory assigned to the data. The data validation qualifiers are listed adjacent to the data results and the laboratory qualifiers under the heading DV on the data tables for this RFI Phase II Report.

Data usability for RFI Phase II data were determined by the third party data validator (Alpha Geoscience), ELM project manager, and the laboratory performing the fixed base analysis. Usability of data collected in the field was first determined by the field team, and the ELM project manager. Once the data were validated the usability of the data was determined by the project team, specifically the project manager. Overall, the RFI Phase II data were found to have met the quality criteria as specified in the project specific QAPP, laboratory SOPs, and referenced analytical methods within the limitations discussed above. A total of 13,574 analytical results were validated to for the RFI Phase II. Of this total, 245 analytical results were R qualified as rejected. The completeness percentage for the RFI Phase II effort was 98.2%.

The data validation had flagged the majority of the results for 1,4-dioxane, acrolein, acetonitrile, propionitrile and isobutanol as "R" (rejected) due the average relative response factors for calibration being below the allowable minimum. Communication with the third party data validator documented that the "R" qualifier was the result of the use of EPA Method 8270C for these compounds rather than the samples being unacceptable or problems with the laboratory analysis of the samples. There were no positive results (detected concentrations) of these compounds in any soil or ground water sample collected. The data is considered acceptable since no concentrations were detected at values that were close to the WDVEP soil and ground water de minimis standards for these compounds.



Matrix interferences for the analysis of the soil samples were noted in the laboratory data packages. The matrix interference problems resulted in elevated reporting limits for several samples. Sample, AOC2-04-7.5, (lab data package A9G150161), had all non-detect results for VOCs flagged as "R" (rejected) since the all four surrogate recoveries were below control limits. The laboratory noted the surrogate recoveries problem due to demonstrated matrix effects and interferences.

4.6. Sample Handling, Transport and Storage Procedures

The sampling handling, transport and storage procedures were implemented in accordance with the November 2008 QAPP. TestAmerica provided laboratory-cleaned sample containers and added preservatives to containers that required preservation. ELM personnel and Potesta & Associates personnel (July 2009 ground water sampling event) collected all samples and maintained control of samples until the samples were sent to the laboratory. Immediately after each sample was collected, the sample containers were appropriately labeled (including sample ID, sample date and time). Prior to transfer to the laboratory, the samples were kept in ice-packed insulated coolers. Samples were labeled, packaged and shipped by Federal Express at the end of each sampling day. All samples were transported to the laboratory without any breakage of bottle or damage to the samples.

Field records were maintained for all samples collected, and pertinent sample information was recorded on the chain-of-custody forms. Chain-of-custody forms were signed and dated at the time of receipt and delivery of samples. Upon receipt of the samples at the laboratory, the laboratory kept internal logs to track each sample. The laboratory reports for the Phase II RFI include Shipping and Receiving documentation and laboratory internal tracking logs for the samples (Appendices 1 through 10).

4.7. Data Handling and Management

Data generated as part of the Phase II RFI included information recorded in the field, laboratory analytical reports, and data validation assessments as outline in the November



2008 FSP and QAPP. All project related documents are maintained by ELM in hard copy and/or electronic format, and the files will be maintained for seven years following the completion of the project. At that time, ELM will contact BASF for transfer of the files to BASF as necessary. TestAmerica will retain all records related to the sample analysis including raw data, calculations, derived date, calibrations and test reports for a minimum of seven years after the production of the final data reports for each sample job.

Data management for the Phase II RFI included the use of an electronic data deliverables (EDD). TestAmerica provided EPA Region II EDDs for each laboratory data package and the EDDs were then downloaded into an EQuISTM database. Field data for each sample location and sample collected was then added to the database from the field book and boring logs. The database was used to manage the laboratory results and minimize errors associated with data transcription when data tables were generated for this report.

5.0 RFI PHASE II SOIL INVESTIGATION

5.1. AOC 2 Former Process Sewers

5.1.1. Former Process Sewers History

Historical information for the former process sewers is based on a review of historical SUCo Plant Sewer Location drawings and conversations with BASF personnel. There is no existing environmental data for the former process sewers. The date of the installation process sewer lines is unknown; however it is logical to assume the individual lines were installed as facility buildings were constructed. According to the historical process sewer drawings, the sewer system consisted of vitrified clay piping and transported both process and domestic wastewater. Several breaks were noted on historical Plant Sewer Location Drawings. However, no written documentation regarding these reported breaks was available for review. The combined wastewater was discharged to the City of Huntington Sewers, and no on-property disposal of wastewater was conducted.

BASF installed new sewer lines in the late 1980's and early 1990's and segregated process wastewater from sanitary wastewater. Domestic sewage is now discharged directly to the



City of Huntington sewer system, while the process sewer lines discharge to the on-site wastewater treatment system for pre-treatment prior to discharge to the City of Huntington system. The historic process sewer lines were abandoned and replaced with either PVC or fiberglass reinforced piping. The process sewer lines contain storm water collection points at various locations throughout the facility where storm water is collected, and the storm water is treated with the process wastewater. Wastewater from the facility is collected at Wet Well #1 where it is then transferred by overhead pipes to Wet Well #2 (see Section 5.2 for description of wastewater treatment plant). The pH of the wastewater is then adjusted through a series of smaller tanks at Building 76 and then transferred by underground piping to another sump prior to discharge to the municipal sanitary sewer.

5.1.2. Soil Investigation Scope and Procedures

An investigation of the soil surrounding the former process sewer lines was conducted to determine if any former release has impacted the site soils. The soil boring locations were selected based on a review of former historical SUCo Plant Sewer Location drawings and conversations with former BASF personnel. Twenty soil borings (AOC2-01 through AOC2-19, AOC5-05) were advanced along the former process sewer lines throughout the facility, as per the 2008 RCRA Facility Investigation Workplan Phase II Field Sampling Plan. Soil sample location AOC2-20 was in conjunction with soil boring AOC5-05 completed near the existing wastewater treatment tank to determine soil conditions at the point the sewer lines discharge to the wastewater treatment system.

The borings were completed at a frequency of approximately one boring per 100 linear feet of pipe and biased to locations of former piping intersections, manholes, cleanouts, and locations of known piping replacements. At each boring location, one soil sample was collected and analyzed for RCRA Appendix IX VOC, SVOC, PCBs and metals. The soil samples were collected at depths approximately 6 inches below the piping invert biased to the 6-inch interval exhibiting the highest PID reading and visual evidence of contamination.



At locations near manholes and/or open grates the depth to the piping bottom and depth of the structure were measured to determine sample depths.

One duplicate soil sample, AOC2-21-8.0 was collected from sample location AOC2-03-8.0. Sample designation AOC2-22-10.0 was used for the Performance Evaluation soil sample submitted to the laboratory and not a soil sample collected in the field. Sample locations and results where one or more of the comparison criteria were exceeded are illustrated on Figure 9 and analytical results are presented on Tables 17, 18 and 19. The soil boring logs are provided in Attachment A.

5.1.3. Soil Investigation Results

Constituents were found at levels greater than the WVDEP ISDMS in three locations:

- 1. Arsenic was found at a concentration of 48.1 mg/Kg at AOC2-04 (ISDMS of 27 mg/Kg);
- 2. TCE was found at a concentration of 2.3 mg/Kg at AOC2-17 (ISDMS of 0.92 mg/Kg); and
- 3. Arsenic, lead, TCE, 1,2,4-trichlorobenzene, and PCBs were found at levels greater than their respective ISDMS at location AOC2-18. It is to be noted that there were elevated detection limits for several constituents in this sample, so it is possible that other constituents may have been present at levels greater than their ISDMS. The concentration of PCBs (3,400 mg/Kg) was also above the EPA level for applicability of the Toxic Substances Control Act (TSCA) regulations for site cleanup.

Analytical results are presented on Tables 17, 18 and 19 and the locations and results that exceeded the WVDEP ISDMS are presented on Figure 9.

SVOC compounds, benzo(a)anthracene (2.2 mg/Kg) and benzo(a)pyrene (1.3 mg/Kg) were detected at AOC2-11; their respective EPA SSLs are 2.1 and 0.21 mg/Kg,. Arsenic was



detected above the EPA SSL of 1.6 mg/Kg at all sample locations. However, it is to be noted that the majority of the arsenic found at the site is considered to be naturally occurring.

Aniline was detected at low concentrations in over half of the soil samples. Of these, the concentrations found at AOC2-01, AOC2-10, AOC2-16, AOC2-17, and AOC2-20 exceeded the WVDEP MGWDMS of 0.14 mg/Kg. Of these, only the concentration found at AOC2-16 (61 mg/Kg) was greater than 1 mg/Kg.

1,2,4-trichlorobenzene and 1,4-dichlorobenzene were found at levels greater than the WVDEP MGWDMS at AOC2-02 and (benzo(a)anthracene) was found at a concentration greater than the MGWDMS at AOC2-11, as presented on Table 18. PCB soil concentrations, either total or Aroclor specific, at sample locations AOC2-01, AOC2-02, AOC2-03, AOC2-04, AOC2-08, AOC2-11, AOC2-17 and AOC2-18, were above the WVDEP MGWDMS (Table 19). Metals detected at concentrations exceeding the WVDEP MGWDMS include antimony, arsenic, barium, copper, lead and selenium, at ACO2-01, AOC2-04, AOC2-12 and AOC2-18, as summarized on Table 19.

5.1.4. Conclusion and Recommendations

The data collected during the Phase II soil sampling support a conclusion that low levels of metals and SVOCs are present in several locations beneath the former process sewers. In some cases, these concentrations exceed the WVDEP MGWDMS. However, with the exceptions of location AOC2-16, where aniline was found at 61 mg/Kg at a depth of 11 to 11.5 feet, and the locations at which the WVDEP ISDMS were exceeded (see below), the results do not support a conclusion that an adequate mass of constituents is present to create an impact to ground water. As discussed in Section 2, ground water is found at depths ranging from 23 to 32 feet bgs, and the low concentrations of constituents are not predicted to affect ground water. As a result, of the locations at which the WVDEP MGWDMS was exceeded, additional investigation of only AOC2-16 is recommended. As discussed in Section 7, soil samples will be collected from deeper intervals to determine if the WVDEP MGWDMS is achieved at a depth interval above the depth of ground water.



Additional soil sampling is also recommended for AOC 2, at the three locations at which constituents were found at levels greater than the WVDEP ISDMS:

- AOC2-04 for arsenic;
- AOC2-17 for trichloroethene; and
- AOC2-18 for trichloroethene, 1,2,4-trichlorobenzene, PCBs, arsenic and lead.

At each of these locations, additional soil samples will be collected to define the vertical and horizontal extent of the constituents that are present at levels above the WVDEP ISDMS and assess whether these locations may represent a source of ground water contamination. Based on these results, additional characterization of ground water may be proposed.

As stated previously, the PCB concentration at sample AOC2-18-11.0 (3,400 mg/kg) exceeds 50 mg/Kg. Once the vertical and horizontal extent of the PCBs in this location is better understood, a plan to characterize and remedy the PCBs in accordance with EPA 40 CFR 761 will be prepared.

5.2. AOC 5 On-Site Wastewater Treatment System

5.2.1. On-Site Wastewater Treatment System History

The June 27, 2000 IRFI Workplan identified the on-site wastewater treatment system as an AOC because information regarding the operation of the system prior to BASF operations is unknown. The on-site wastewater treatment system was installed between 1965 and 1966, and is still in operation. The treatment system consists of an initial collection tank (Wet Well #1), a second collection tank (Wet Well #2), two pH adjustment tanks in series and a final tank to monitor effluent pH and flow prior to the treated process water being discharged to the City of Huntington sewer system.



The concrete tanks extend below ground with the tank inverts at approximately 20 feet below ground surface. Liquid levels in the tanks are regulated by the depth of the discharge outlet to the City of Huntington system, which is at approximately 7 to 9 feet below ground surface, resulting in approximately 11 to 13 feet of liquid in the tank. A visual inspection of the wastewater tanks above this elevation found no evidence of cracks or other indication of compromised integrity. All piping between Wet Well #1 and the pH adjustment tank is aboveground. Piping to Wet Well #1 from the manufacturing areas and piping from the treatment system area to the connection with the municipal sewer system is subsurface.

BASF operated the on-site wastewater treatment system in accordance with the facility's Industrial Waste Discharge Permit No. 1086010 (Huntington Sanitary Board). Flint Group Pigments currently operates the on-site wastewater treatment system in accordance with the same permit. The discharge permit requires that all process water be monitored for pH, color, and flow prior to discharge.

BASF documents identify no reported spills or releases from the treatment system, and inspection reports show that the tanks are in good condition during BASF's operations. However, no documentation regarding the installation and operation of the treatment system by Chemetron Corporation prior to BASF occupancy of the property was available for review in preparation of the RFI.

5.2.2. Soil Investigation Scope and Procedures

Six soil borings (AOC5-01 through AOC5-06) were advanced surrounding the existing wastewater treatment system tanks to a depth approximately 25 ft bgs. Sample locations AOC5-01 through AOC5-04 were located around the initial wastewater influent collection tank (Wet Well #1); the depth of the tank was approximately 18 to 19 ft bgs. Sample locations AOC5-5 and AOC5-06 were from below the invert of Wet Well #2.



One soil sample was collected from each boring at the 6-inch interval at a depth approximately 6 inches beneath the invert of the tanks, biased toward elevated PID reading and visual evidence of contamination. The soil samples were analyzed for RCRA Appendix IX VOCs, SVOCs, PCBs, and metals. One duplicate soil sample (AOC5-07-20.0) was collected with sample AOC5-02-20.0. Sample locations and results are illustrated on Figure 10 and analytical results are presented on Tables 20, 21, and 22. The soil boring logs are provided in Attachment A.

5.2.3. Soil Investigation Results

No contaminants were detected at concentrations exceeding the WVDEP ISDMS. Arsenic was the only contaminant that was detected at concentrations above the December 2009 EPA SSLs for industrial sites. Arsenic was detected in all soil samples at concentrations ranging from 2.0 mg/Kg to 18.2 mg/Kg. The EPA SSL for arsenic is 1.6 mg/Kg; however the range of arsenic concentrations found in soil are within a typical background range for West Virginia (see Section 2.2).

The WVDEP MGWDMS were exceeded in three locations:

- 1. Arsenic at AOC5-01-20.0 (18.2 mg/Kg; MGWDMS of 5.8 mg/Kg);
- 2. PCB Aroclor 1248 at AOC5-05-22.0 (0.065 mg/Kg; MGWDMS of 0.059 mg/Kg); and
- 3. PCB Aroclor 1248 at AOC5-07-20.0 (0.16 mg/Kg).

5.2.4. Conclusion and Recommendations

No further investigation of AOC 5 On-Site Wastewater Treatment System for soils for impact to human health is recommended; no constituents were found at levels greater than the WVDEP ISDMS. Arsenic was detected in every sample and concentrations exceeded the EPA SSLs; however, as discussed previously, the concentrations of arsenic found are well within the range of naturally occurring arsenic in West Virginia soils.



Based on the data from sample locations AOC5-05 and AOC5-07, there could be a potential impact to ground water for PCBs. Additionally, based on the arsenic concentration at AOC5-01, there is a potential for an arsenic impact to ground water.

However, as stated previously, the arsenic at location AOC5-01 is considered to be a background condition and not the result of a discharge. Therefore, no ground water investigation for arsenic is recommended.

Additionally, the PCBs detected in soil are not pervasive and are only slightly above the WVDEP MGWDMS. There is no evidence of any significant mass of PCBs in the subsurface that could represent a source of dissolved-phase PCB concentrations such that the MCL or WVDEP GWDMS would be exceeded. Therefore, no further investigation is recommended.

5.3. AOC 6 Above Ground Storage Tanks

5.3.1. Above Ground Storage Tanks History

The June 27, 2000 Initial RFI Workplan identified the former and existing ASTs as an AOC because documentation regarding the use and operation of former storage tanks prior to BASF operations was not available for review. Former aboveground storage tanks (ASTs) at the facility were located in three areas on the southern portion of the facility adjacent to the railroad tracks in the same vicinity as the existing ASTs (Figure 2).

Historical Sanborn Maps document that the ASTs were used for the storage of acid (sulfuric and hydrochloric), aniline, caustic soda, anhydrous ammonia, toluene, xylenes, ethylene glycol and formaldehyde. The Sanborn Maps from 1931 to 1968 did not document that the ASTs had secondary containment, with the exceptions of the xylenes and toluene ASTs. The 1968 Sanborn Map depicts a dike surrounding the xylenes and toluene tanks. Table 23 provides a summary of the ASTs (existing and former), known contents of the ASTs, corresponding soil samples and analytical parameters.



During BASF's operation of the facility and current operations by Flint Group, the existing ASTs have been/are surrounded by secondary containment. The areas surround the existing ASTs are covered by asphalt or concrete. The operation and use of the ASTs containing oil/petroleum products is in accordance with the facility's SPCC Plan.

5.3.2. Soil Investigation Scope and Procedures

Sixteen borings, AOC6-01 through AOC6-16, were completed at the three AST areas to evaluate if historical discharges from the ASTs had impacted soils. Soil borings were drilled near locations of former ASTs and adjacent to existing secondary containment structures, as shown on Figure 11. The borings were completed to a depth of approximately 8 ft bgs. No borings were drilled within any of the AST secondary containment structures. As per the 2008 Phase II Work Plan, one sample was collected from each boring from native soil at a depth of 6 to 12 inches below ground surface or from the six-inch interval of native soil with the highest PID reading or showing evidence of odors or staining.

Soil samples were analyzed for RCRA Appendix IX analytical parameters that were specific to the surrounding AST contents, as listed on Table 23. Samples from borings AOC6-05 and AOC6-06 were also analyzed for ethylene glycol. Soil samples collected from borings AOC6-14, AOC6-15 and AOC6-16 were also analyzed for total petroleum hydrocarbon (diesel range organics). Field analysis for pH was conducted on soil samples collected from borings AOC6-01 through AOC6-06 and AOC6-09 through AOC6-13. The field pH measurements for soil samples were conducted in accordance with SW-846 Method 9045D, as specified in the November 2008 QAPP (ELM, 2008b). One duplicate soil sample, AOC6-22-1.0, was collected with sample AOC6-03-1.0. Sample locations and results are illustrated on Figure 11 and analytical results are presented on Tables 24 through 29. The soil boring logs are provided in Attachment A.

5.3.3. Soil Investigation Results

The results of the Phase II soil investigation in the AST area are presented in four sections:



- 1. General (Appendix IX list) results,
- 2. Results specific to fuel oil tank areas,
- 3. Results specific to former ethylene glycol AST, and
- 4. Results for soil pH analysis for caustic and acid AST areas.

General Appendix IX List Sampling Results

The WVDEP ISDMS were exceeded at one location, AOC6-07, located adjacent to the former toluene and xylenes AST areas, as presented on Figure 11 and Table 24. At this location, ethylbenzene (18,000 mg/Kg), toluene (6,100 mg/Kg) and total xylenes (12,000 mg/Kg) were found in the 2.0' depth interval at levels greater than the WVDEP ISDMS and MGWDMS. Field observations of PID readings and odors were also noted at this sample location.

The EPA SSL for arsenic (1.6 mg/Kg) was exceeded for all soil samples except one. Arsenic concentrations ranged from 0.78 mg/kg to 21.9 mg/Kg with the average being 6.44 mg/Kg. PCB Aroclor 1254 (8.9 mg/Kg) was detected at AOC6-07-2.0 above the EPA SSL of 0.74 mg/Kg.

Several VOCs, SVOCs, PCBs and metals were detected in soil samples exceeding the WVDEP MGWDMS, as summarized on Tables 24, 25 and 26. In the majority of the locations at which one or more constituents were found at a concentration greater than the WVDEP MGWDMS, the concentrations were generally low and did not support a conclusion of a mass of constituents adequate to represent a potential source to ground water. The potential exception to this are the detections of aniline at locations AOC6-07, AOC6-08, AOC6-089 and AOC6-10, where aniline was detected at concentrations ranging from 35 to 120 mg/Kg at depths of 2.0' to 6.5'. These sample locations are near former and existing aniline ASTs (see Figure 11), and other SVOCs and some metals were also found in these locations at levels greater than the WVDEP MGWDMS.



Fuel Oil Tank Area

Samples AOC6-14-2.0, AOC6-15-6.0 and AOC6-16-2.0 were collected from the soil surrounding the Fuel Oil AST Farm. The fuel oil stored in the AST is #2 Fuel Oil and the tanks are within secondary containment.

Diesel range TPH (diesel range organics) was not detected in samples AOC6-14-2.0 and AOC6-16-2.0, as summarized on Table 27. Sample AOC6-15-6.0 had a TPH concentration of 180 mg/Kg, which is below the WVDEP ISDMS value of 8,300 mg/Kg, but slightly above the WVDEP MGWDMS of 170 mg/Kg. At AOC6-15-6.0, VOC or SVOC compounds were not detected at concentrations above the above the WVDEP MGWDMS.

Former Ethylene Glycol AST Area

Sample locations AOC6-05 and AOC6-06 were biased to the area where a former AST containing ethylene glycol was located. The ethylene glycol was not detected in the soil tables (Table 28).

Existing and Former Acid AST Areas

Soil pH results ranged from 3.94 to 8.31; the average pH value for all samples was 6.48, as summarized on Table 29 and Figure 12. The soil samples were collected from the first sixinch interval of native soil encountered at each location. At most locations, native soil was observed less than two to three feet below ground surface. At locations AOC6-09 and AOC6-12, native soil was encountered at 6.5 ft and 8.0 ft respectively. At all sample locations, the ground surface was covered by concrete, with the exception of sample locations AOC6-04 and AOC6-06, where stone gravel covered the ground surface.

5.3.4. Conclusion and Recommendations

Elevated concentrations of ethylbenzene, toluene and total xylenes were detected at sample location AOC6-07 in shallow soils. Horizontal and vertical delineation of these VOC compounds in soil is warranted since the concentrations exceed the WVDEP ISDMS and



MGWDMS, and the nearby monitoring wells, TMW-4S and TMW-11S, have had detected concentrations of these compounds in ground water in 2002 and 2005 (Table 2).

As discussed above, aniline and other SVOCs and metals were found at levels above the WVDEP MGWDMS in samples collected adjacent to the former and existing aniline ASTs. Of these, only the aniline found in samples AOC6-07, AOC6-08, AOC6-09 and AOC6-10 was at a high enough concentration and in a sufficient number of samples to potentially represent a source of dissolved-phase constituents in ground water. Therefore, additional soil investigation is proposed for these areas. Additional detail regarding the additional soil investigation recommended for AOC 6 is presented in Section 7.

No further action is recommended for the investigation of fuel oil related constituents near the Fuel Oil AST area (sample locations AOC6-14, AOC6-15 and AOC6-16). TPH concentrations were either non-detect or below the WVDEP ISDMS. TPH concentration at AOC6-15 was above the migration to ground water draft standard; however no fuel oil related VOCs or SVOCs were detected at elevated concentrations. Therefore it can be concluded the TPH concentrations detected may be of natural organic matter, such as decaying vegetation, and not fuel oil related.

Four sample locations had pH values below 5.0, supporting the conclusion that soil surrounding may have been impacted by the use of the acids stored in the ASTs. AOC6-03-1.0 (pH of 4.79) and AOC6-05-2.0 (pH of 4.26) were collected near existing sulfuric acid storage tanks in secondary containment and former mixed acid tanks. Samples AOC6-12-8.0 (pH of 3.94) and AOC6-13-3.0 (pH of 4.91) were collected near the location of former hydrochloric acid tanks. Both of these areas are covered by asphalt and there is no exposure for worker contact with the soil. No further action is recommended in regards to pH analysis of soils for the former AST area.



6.0 RFI PHASE II GROUND WATER INVESTIGATION

6.1. Summary of Proposed Investigation Scope and Procedures

A new monitoring well, TMW-12D, was installed approximately 80 feet hydraulically down gradient of TMW-1D beyond the northern property line. The location for the well was based on property access and location of subsurface utilities. The new well was installed to investigate ground water conditions off-site and downgradient from TMW-1D. Details regarding the installation and construction of the well are presented in Section 4.2.2 and the well log for TMW-12D and the logs for all existing wells are included in Attachment C.

A ground water sampling event was completed in July 2009 and all site monitoring wells, including the new well (TMW-12D), were sampled. A summary of ground water sample information (i.e. sample identification, analytical parameters, sample data and sample time) is presented on Table 5. Ground water results are presented on Tables 30 through 34 and the laboratory data reports are included in Appendices 8 through 13.

The concentrations of constituents found in ground water were screened against the WVCSR 60-3 Voluntary Remediation and Redevelopment Rule, De Minimis Standards for Ground Water (GWDMS). The GWDMS are equal to or more stringent than the EPA December 2009 RSLs and MCLs for tap water.

6.2. Ground Water Results July 2009

The ground water results for July 2009 are consistent with the results from 2002 to 2005, and further document the trends in ground water concentrations observed over the earlier time period. Additionally, the results from the new well, TMW-12D, show that, within a relatively small distance from the northern, down gradient property boundary, the concentrations of all constituents in ground water approach or achieve their respective MCLs, and, with the one exception of 1,1,2,2-tetrachloroethane, approach or achieve the WVDEP GWDMS.



Consistent with previous sampling results, chlorinated VOCs, primarily trichloroethene and cis-1,2-dichloroethene, were detected at concentrations above the WVDEP GWDMS in deep monitoring wells in two locations on the site:

- 1. On the northern, down gradient portion of the site, in monitoring wells TMW-1D and TMW-12D; and
- 2. Within the 25th St. Landfill area in monitoring wells TMW-5D and TMW-7D.

Also similar to previous results, aromatic VOCs (ethylbenzene and total xylenes) and several SVOCs (aniline and n-nitrosodiphenylamine) were detected in shallow monitoring wells located in the southern, up gradient portion of the site, TMW-4S and TMW-11S, at concentrations above the WVDEP GWDMS.

Arsenic was detected above the WVDEP GWDMS at TMW-2D, TMW-4S and TMW-11S. The results from TMW-2D are not necessarily representative of dissolved-phase concentrations, as turbidity levels were elevated during sampling (137 ntu).

The July 2009 ground water data results for exceedances to the WVDEP GWDMS are summarized on Figures 13 and 16, and the results for all analyzed compounds are presented on Tables 30 through 34. Results of the July 2009 sampling event are presented based on three general facility areas:

- 1) Onsite facility area (TMW-2D, TMW-4D, TMW-4S and TMW-11S);
- 2) Down gradient of the main facility (TMW-1D, TMW-9D and TMW-12D); and
- 3) 25th Street Landfill area (TMW-5D, TMW-6D, TMW-7D and TMW-8D).



6.3. Discussion of Ground Water Results

Previous reports have discussed the constituents found in ground water and the predicted fate and transport of these constituents. In particular, it previously has been predicted that the chlorinated VOCs detected in the 25th Street Landfill wells (TMW-5D and TMW-7D) and in the area down gradient of the main plant (TMW-1D) would continue to attenuate in concentrations and were therefore stable, such that the EI, "Migration of Contaminated Ground Water Under Control", was achieved. Additionally, it was concluded, based on the site-specific ground water seepage velocity and retardation coefficient calculations, that the aromatic VOCs and SVOCs found in the up gradient portion of the property (TMW-4S and TMW-11S) were essentially immobile, again supporting a conclusion that the EI for ground water migration was achieved.

The results of this round of ground water sampling provide further support for these conclusions, but also provide additional information regarding ground water conditions, including:

- At a relatively short distance (approximately 80 feet) down gradient of the site's northern property boundary, the concentrations of all constituents approach or achieve their respective MCLs and, with the exception of 1,1,2,2-tetrachloroethane, for which the WVDEP GWDMS is very low (0.055 μg/L), achieve or approach their respective WVDEP GWDMS.
- Arsenic, not previously analyzed for in all monitoring wells, was found in the two shallow monitoring wells (TMW-4S and TMW-11S) in which the aromatic VOCs and SVOCs are present. Based on the geochemistry of arsenic, it is probable that its presence in these two locations is a result of the reducing conditions created by the hydrocarbons mobilizing naturally occurring arsenic in the formation. As such, it is a secondary constituent that: (a) is limited in extent to the locations where the hydrocarbons affect the geochemistry; and (b) will be addressed when the hydrocarbons are addressed. Arsenic was also found in deep monitoring well



TMW-2D, but the turbidity level of the sample (134 ntu) may have contributed to the reported arsenic concentration.

• In addition to the degradation of the chlorinated VOCs, degradation of the aromatic VOCs and the SVOCs found in the up gradient monitoring wells is being observed. As noted in Section 6.3.2, "Contaminant Fate and Transport", concentrations of toluene, ethylbenzene and xylenes declined significantly in TMW-11S between 2005 and 2009, while the levels of these constituents in TMW-4S remained at levels well below their 2003 levels. Aniline levels in both wells remained relatively stable.

6.3.1. Nature and Extent of Contamination

Three categories of constituents were found in ground water at concentrations greater than EPA MCLs and/or WVDEP GWDMS:

- Chlorinated VOCs were found in the 25th Street Landfill and in the most down gradient monitoring wells;
- Aromatic VOCs and SVOCs were found in the most up gradient shallow monitoring wells; and
- Arsenic was found in the up gradient shallow monitoring wells in which the VOCs and SVOCs were found, and in one deep monitoring well. The presence of the arsenic in the deep monitoring well (TMW-2D) is possibly a result of the turbidity in the sample obtained.

The extent of the constituents is generally well understood, and the previous determination that the EI for ground water migration has been achieved remains accurate. Specifically:

• The chlorinated VOCs found in the wells installed in the 25th Street Landfill are relatively low and are declining (see "Fate and Transport"). The extent is limited,



based on the absence of these constituents in the two monitoring wells (TMW-6D and TMW-8D) installed on the western end of the landfill.

- The chlorinated VOCs found in the down gradient portion of the site are also declining (see "Fate and Transport") and, at the down gradient extent, the concentrations of all constituents approach or achieve their respective EPA MCL. It is noted that the concentration of 1,1,2,2-tetrachloroethane in TMW-12D is above the WVDEP GWDMS.
- The aromatic VOCs and the SVOCs found in up gradient monitoring wells TMW-4S and TMW-11S have declined from 2005 levels and are predicted to remain stable.
- The arsenic found in TMW-4S and TMW-11S is most likely the result of the reducing conditions created by the VOCs and SVOCs mobilizing the naturally occurring arsenic. With the exception of TMW-2D, in which turbidity levels were elevated (137 ntu), arsenic was not found in any other monitoring well at a concentration greater than the MCL/GWDMS.

Based on the results that have been obtained, no additional monitoring wells are proposed for the purpose of better defining the extent of the constituents that previously have been found in ground water at the site. Based on the soil sampling results, however (see Section 5), additional ground water wells will be installed.

6.3.2. Contaminant Fate and Transport

The 2009 ground water sampling results support the conclusion that the extent of dissolved-phase constituents is stable or declining. As presented in Tables 35 and 36:

• Concentrations of TCE, the parent chlorinated VOC, have declined by approximately 75% between 2002 and 2009 in TMW-1D. During all sampling events, degradation



products were present, supporting the conclusion that biodegradation was occurring via reductive dechlorination.

- Concentrations of TCE, the parent chlorinated VOC, have declined by 50% and 40% in TMW-5D and TMW-7D, respectively, since the 2005 sampling event. This reverses the increasing concentration trend that had been observed in earlier monitoring events.
- BTEX and aniline levels in monitoring well TMW-4S increased from the levels found in 2005, but remain substantially less than the concentrations found in 2002 and 2003. It should be noted that the laboratory reported an elevated detection limit for benzene in 2009. In general, however, the data support a conclusion that the mass of constituents in this area is being depleted.
- BTEX levels in TMW-11S were substantially lower than those found in 2005. Aniline levels increased slightly from the 2005 levels. An elevated detection limit for benzene was also reported for TMW-11S in the 2009 sampling event. As with the results for TMW-4S, the data support a conclusion that the mass of constituents in the area of TMW-11S is being depleted.

Based on the above information, continued monitoring of these wells is merited. As discussed in Section 5, additional soil sampling is proposed to assess the extent to which constituents in soil may be affecting ground water. Based on the results of this sampling, a proposal to address any source material, if present, will be proposed.

6.4. Conclusion and Recommendations

The results of the 2009 ground water sampling, including the results from newly-installed TMW-12D, are consistent with the results of previous sampling events:



- Chlorinated VOCs found in the northern, down gradient portion of the property are undergoing reductive dechlorination and will eventually decline to their respective EPA MCL. The results from the new monitoring well, TMW-12D, support the conclusion that concentrations of all chlorinated VOCs decline to levels approaching or achieving their respective EPA MCL within a relatively short distance from the down gradient property boundary. There is no EPA MCL for 1,1,2,2-tetrachloroethene, which is found at levels significantly above the WVDEP GWDMS in TMW-12D, but levels of 1,1,2,2-tetrachloroethane are also declining.
- Chlorinated VOCs found in the 25th Street Landfill are stable or declining, and there is no indication of any significant source area mass. Concentrations of TCE, the parent compound, have declined by up to one half since 2005, and there is evidence that reductive dechlorination is occurring.
- The aromatic VOC and the SVOCs found in TMW-4S have remained stable since the 2005 sampling, and are significantly lower than those found in 2002. Similarly, concentrations of aromatic VOCs in TMW-11S declined since the 2005 sampling. Together, the results support a conclusion that the mass of constituents in the area is being depleted.

Additionally, the new results support a conclusion that the reducing conditions created by the aromatic VOCs and the SVOCs in TMW-4S and TMW-11S are sufficient to mobilize naturally-occurring arsenic such that the MCL for arsenic is exceeded in these wells. As such, the extent of the arsenic is likely limited by the geochemical effects of the VOCs and SVOCs, and it can be predicted that arsenic levels will decline as the localized geochemistry returns to normal.



7.0 CONCLUSIONS AND RECOMMENDATIONS

7.1. Conceptual Site Model

Based on the soil and ground water data collected during the RFI Phase II investigation, the following relationships of source, fate and transport and receptor impact can be established:

7.1.1. Chlorinated VOCs in Down Gradient Wells

There is no apparent source of the chlorinated VOCs found in TMW-1D and TMW-12D. The highest dissolved-phase concentrations of TCE found have been approximately 100 μ g/L, which is well below 1% of the aqueous solubility of TCE. Additionally, dissolved phase concentrations have continuously declined since sampling began, which would not be predicted if there was any substantial source area mass. The absence of a source mass was confirmed in 2003 when a focused ground water investigation of the entire northern parking lot area was conducted.

Therefore, it can be concluded that the dissolved-phase chlorinated VOCs are a combination of sorbed and dissolved-phase constituents, with the sorbed and dissolved phase masses a function of localized partitioning. Based on an estimated f_{oc} of 0.009 and a K_{ow} for TCE of 263 (values used to develop the retardation rates in the 2005 Supplemental Report), it can be estimated that the partitioning of sorbed to dissolved phase is approximately 15:1.

As documented previously, the dissolved-phase chlorinated VOCs are declining as a result of both biotic (reductive dechlorination) and abiotic (dispersion) processes. Given the presence of both sorbed and dissolved-phase constituents, and the preferential partitioning to the sorbed phase, it can be predicted that while dissolved-phase concentrations will continue to decline, it may be some time before the EPA MCLs for all constituents are achieved.



There are no receptor impacts under current or reasonably foreseeable conditions. Ground water is not used, and there is no plan to use the ground water. Previous submissions have demonstrated that, even at a concentration of 100 μ g/L, the TCE does not represent a risk via the vapor intrusion pathway. Since TCE concentrations in ground water have declined to levels lower than 100 μ g/L, the potential risk via vapor intrusion is even less.

7.1.2. Chlorinated VOCs in 25th Street Landfill

The conceptual understanding of source, fate and transport and receptor impact discussed for the chlorinated VOCs in the down gradient portion of the site (TMW-1D and TMW-12D) is applicable to the chlorinated VOCs in the 25th Street Landfill wells:

- There is no apparent source of the chlorinated VOCs. TCE concentrations have consistently been well below those that would support a conclusion of non-aqueous phase liquids (NAPL) being present, and, as discussed previously, concentrations have declined since the 2005 sampling event. Therefore, similar to the chlorinated VOCs in TMW-1D and TMW-12D, it can be concluded that the chlorinated VOCs in the 25th Street Landfill are present as a combination of sorbed and dissolved-phase constituents, with the sorbed to dissolved-phase partitioning coefficient is approximately 15:1.
- The chlorinated VOCs are undergoing biotic and abiotic degradation. Parent compound concentrations have declined since 2005, and degradation products are present. Because the TCE preferentially partitions to the sorbed phase, it may require an extended time frame to achieve the MCL.
- There are no risks to any receptor. Ground water is not and will not be used, and there is no unacceptable risk via the vapor intrusion pathway, as documented previously.



7.1.3. Aromatic VOCs and SVOCs in Up Gradient Portion of Site

There is evidence of source material in the immediate vicinity of TMW-4S and TMW-11S. Although there was no indication of soil contamination in soil during installation of either TMW-4S or TMW-11S, the dissolved-phase concentrations of aromatic hydrocarbons (several thousand $\mu g/L$ of individual constituents) supports the conclusion of source material.

It had previously been hypothesized that the source may have been an up gradient release, since the two wells are at the up gradient property boundary. This hypothesis is still valid, but, based on the results of the soil investigation of the AST area (see Section 5.3), it is also possible that a release from an AST could be responsible. For example, elevated levels of ethylbenzene, toluene and xylenes were found in the soil sample obtained at the 2.0-foot interval at location AOC6-07, very near TMW-4S and TMW-11S. Additional soil sampling is proposed to determine if this may be the source of the constituents found in the two monitoring wells.

The extent of the dissolved-phase constituents is stable or declining. As discussed previously, the aromatic VOCs have relatively high octanol/water partitioning coefficients (K_{ow}), and with the relatively high f_{oc} measured in soil (0.009), retardation rates are high, limiting the down gradient transport of these constituents. Dissolved-phase concentrations have declined significantly since monitoring began in 2002, although there was an increase in dissolved phase concentrations in TMW-4S between 2005 and 2009.

The dissolved-phase constituents are undergoing degradation by both biotic and abiotic mechanisms. The aromatic constituents biodegrade primarily via aerobic pathways, but there is evidence that anaerobic mechanisms are also effective.

There is no threat to any receptor from these constituents. Ground water is not used.



7.1.4. Other Potential Sources to Ground Water

As discussed in Section 5, there are several locations where the concentrations of constituents in soil may represent potential sources to ground water:

- AOC2-04, where arsenic was found at a concentration greater than the WVDEP ISDMS;
- AOC2-16, where aniline was found at a concentration (61 mg/Kg) greater than the WVDEP GWMDMS at a depth of 11–11.5 feet;
- AOC2-17 where trichloroethene was found above the WVDEP ISDMS;
- AOC2-18, where trichloroethene, 1,2,4-trichlorobenzene, PCBs, arsenic and lead were found above their respective WVDEP ISDMS;
- AOC6-07, where toluene, ethylbenzene and xylenes were found at levels above the WVDEP ISDMS; and
- AOC6-07, AOC6-08, AOC6-09 and AOC6-10, where aniline was detected at concentrations ranging from 35 to 120 mg/Kg at depths of 2.0 to 6.0 feet.

Further investigation of these areas will be conducted to assess whether they are a potential source of ground water contamination.

7.2. Soil

Soil sampling will be conducted at those locations where constituents were found at levels greater that the WVDEP ISDMS and in three locations where aniline and other SVOCs were found at levels significantly greater than the WVDEP GWDMS. The objectives of the sampling are to: (1) determine the vertical and horizontal extents to which constituents are



present at levels greater than the WVDEP ISDMS; and (2) determine if any of these locations represent a source of constituents to ground water.

7.2.1. Delineation of Constituents Found at Levels Greater than WVDEP ISDMS

Additional soil sampling will be conducted to determine the vertical and horizontal extent of the constituents found at levels above the WVDEP ISDMS in the following locations:

- AOC2-04 for arsenic (7.5-8 ft);
- AOC2-17 for trichloroethene (11- 11.5 ft);
- AOC2-18 for trichloroethene, 1,2,4-trichlorobenzene, PCBs, arsenic and lead (11-11.5 ft); and
- AOC6-07 (2-2.5 ft) for toluene, ethylbenzene and xylenes.

A soil boring will be installed at the location of the original boring to the water table (23 to 32 ft). All cores will be obtained and field screened with a PID. If there is no indication of contamination (elevated PID reading, odor, staining), sample collection will begin at the depth at which the original sample was collected. Sample collection will continue at 2-foot intervals until the water table is reached.

The samples will be sequentially analyzed for the constituents that exceeded the WVDEP ISDMS. At location AOC6-07, analysis will also include the SVOCs that were found at levels above the WVDEP GWDMS. In each location, the shallowest samples will be analyzed for the constituents found in the original sample at a concentration greater than the WVDEP ISDMS. The results will be compared to the WVDEP GWDMS. If one or more constituents are found at a level greater than the WVDEP GWDMS, the next deepest sample will be analyzed. This will continue until the WVDEP GWDMS is achieved. In this way, the vertical extent of the constituents above both the WVDEP ISDMS and GWDMS will be determined.



Soil borings will be installed on four sides of each original sample location at a distance of approximately 10 feet, with potential changes in location due to access. Samples will be collected from the interval at which constituents were present in the original sample at a concentration greater than the WVDEP ISDMS, unless field observations or screening find evidence of contamination above that interval.

The borings will be continued to the water table, and samples will be collected every two feet. The samples will be analyzed based on a combination of field observations and the results of the vertical delineation boring installed in the original location:

- If there is evidence of contamination, a sample will be collected and analyzed.
- Samples will be analyzed from the interval(s) in which constituents were present at levels above the WVDEP ISDMS in the vertical delineation boring installed in the original location.

Finally, if evidence of contamination is noted in the field in one of the horizontal delineation borings, a "step out boring" will be installed approximately 10 feet beyond the horizontal delineation boring. The step out boring will extend to the depth at which the contamination was noted in the delineation boring, and a sample will be collected from that interval.

7.2.2. Vertical Delineation of Aniline at Levels above WVDEP GWDMS

Vertical delineation of the aniline and other SVOCs found in AOC6-07 and AOC6-08 will be conducted as part of the delineation program for the constituents found at levels above the WVDEP ISDMS, above.

Vertical delineation of the aniline and other SVOCs found above the WVDEP GWDMS will be performed by installing a boring at the former locations of AOC2-16 and AOC6-10. The borings will be continued to the water table. Samples will be collected beginning at the 2.5



to 3-foot interval at location AOC6-10 and at the 11 to 11.5-foot interval at AOC2-16, and at every subsequent two feet.

Samples will be analyzed sequentially for SVOCs. If the results from the shallow sample are greater than the WVDEP GWDMS, the next deeper sample will be analyzed. This will continue until the WVDEP GWDMS is achieved.

7.3. Ground Water

Based on the ground water results from the 2009 sampling event, no additional ground water monitoring wells are proposed. However, it is possible, based on the results of the proposed supplemental soil investigation, that wells may be proposed in the future. A semi-annual ground water sampling program is proposed for the site to continue to monitor and assess ground water conditions.



8.0 REFERENCES

- ELM. 2008a. RCRA Facility Investigation Workplan Phase II Field Sampling Plan, Environmental Liability Management, Inc., April 2008, revised November 2008.
- ELM. 2008b. RCRA Facility Investigation Workplan Phase II Quality Assurance Project Plan, Environmental Liability Management, Inc., April 2008, revised November 2008.
- ELM. 2003a. Initial Phase RCRA Facility Investigation Report. Environmental Liability Management, Inc. August 2003.
- ELM. 2003b. Initial Phase RCRA Facility Investigation Field Sampling Plan (Volume II) Addendum and Quality Assurance Project Plan (Volume III) Addendum. Environmental Liability Management, Inc. January 2003.
- ELM. 2001. Initial Phase RCRA Facility Investigation Field Sampling Plan (Volume II) and Quality Assurance Project Plan (Volume III). Environmental Liability Management, Inc. July 2001.
- ELM. 2000. Initial Phase RCRA Facility Investigation Workplan, Volumes I, II, III and IV. Environmental Liability Management, Inc. June 27, 2000.
- Howard, P.H., Boethling, R.S., Meylan, W.M., and Michalenko, E.M. 1991. Handbook of Environmental Degradation Rates. Lewis Publishers. Chelsea, MI. 1991.
- Johnson, Paul C. 2002. Identification of Critical Parameters for the Johnson and Ettinger (1991) Vapor Intrusion Model. American Petroleum Institute.
- Landres, R.A, Lessing, P. 1989. Water Resources of the Guyandotte River Basin. United States Geological Survey, RBB-7.
- Morrison, Ph.D., R., Jones, Ph.D., J.W., Hartman, Ph.D., B, Erickson, Esq., R.L., and Beers, Esq., R. 1999. Chlorinated Solvent Contamination: Legal and Technical Considerations. Argent Communications Group, Inc. Auburn, CA. 1999.
- Schwietering, J.F. 1981. Brief Description of Ground-Water Conditions and Aquifers in West Virginia. West Virginia Geological and Economic Survey. 0F8102.
- Shacklette, H.T; Boerngen, J.G. 1984. Element Concentrations in Soils and Other Surficial Materials of the Conterminous United States. US Geological Survey. USGS Professional Paper 1270.
- Test Methods for Evaluating Solid Waste SW-846, EPA, On-Line EPA SW-846 Test Methods http://www.epa.gov/sw-846/sw846.htm.



- USEPA. 2005. Intergovernmental Data Quality Task Force, Uniform Federal Policy for Quality Assurance Project Plans, Part 1: UFP-QAPP Manual, Final Version 1, EPA-505-B-04-900A, March 2005.
- USEPA. 2003. User's Guide for Evaluating Subsurface Vapor Intrusion into Buildings. EPA/68/W-01/058.
- USEPA. 2002. Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soils (Subsurface Vapor Intrusion Guidance). Federal Register: November 29, 2002 Volume 67, Number 230.
- USEPA. 1989. RCRA Facility Investigation (RFI) Guidance (Volumes I IV), USEPA, May 1989.
- USEPA. 1988. Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA, Interim Final, USEPA, 1988.
- USEPA. 1986. Test Methods for Evaluating Solid Waste SW-846, USEPA, November 1986.
- Verchueren, K. 1996. Handbook of Environmental Data on Organic Chemicals, 3rd ed. Van Nostrand Reinhold an International Thomson Publishing Company. 1996.
- Vosnakis, Kelly A.S. and Perry, Elizabeth. 2009. "Background Versus Risk-Based Screening Levels An Examination of Arsenic Background Soil Concentrations in Seven States," *International Journal of Soil, Sediment and Water*: Vol. 2: Iss. 2, Article 2.
- WVDEP. Undated. West Virginia Voluntary Remediation and Redevelopment Act Guidance Manual, Version 2.1, West Virginia Department of Environmental Protection, Office of Environmental Remediation, undated.



9.0 ACRONYMS, ABBREVIATIONS AND UNITS OF MEASURE

Agencies USEPA and WVDEP

AOC Area of Concern

bgs below ground surface

°C Degrees Celsius

COC Chain of Custody

CPECs Constituents of Potential Environmental Concern

DCE Dichloroethene

DO Dissolved Oxygen

DRO Diesel Range Organics

EDD Electronic Data Deliverables

°F Degrees Fahrenheit

ft bgs feet below ground surface

FSP Field Sampling Plan

GPS Global Positioning System

GWDMS WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Standard, July 2008

IRFI Initial Phase RCRA Facility Investigation

ISDMS WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Standard, July 2008

MCL Maximum Contaminant Level

MDL Minimum Detection Limit

MGWDMS WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis

Standard, July 2008

mg/kg milligram per kilogram

MS/MSD Matrix Spike/Matrix Spike Duplicate

MSL Mean Sea Level



ntu Nephelometric Turbidity Units

ORP Oxygen Reduction Potential

PAHs Polynuclear Aromatic Hydrocarbon

PCBs Polychlorinated Biphenyls

PCE Tetrachloroethene

PES Performance Evaluation Sample

ppm parts per million

QAPP Quality Assurance Project Plan

RCRA Resource Conservation and Recovery Act

RFI RCRA Facility Investigation

RL Reporting Limit

RSL Regional Screening Level

SOP Standard Operating Procedure

SSL Soil Screening Level

SVOCs Semivolatile Organic Compounds

TCA Trichloroethane

TCE Trichloroethene

TPH Total Petroleum Hydrocarbons

μg/L micrograms per liter

USEPA United States Environmental Protection Agency

VC Vinyl Chloride

VOCs Volatile Organic Compounds


WVDEP West Virginia Department of Environmental Protection



FIGURES

Figure 1:	Site Location Map
Figure 2:	Facility Layout Map Depicting Areas of Concern and Monitoring Well Locations
Figure 3:	Potentiometric Contours for Ground Water July 2009
Figure 4:	Initial RFI Soil Sample and Monitoring Well Locations
Figure 5:	Initial RFI Volatile and Semi-Volatile Organic Results for Ground Water 2002-2005
Figure 6:	Initial RFI Total PCBs and Metals Results for Ground Water - 2002 and 2005
Figure 7:	Initial RFI Volatile Organic Results for Parking Lot Area and TMW-1D - 2003
Figure 8:	RFI Phase II Soil Sample and Monitoring Wells Locations July 2009
Figure 9:	AOC 2 Former Process Sewers - Exceedances to the WVDEP Industrial Soil De Minimis Standards
Figure 10:	AOC 5 On-Site Wastewater Treatment System Sample Locations and Results
Figure 11:	AOC 6 Above Ground Storage Tanks - Exceedances to the WVDEP Industrial De Minimis Standards
Figure 12:	AOC 6 Above Ground Storage Tanks Sample Locations and pH Results
Figure 13:	Chlorinated Volatile Organic Compound Concentrations in Ground Water July 2009
Figure 14:	Chlorinated Volatile Organic Compound Concentrations in Ground Water 2002-2009
Figure 15:	Volatile and Semi-Volatile Ground Water Results for TMW-4S, TWM-4D and TMW-11S July 2009
Figure 16:	Volatile and Semi-Volatile Ground Water Results for TMW-4S, TWM-4D and TMW-11S from 2002 to 2009






SOURCE:

USGS TOPO, HUNTINGTON, W.VA-OHIO QUAD, PHOTOREVISED 1985



BUILDING LEGEND



AOC 1 - 25TH STREET LANDFILL

AOC 9 - GROUND WATER

MONITORING WELL LOCATION AND ID

AREA OF CONCERN TO BE INVESTIGATED

----- PROPERTY LINE

WOODED AND GRASS AREAS

BUILDING ID

- FORMER PROCESS SEWERS

———— FENCELINE

+++++++++++ RAILROAD

MONITORING WELL LOCATION AND ID (ABANDONED)

AOC 1 - 25TH STREET LANDFILL

AOC 3 - ON-SITE RAILROAD LINES

AOC 4 - FORMER GASOLINE STATION

AOC 7 - ELECTRICAL TRANSFORMERS

AOC 8 - FORMER COAL STORAGE AREA

AOC 9 - GROUND WATER


AOC 2 - FORMER PROCESS SEWERS

AOC 6 - ABOVE GROUND STORAGE TANKS

AOC 5 - ON-SITE WASTEWATER TREATMENT SYSTEM

SOURCE:

- 1. "GENERAL PLANT MAP HUNTINGTON WORKS", DRAWING NUMBER 0110-HUN-W1-GEN-001, BY BASF CORPORATION, DATED FEBRUARY, 1996, REVISION 13
- 2. "HYDROLOGIC INVESTIGATION FOR LANDFILL CLOSURE 25TH STREET LANDFILL PLAN", PLAN NO. 8243, BY SMC MARTIN, INC., DATED JUNE, 1981






FIGURE 2
FACILITY LAYOUT, AREAS OF CONCERN
AND MONITORING WELL LOCATIONS

FORMER BASF HUNTINGTON WORKS
5TH AVENUE & 24TH STREET
HUNTINGTON, WEST VIRGINIA

THE GROUP

5/12/10

99184-SITE

FIG2-SITE_REV1

THE GROUP

218 WALL STREET, PRINCETON, NEW JERSEY 08540
4920 YORK ROAD, SUITE 290, HOLICONG, PENNSYLVANIA 18928 612
MAIN STREET, BOONTON, NEW JERSEY 07005
267 BROADWAY, FIFTH FLOOR, NEW YORK, NEW YORK 10007
2475 BAGLYOS CIRCLE, BETHLEHEM, PENNSYLVANIA 18020
www.ExploreELM.com



LEGEND

TMW-4D TMW-3D

FENCELINE

MONITORING WELL LOCATION AND ID MONITORING WELL LOCATION AND ID

PROPERTY LINE

RAILROAD GROUND WATER ELEVATION CONTOUR (FEET)

CONTOUR INTERVAL = 0.20 FEET INFERRED GROUND WATER FLOW DIRECTION

GROUND WATER ELEVATION DATA (FEET)

TM-1WD TMW-2D TMW-4D TMW-5D TMW-6D WellID TMW-7D GWE (ft MSL) 523.57 524.34 524.15 523.83 523.92 523.69

NOTES:

TMW-8D

523.92

523.48

- 1. DEPTH TO GROUND WATER WAS MEASURED ON JULY 22, 2009.
- 2. GROUND WATER CONTOUR WERE GENERATED USING SURFER V8.0 WITH A KRIGGING ROUTINE


TMW-9D TMW-12D TMW-4S TMW-11S


524.13

524.13

523.56

- 3. GROUND WATER DATA FROM TMW-4S AND TMW-11S WERE NOT USED TO GENERATE CONTOURS.
- 4. TMW-3D WAS ABANDONED IN FEBRUARY 2003





TITLE:

FIGURE 3 POTENTIOMETRIC CONTOURS FOR GROUND WATER JULY 2009


LOCATION:


FORMER BASF HUNTINGTON WORKS 5TH AVENUE AND 24TH STREET HUNTINGTON, WEST VIRGINIA


HONTINGTON, WEST VIKOINIA					
DATE: 5/12/10					
FILENAME:	99184_GWDATA_2009				
LAYOUT:	GWC 7-22-09				



218 WALL STREET, PRINCETON, NEW JERSEY 08540
4920 YORK ROAD, SUITE 290, HOLICONG, PENNSYLVANIA 18928
612 WAIN STREET, BOONTON, NEW JERSEY 07005
267 BROADWAY, FIFTH FLOOR, NEW YORK, NEW YORK 10007
2475 BAGLYOS CIRCLE, BETHLEHERM, PENNSYLVANIA 18020
www.ExploreELM.com







ND NOT DETECTED NS NOT SAMPLED

NS

NS

NS

NS

● TMW-1D MONITORING WELL LOCATION AND ID

△TMW-3D MONITORING WELL LOCATION AND ID

LEGEND

MANGANESE

POTASSIUM

NICKEL

SODIUM

ZINC

NOTES:

80.1

0,72

36.6

1.78

27.7

0.0051

18.5

59.3

0.0125

5.53

ND

25.7

98.6

ND

10.8

ND

1.03

32

ND

8.52

ND

2.85

36

ND

1) ONLY DETECTED PARAMETERS ARE SHOWN.

2.95

0.0127

2.36

31.3

ND

- 2) BOLDED COMPOUNDS EXCEED THE EPA REGION 3 MCL / WVDEP 46CSR12.
- 3) ALL RESULTS ARE IN ug/L.

1.62

ND

2.29

24.9

ND

4) MONITORING WELLS WERE SAMPLED FOR PCBs IN AUGUST 2002 BUT NOT IN FEBRUARY/MARCH 2005.

2.31

0.0128

3.09

29

ND

5) PCBs WERE NOT DETECTED IN GROUND WATER FOR AUGUST 2002.

SOURCE

1) "GENERAL PLANT MAP HUNTINGTON WORKS", DRAWING NUMBER 0110-HUN-W1-GEN-001 BY BASF CORPORATION, DATED FEBRUARY, 1996, REVISION 13.

1.59

0.0125

6.52

28.2

ND

1.81

0.0119

3.15

45

ND


6

36

ND

0.0181

2) SANBORN MAP, W.VA. INSPECTION BUREAU, THE STANDARD ULTRAMARINE CO. REPORT NO. 1936. APRIL 20, 1938.



TITLE: FIGURE 6

INITIAL RFI TOTAL PCBs AND METALS RESULTS FOR GROUND WATER 2002 AND 2005

LOCATION:

5.86

0.0025

2.52

25.2

ND

FORMER BASF HUNTINGTON WORKS 5TH AVENUE AND 24TH STREET HUNTINGTON, WEST VIRGINIA

LAYOUT: GW_DATA_METALS-REV1


DATE: 5/13/10

FILENAME: 99184_GWC

THE EIM GROUP

218 WALL STREET, PRINCETON, NEW JERSEY 08540 4920 YORK ROAD, SUITE 290, HOLICONG, PENNSYLVANIA 18928 612 MAIN STREET, BOONTON, NEW JERSEY 07005 267 BROADWAY, FIFTH FLOOR, NEW YORK, NEW YORK 10007 2475 BAGLYOS CIRCLE, BETHLEHEM, PENNSYLVANIA 18020 www.ExploreELM.com

	(ABANDONED)
	PROPERTY LINE
xx	FENCELINE
+++++++	RAILROAD
89	BUILDING ID



LEGEND

⊕^{WP-1} TEMPORARY WELLPOINT LOCATION AND ID ⊕TMW-1D MONITORING WELL LOCATION AND ID PROPERTY LINE FENCE LINE NS NO STANDARD ND **NOT DETECTED**


WP-7	2/03	SAMPLING ID AND SAMPLING DATE
PCE	ND	TETRACHLOROETHENE RESULT IN ug/L (WVDEP=5 ug/L)
TCE	14	TRICHLOROETHENE RESULT IN ug/L (WVDEP=5 ug/L)
1,1-DCE	0.6	1,1-DICHLOROETHENE RESULT IN ug/L (WVDEP=7 ug/L)
CIS-DCE	21	CIS-1,2-DICHLOROETHENE RESULT IN ug/L (WVDEP=70 ug/L)
TRANS-DCE	60	TRANS-1,2-DICHLOROETHENE RESULT IN ug/L (WVDEP=100 ug/L)
VC	5.7	VINYL CHLORIDE RESULT IN ug/L (WVDEP=2 ug/L)
1,1,2,2-PCA	1.8	1,1,2,2-TETRACHLOROETHANE RESULT IN ug/L (WVDEP=NS)
1,1,2-TCA	ND	1,1,2-TRICHLOROETHANE RESULT IN ug/L (WVDEP=5 ug/L)

NOTES:


- 1. ALL RESULTS ARE IN ug/L.
- 2. ONLY DETECTED VOLATILE ORGANIC COMPOUNDS ARE SHOWN.
- 3. BOLD RESULTS EXCEED APPLICABLE WEST VIRGINIA **DEPARTMENT OF ENVIRONMENTAL PROTECTION** 46CSR12 EFFECTIVE 2002.
- 4. CHLOROBENZENE WAS DETECTED AT WP-6 AT 0.6 ug/L (WVDEP = 100).
- 5. ACETONE WAS DETECTED AT WP-6 AT 15 ug/l (WVDEP =
- 6. CHLOROFORM WAS DETECTED AT WP-1 (0.4 ug/L), WP-2 (0.2 ug/L), WP-4 (0.5 ug/L). WP-5 (0.4 ug/L), AND WP-6 (1.2 ug/L). (WVDEP = NS).

SOURCE:

1. "GENERAL PLANT MAP HUNTINGTON WORKS", DRAWING NUMBER 0110-HUN-W1-GEN-001, BY BASF CORPORATION, DATED FEBRUARY, 1996. REVISION 13.



2475 BAGLYOS CIRCLE, BETHLEHEM, PENNSYLVANIA 18020



TMW-2D MONITORING WELL LOCATION AND ID

TMW-3D MONITORING WELL LOCATION AND ID (ABANDONED)

SOURCE:

- 1. "GENERAL PLANT MAP HUNTINGTON WORKS", DRAWING NUMBER 0110-HUN-W1-GEN-001, BY BASF CORPORATION, DATED FEBRUARY, 1996, REVISION 13
- 2. "HYDROLOGIC INVESTIGATION FOR LANDFILL CLOSURE 25TH STREET LANDFILL PLAN", PLAN NO. 8243, BY SMC MARTIN, INC., DATED JUNE, 1981


RFI PHASE II SOIL SAMPLE AND MONITORING WELL LOCATIONS JULY 2009


FORMER BASF HUNTINGTON WORKS 5TH AVENUE AND 24TH STREET HUNTINGTON, WEST VIRGINIA

5/13/10 99184_GWDATA_2009

SAMPLE MAP







LEGEND

- EXISTING BUILDING AND BUILDING ID

FENCELINE

FORMER SUBSURFACE PROCESS SEWER LINES

AOC5-01 AOC 5 BORING LOCATION AND ID

CATCH BASIN

 EXISTING SUBSURFACE PROCESS SEWER LINE (APPROXIMATE).

SAMPLE LOCATION	SAMPLE ID	SAMPLE DEPTH (ft. bgs)		
AOC5-01	AOC5-01-20.0	20.0 - 20.5		
AOC5-02	AOC5-02-20.0	20.0 - 20.5		
AOC5-03	AOC5-03-20.0	20.0 - 20.5		
AOC5-04	AOC5-04-21.5	21.0 - 21.5		
AOC5-05	AOC5-05-22.0	22.0 - 22.5		
AOC5-06	AOC5-06-20.0	20.0 - 20.5		

- 1. NO EXCEEDANCES TO THE WVDEP INDUSTRIAL SOIL DE MINIMIS STANDARDS WERE DETECTED IN SOIL SAMPLES COLLECTED FOR AOC 5.
- 2. SOIL SAMPLES WERE ANALYZED FOR RCRA APPENDIX IX VOCS, SVOCS, PCBS AND METALS.
- 3. A DUPLICATE SAMPLE, AOC5-07-20.0 WAS COLLECTED WITH SAMPLE AOC5-02-20.0.
- 4. SOIL SAMPLES WERE COLLECTED ON JULY 9, 2009 BY THE ELM GROUP.
- 5. SAMPLE LOCATIONS ARE BASED ON POST-PROCESSED GPS DATA.
- 6. PIPING BETWEEN BLDG. 77 AND BLDG. 76 FOR WASTEWATER IS ABOVE GROUND AND ON ELEVATED RACKS.

SOURCE:

- 1. "GENERAL PLANT MAP HUNTINGTON WORKS", DRAWING NUMBER 0110-HUN-W1-GEN-001, BY BASF CORPORATION, DATED FEBRUARY, 1996,
- 2. "HYDROLOGIC INVESTIGATION FOR LANDFILL CLOSURE 25TH STREET LANDFILL PLAN", PLAN NO. 8243, BY SMC MARTIN, INC., DATED JUNE, 1981.






FIGURE 10

AOC 5 ON-SITE WASTEWATER TREATMENT SYSTEM SAMPLE LOCATIONS AND RESULTS

LOCATION:


FORMER BASF HUNTINGTON WORKS 5TH AVENUE AND 24TH STREET HUNTINGTON, WEST VIRGINIA


AOC5


DATE: 5/14/10 FILENAME: 99184 RFI PhaseII SOIL





218 WALL STREET, PRINCETON, NEW JERSEY 08540
4920 YORK ROAD, SUITE 290, HOLICONG, PENNSYLVANIA 18928
612 WAIN STREET, BOONTON, NEW JERSEY 07005
267 BROADWAY, FIFTH FLOOR, NEW YORK, NEW YORK 10007
2475 BAGLYOS CIRCLE, BETHLEHEM, PENNSYLVANIA 18020
www.ExploreELM.com











● TMW-4D MONITORING WELL LOCATION AND ID PROPERTY LINE * FENCELINE

VOCs	WVDEP GW		
TOLUENE	1,000		
ETHYLBENZENE	700		
XYLENES (TOTAL)	10,000		
SVOCs			
ANILINE	12		
N-NITROSODIPHENYLAMINE	14		

NOT DETECTED ND

NOTES:

- 1. ALL CONCENTRATIONS ARE IN ug/L.
- 2. BOLDED VALUES EXCEED THE WVDEP 60CSR3 TABLE 60-3B DE MINIMIS VALUES FOR GROUND WATER, **EFFECTIVE JULY 2008.**





FIGURE 15


VOLATILE AND SEMI-VOLATILE GROUND WATER RESULTS FOR TMW-4S, TMW-4D AND TMW-11S JULY 2009

5TH AVENUE AND 24TH STREET HUNTINGTON, WEST VIRGINIA DATE: 5/13/10 FILENAME: 99184_GWDATA_2009 LAYOUT: 2009 TMW-4S



218 WALL STREET, PRINCETON, NEW JERSEY 08540 218 WALL STREET, PRINCETON, NEW JERSEY 08540
4920 YORK ROAD, SUITE 290, HOLICONG, PENNSYLVANIA 18928
612 MAIN STREET, BOONTON, NEW JERSEY 07005
267 BROADWAY, FIFTH FLOOR, NEW YORK, NEW YORK 10007
2475 BAGLYOS CIRCLE, BETHLEHEM, PENNSYLVANIA 18020
www.ExploreELM.com





VOCs	WVDEP GW
BENZENE	5
ETHYLBENZENE	700
TOLUENE	1,000
XYLENES (TOTAL)	10,000
SVOCs	
ANILINE	12
N-NITROSODIPHENYLAMINE	14
NOT DETECTED	ND

ND NOT SAMPLED NS

- 1. ALL CONCENTRATIONS ARE IN ug/L.
- 2. BOLDED VALUES EXCEED THE WVDEP 60CSR3 TABLE **TABLE 60-3B DE MINIMIS VALUES FOR GROUND** WATER, EFFECTIVE JULY 2008.
- 3. THE FEBRUARY 2003 REPORTING LIMIT FOR BENZENE AT TMW-4S WAS GREATER THAN THE WVDEP DE MINIMIS VALUE.



FIGURE 16

VOLATILE AND SEMI-VOLATILE GROUND WATER RESULTS FOR TMW-4S, TMW-4D AND TMW-11S FROM 2002 TO 2009

5TH AVENUE AND 24TH STREET HUNTINGTON, WEST VIRGINIA DATE: 5/13/10 FILENAME: 99184 GWDATA 2009 LAYOUT: HIST VOCS SVOCS



218 WALL STREET PRINCETON NEW IERSEY 08540 218 WALL STREET, PRINCETON, NEW JERSEY 08540
4920 YORK ROAD, SUITE 290, HOLICONG, PENNSYLVANIA 18928
612 MAIN STREET, BOONTON, NEW JERSEY 07005
267 BROADWAY, FIFTH FLOOR, NEW YORK, NEW YORK 10007
2475 BAGLYOS CIRCLE, BETHLEHEM, PENNSYLVANIA 18020
www.ExploreELM.com

LIST OF TABLES

Initial Phase RFI Sample Summary
Ground Water Volatile Organic Results 2002-2005
Ground Water Semi-Volatile Organic Results 2002-2005
Ground Water Polychlorinated Biphenyl and Metal Results 2002 - 2005
RCRA Facility Investigation Phase II Sample Summary
Monitoring Well Construction Details
Field Blank Results for Volatile Organic Compounds
Field Blank Results for Semi-Volatile Organic Compounds
Field Blank Results for PCBs
Field Blanks Results for Metals
Trip Blank Results for Volatile Organic Compounds
Performance Evaluation Soil Sample Results for Volatile Organic Compounds
Performance Evaluation Soil Sample Results for Semi-Volatile Organic Compounds
Performance Evaluation Soil Sample Results for PCBs and Metals
RFI Phase II Summary of Analytical Methods
RFI Phase II Analytical Parameters and EPA and WVDEP Standards
AOC 2 Soil Sample Results for Volatile Organic Compounds
AOC 2 Soil Sample Results for Semi-Volatile Organic Compound
AOC 2 Soil Sample Results for PCBs and Metals
AOC 5 Soil Sample Results for Volatile Organic Compounds



LIST OF TABLES (continued)

Table 21:	AOC 5 Soil Sample Results for Semi-Volatile Organic Compounds
Table 22:	AOC 5 Soil Sample Results for PCBs and Metals
Table 23:	AOC 6 Aboveground Storage Tanks Summary of Locations, Analytical Parameters and Historical AST Contents
Table 24:	AOC 6 Soil Sample Results for Volatile Organic Compounds
Table 25:	AOC 6 Soil Sample Results for Semi-Volatile Organic Compounds
Table 26:	AOC 6 Soil Sample Results for PCBs and Metal
Table 27:	AOC 6 Soil Sample Results for Total Petroleum Hydrocarbons
Table 28:	AOC 6 Soil Sample Results for Ethylene Glycol
Table 29:	AOC 6 Soil Sample Results for pH
Table 30:	Monitoring Well Field Sampling Data for July 2009
Table 31:	Ground Water Results for Volatile Organic Compounds July 2009
Table 32:	Ground Water Results for Semi-Volatile Organic Compounds July 2009
Table 33:	Ground Water Results for Metals July 2009
Table 34:	Ground Water Results for Natural Attenuation Parameters July 2009
Table 35:	Chlorinated Volatile Organic Compounds Data Trends for Ground Water at TMW-1D, TMW-5D and TMW-7D
Table 36:	Aromatic Volatile Organic Compounds Data Trends for Ground Water at TMW-4S and TMW-11S



Table 1 Initial Phase RFI Sample Summary

RCRA Facility Investigation Phase II

Former BASF Huntington, Works Facility, Huntington, West Virginia

Area of Concern	Sample ID	Boring ID/ Well ID	Laboratory ID	Sample Date	Sample Matrix	Sample Depth (feet)	Analytical Paraments	WVSP NAD83 South Coordinates Easting Northing	
	AOC1-01-1.0	AOC1-01	0206778-01A	06/18/02	Soil	1.0-1.5	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1564250.89	521649.98
25th Street	AOC1-02-1.0	AOC1-02	0206778-02A	06/18/02	Soil	1.0-1.5	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1564374.81	521670.13
Landfill	AOC1-03-1.0	AOC1-03	0206778-03A	06/18/02	Soil	1.0-1.5	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1564535.04	521701.35
(AOC 1)	AOC1-04-1.0	AOC1-04	0206778-04A	06/18/02	Soil	1.0-1.5	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1564696.59	521748.23
	AOC1-05-1.0 (Duplicate)	AOC1-03	0206778-05A	06/18/02	Soil	1.0-1.5	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1564535.04	521701.35
	AOC3-01-1.5	AOC3-01	0206781-01A	06/19/02	Soil	1.5-2.0	TCL BNA+20, TCL PCBs, TAL Metals	1563699.56	521470.17
	AOC3-01-1.5	AOC3-01	0206918-01A	06/26/02	Soil	1.5-2.0	TCL VOA+10	1563699.56	521470.17
	AOC3-02-1.5	AOC3-02	0206781-02A	06/19/02	Soil	1.5-2.0	TCL BNA+20, TCL PCBs, TAL Metals	1563657.12	521461.63
	AOC3-02-1.5	AOC3-02	0206918-02A	06/26/02	Soil	1.5-2.0	TCL VOA+10	1563657.12	521461.63
	AOC3-03-2.0	AOC3-03	0206781-03A	06/19/02	Soil	2.0-2.5	TCL BNA+20, TCL PCBs, TAL Metals	1563621.29	521454.61
On-Site	AOC3-03-1.5	AOC3-03	0206918-03A	06/26/02	Soil	1.5-2.0	TCL VOA+10	1563621.29	521454.61
Railroad Line	AOC3-04-1.5	AOC3-04	0206781-04A	06/19/02	Soil	1.5-2.0	TCL BNA+20, TCL PCBs, TAL Metals	1563555.98	521442.00
(AOC 3)	AOC3-04-1.5	AOC3-04	0206918-04A	06/26/02	Soil	1.5-2.0	TCL VOA+10	1563555.98	521442.00
	AOC3-05-1.5	AOC3-05	0206781-05A	06/19/02	Soil	1.5-2.0	TCL BNA+20, TCL PCBs, TAL Metals	1563453.28	521422.36
	AOC3-06-1.5	AOC3-06	0206781-06A	06/19/02	Soil	1.5-2.0	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1563332.27	521393.20
	AOC3-07-1.0	AOC3-07	0206781-07A	06/19/02	Soil	1.0-1.5	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1563224.32	521358.45
	AOC3-08-2.0 (Duplicate)	AOC3-03	0206781-08A	06/19/02	Soil	2.0-2.52	TCL BNA+20, TCL PCBs, TAL Metals	1563621.29	521454.61
	AOC3-08-1.5 (Duplicate)	AOC3-03	0206918-05A	06/26/02	Soil	1.5-2.0	TCL VOA+10	1563621.29	521454.61
	AOC7-01-0.5	AOC7-01	0206780-01A	06/19/02	Soil	0.5-1.0	TCL PCBs	1563524.56	521456.67
	AOC7-02-0.5	AOC7-02	0206780-02A	06/19/02	Soil	0.5-1.0	TCL PCBs	1563513.33	521445.36
	AOC7-03-0.5	AOC7-03	0206780-03A	06/20/02	Soil	0.5-1.0	TCL PCBs	1563118.58	521668.23
Electrical	AOC7-04-0.5	AOC7-04	0206780-04A	06/20/02	Soil	0.5-1.0	TCL PCBs	1563118.58	521668.23
Transformers	AOC7-05-0.5	AOC7-05	0206780-05A	06/20/02	Soil	0.5-1.0	TCL PCBs	1563112.33	521659.79
	AOC7-06-0.5	AOC7-06	0206780-06A	06/20/02	Soil	0.5-1.0	TCL PCBs	1563109.63	521673.24
(AOC 7)	AOC7-07-0.5	AOC7-07	0206780-07A	06/20/02	Soil	0.5-1.0	TCL PCBs	1563078.74	521690.56
	AOC7-08-0.5	AOC7-08	0206780-08A	06/20/02	Soil	0.5-1.0	TCL PCBs	1563067.42	521699.04
	AOC7-09-0.5	AOC7-09	0206780-09A	06/20/02	Soil	0.5-1.0	TCL PCBs	1563058.67	521686.65
	AOC7-10-0.5 (Duplicate)	AOC7-05	0206780-10A	06/20/02	Soil	0.5-1.0	TCL PCBs	1563118.58	521668.23
	AOC8-01-0.5	AOC8-01	0206782-01A	06/18/02	Soil	0.5-1.0	TCL BNA+20, TAL Metals	1563071.67	521677.89
Former Coal	AOC8-01-2.0	AOC8-01	0206782-02A	06/18/02	Soil	2.0-2.5	TCL BNA+20, TAL Metals	1563071.67	521677.89
Storage Area	AOC8-02-1.0	AOC8-02	0206782-03A	06/18/02	Soil	1.0-1.5	TCL BNA+20, TAL Metals	1562571.31	521787.42
(AOC 8)	AOC8-02-2.0	AOC8-02	0206782-04A	06/18/02	Soil	2.0-2.5	TCL BNA+20, TAL Metals	1562571.31	521787.42
	AOC8-03-0.5 (Duplicate)	AOC8-01	0206782-05A	06/18/02	Soil	0.5-1.0	TCL BNA+20, TAL Metals	1563071.67	521677.89
	TMW-1D	TMW-1D	0208297-01A	08/07/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1563081.50	522174.79
	TMW-2D	TMW-2D	0208387-04A	08/08/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1563230.21	520968.61
	TMW-3D	TMW-3D	0208387-03A	08/08/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1563550.52	521784.12
	TMW-4S	TMW-4S	0208401-01A	08/09/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1563407.28	521097.43
Groundwater	TMW-4D	TMW-4D	0208401-02A	08/09/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1563407.28	521097.43
(AOC-9)	TMW-5D	TMW-5D	0208297-03A	08/07/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1564769.50	521703.92
	TMW-6D	TMW-6D	0208287-01A	08/08/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1565358.58	521189.13
	TMW-7D	TMW-7D	0208297-02A	08/07/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1564844.64	521935.47
	TMW-8D	TMW-8D	0208387-02A	08/08/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1564251.54	521661.22
	TMW-9D	TMW-9D	0208261-01A	08/06/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1562555.12	522101.90 Page 1 of

Page 1 of 3

Table 1 Initial Phase RFI Sample Summary

RCRA Facility Investigation Phase II

Former BASF Huntington, Works Facility, Huntington, West Virginia

Area of Concern	Sample ID	Boring ID/ Well ID	Laboratory ID	Sample Date	Sample Matrix	Sample Depth (feet)	Analytical Paraments	WVSP NAD83 So	outh Coordinates Northing
	TMW-10D (Duplicate)	TMW-4S	0208401-03A	08/09/02	Groundwater	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	1563407.28	521097.43
	TMW-1D	TMW-1D	410431	02/23/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563081.50	522174.79
	TMW-4S	TMW-4S	410423	02/22/03	Groundwater	NA	TCL VOA+10, TCL BNA+20	1563407.28	521097.43
	TMW-4D	TMW-4D	410422	02/22/03	Groundwater	NA	TCL VOA+10,	1563407.28	521097.43
	TMW-5D	TMW-5D	410421	02/22/03	Groundwater	NA	TCL VOA+10,	1564769.50	521703.92
	TMW-7D	TMW-7D	410326	02/21/03	Groundwater	NA	TCL VOA+10,	1564844.64	521935.47
	WP-1	WP-1	410559	02/24/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1562922.76	522149.94
	WP-2	WP-2	410558	02/24/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563112.09	522191.30
	WP-3	WP-3	410557	02/24/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563237.95	522214.60
	WP-4	WP-4	410434	02/23/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563068.81	522071.85
	WP-5	WP-5	410432	02/23/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563026.08	522002.49
	WP-6	WP-6	410433	02/23/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563210.51	522037.22
Groundwater	WP-7	WP-7	410551	02/25/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563092.47	521978.06
(AOC-9)	WP-8	WP-8	410552	02/25/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563069.03	521817.29
	WP-9	WP-9	410553	02/25/03	Groundwater	NA	TCL VOA+10, Anions, Dissolved Gases	1563311.10	521838.40
	TMS-1D	TMW-1D	611722	02/28/05	Groundwater	NA	TCL VOA+10, TCL BNA+20	1563081.50	522174.79
	TMW-2D	TMW-2D	611723	03/01/05	Groundwater	NA	TCL VOA+10, TCL BNA+20	1563230.21	520968.61
	TMW-4S	TMW-4S	611724	03/01/05	Groundwater	NA	TCL VOA+10, TCL BNA+20, TAL Metals	1563407.28	521097.43
	TMW-4D	TMW-4D	611725	02/28/05	Groundwater	NA	TCL VOA+10, TCL BNA+20	1563407.28	521097.43
	TMW-5D	TMW-5D	611726	02/28/05	Groundwater	NA	TCL VOA+10, TCL BNA+20	1564769.50	521703.92
	TMW-7D	TMW-7D	611727	02/28/05	Groundwater	NA	TCL VOA+10, TCL BNA+20	1564844.64	521935.47
	TMW-11S	TMW-11S	611728	03/01/05	Groundwater	NA	TCL VOA+10, TCL BNA+20, TAL Metals	1562555.12	522101.90
	TMS-1D	TMW-1D	616885	03/17/05	Groundwater	NA	TCL BNA+20	1563081.50	522174.79
	TMW-5D	TMW-5D	616883	03/17/05	Groundwater	NA	TCL BNA+20	1564769.50	521703.92
	TMW-7D	TMW-7D	616884	03/17/05	Groundwater	NA	TCL BNA+20	1564844.64	521935.47
	TMW-11S	TMW-11S	616885	03/17/05	Groundwater	NA	TCL BNA+20	1562555.12	522101.90
	FBLANK-061802	NA	0206778-06A	06/18/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	FBLANK-061902	NA	0206781-10A	06/19/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	FBLANK-062002	NA	0206780-11A	06/20/02	Blank	NA	TCL PCBs	NA	NA
	FBLANK-080602	NA	0208261-03A	08/06/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	FBLANK-080702	NA	0208297-04A	08/07/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	FBLANK-080802	NA	0208387-06A	08/08/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	FBLANK-080902	NA	0208401-04A	08/09/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	EBLANK-080602	NA	0208261-04A	08/06/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
QA/QC	EBLANK-080702	NA	0208297-05A	08/07/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	EBLANK-080802	NA	0208387-05A	08/08/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	EBLANK-080902	NA	0208401-05A	08/09/02	Blank	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	Field Blank	NA	611729	03/01/05	Blank	NA	TCL VOA+10, TCL BNA+20, TAL Metals	NA	NA
	Field Blank	NA	616889	03/17/09	Blank	NA	TCL BNA+20	NA	NA
	TBLANK-061802	NA	0206778-07A	06/18/02	Blank	NA	TCL VOA+10	NA	NA
	TBLANK-061902	NA	0206781-11A	06/19/02	Blank	NA	TCL VOA+10	NA	NA
	TBLANK-080602	NA	0208261-05A	08/06/02	Blank	NA	TCL VOA+10	NA	NA
	TBLANK-080702	NA	0208297-06A	08/07/02	Blank	NA	TCL VOA+10	NA	NA Page 2 of 3

Page 2 of 3

Table 1 Initial Phase RFI Sample Summary

RCRA Facility Investigation Phase II

Former BASF Huntington, Works Facility, Huntington, West Virginia

Area of Concern	Sample ID	Boring ID/ Well ID	Laboratory ID	Sample Date	Sample Matrix	Sample Depth (feet)	Analytical Paraments	WVSP NAD83 So	outh Coordinates Northing
	TBLANK-080802	NA	0208387-07A	08/08/02	Blank	NA	TCL VOA+10	NA	NA
	TBLANK-080902	NA	0208400-06A	08/09/02	Blank	NA	TCL VOA+10	NA	NA
QA/QC	Trip Blank	NA	611731	03/01/05	Blank	NA	TCL VOA+10	NA	NA
QA/QC	AOC3-09	NA	0206781-09A	06/19/02	PE	NA	TCL VOA+10, TCL BNA+20, TCL PCBs, TAL Metals	NA	NA
	TMW-11D	NA	0208261-02A	08/06/02	PE	NA	TCL VOA+10, TCL BNA+20, TCL PCBs	NA	NA
	WP-10	NA	410556	02/25/03	PE	NA	TCL VOA+10	NA	NA

Notes:

- 1. TCL Target Compound List
- 2. TAL Target Analyte List
- 3. PE Performace Evaluation Sample
- 4. NA Not Applicable
- 5. TCL SVOC analysis includes benzidine, 1,2-diphenyldrazine, and 3,3'-dimethoxybezidine
- 6. Dissolved Gases analysis includes methane, ethane and ethene
- 7. Anions analysis includes chloride, nitrate and sulfate
- 8. Wells TMW-1D, TMW-5D, TMW-7D, TMW-11S and Duplicate were resampled on 3/17/05 for TCL BNA+20 due broken samples during shipping to lab from 2/28/05 sampling event

Table 2 Ground Water Volatile Organic Results 2002-2005

RCRA Facility Investigation Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

			T1414/4D	··· · · · · · · · · · · · · · · · ·	TA 014/4D	T1414/2D	T1 4) 4 / 2 D	T 114/2D	T. 04/ 46		TA 414/ 4C	T. 414 45		TA 014/ 4D	T T 4) 4 / ED		TA 414/ ED	T1 01/ CD
Sample ID	EPA MCL/	WVDEP	TMW-1D	TMW-1D	TMW-1D	TMW-2D	TMW-2D	TMW-3D	TMW-4S	TMW-4S	TMW-4S	TMW-4D	TMW-4D	TMW-4D	TMW-5D	TMW-5D	TMW-5D	TMW-6D
Laboratory ID	WVDEP	Table	0208297-01A	410431	611722	0208387-04A	611723	0208387-03A	0208401-01A	410423	611724	0208401-02A	410423	611725	0208297-03A	410421	611726	0208387-01A
Sample Media	46CSR12	60-3B	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Sample Date			08/07/02	02/23/03	02/28/05	08/08/02	03/01/05	08/08/02	08/09/02	02/22/03	03/01/05	08/09/02	02/22/03	02/28/05	08/07/02	02/22/03	02/28/05	08/08/02
Unit of Measure	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Volatile Organics	NC	2.4	22.4 B	5.0.11		20.0.11		20.0.11	50.0 B	2.500.11	400 11	20.0.11	50.44		40011	5011		20.0.11
Acetone	NS	2.4	22.4 B	5.0 U	5 U	20.0 U	5 U	20.0 U	58.0 B	2,500 U	100 U	20.0 U	5.0 U	5 U	10.0 U	5.0 U	5 U	20.0 U
Benzene	5	5	1.0 U	1.0 U	1 U	1.0 U	1 U	1.0 U	107	500 U	18 J	1.0 U	1.0 U	1 U	1.0 U	1.0 U	1 U	1.0 U
Bromochloromethane	NS	6.1	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
Bromodichloromethane	NS	0.18	1.0 U	1.0 U	1 U	1.0 U	1 U	1.0 U	1.0 U	500 U	20 U	1.0 U	1.0 U	1 U	1.0 U	1.0 U	1 U	1.0 U
Bromoform	NS	8.4	1.0 U	4.0 U	4 U	1.0 U	4 U	1.0 U	1.0 U	2,000 U	80 U	1.0 U	4.0 U	4 U	1.0 U	4.0 U	4 U	1.0 U
Bromomethane	NS	8.7	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	1.0 U
2-Butanone	NS	NS	10.0 U	5.0 U	5 U	10.0 U	5 U	10.0 U	10.0 U	2,500 U	100 U	10.0 U	5.0 U	5 U	10.0 U	5.0 U	5 U	10.0 U
Carbon Disulfide	NS	1,000	10.0 U	5.0 U	5 U	10.0 U	5 U	10.0 U	10.0 U	2,500 U	100 U	10.0 U	5.0 U	5 U	10.0 U	5.0 U	5 U	
Carbon Tetrachloride	5	5	1.0 U	2.0 U	2 U	1.0 U	2 U	1.0 U	1.0 U	1,000 U	40 U	1.0 U	2.0 U	2 U	1.0 U	2.0 U	2 U	1.0 U
Chlorobenzene	100	110	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	
Chloroform	NS NC	3.8	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	1.0 U
Chlorostorm	NS	0.16	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	1.0 U
Chloromethane	NS	1.5	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	1.0 U
Dibromochloromethane	NS	0.13	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	1.0 U
1,2-Dibromo-3-chloropropane	0.0002	0.2	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
1,2-Dibromoethane	NS	0.05	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
1,2-Dichlorobenzene	NS	600	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
1,3-Dichlorobenzene	NS	600	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
1,4-Dichlorobenzene	NS	70	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
Dichlorodifluoromethane	NS	390	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT 100 H	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
1,1-Dichloroethane	NS	810	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	1.0 U
1,2-Dichloroethane	5	5	1.0 U	2.0 U	2 U	1.0 U	2 U	1.0 U	1.0 U	1,000 U	40 U	1.0 U	2.0 U	2 U	1.0 U	2.0 U	2 U	
1,1-Dichloroethene	7	7	1.0 U	0.6 J	0.4 J	1.0 U	2 U	1.0 U	1.0 U	1,000 U	40 U	1.0 U	2.0 U	2 U	1.0 U	2.0 U	0.4 J	1.0 U
cis-1,2-Dichloroethene	70	70	23.2	32	22	1.0 U	0.2 J	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	3.3	3.8 J	6.9	1.0 U
trans-1,2-Dichloroethene	100	120	79.0	60	34	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	0.2 J	1.0 U
1,2-Dichloropropane	7 NC	5	1.0 U	1.0 U	1 U	1.0 U	1 U	1.0 U	1.0 U	500 U	20 U	1.0 U	1.0 U	1 U	1.0 U	1.0 U	1 U	
cis-1,3-Dichloropropene	NS NC	0.39	1.0 U	5.0 U	5 U 5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U 1.0 U	5.0 U 5.0 U	5 U 5 U	1.0 U	5.0 U	5 U	1.0 U
trans-1,3-Dichloropropene	NS 700	0.39 1,300	1.0 U 1.0 U	5.0 U 4.0 U	4 U	1.0 U 1.0 U	5 U	1.0 U 1.0 U	1.0 U 39,000	2,500 U 29,000	100 U 2,600	73.6	7.0	4 U	1.0 U 1.0 U	5.0 U 4.0 U	5 U	1.0 U 1.0 U
Ethylbenzene 2-Hexanone	NS	1,300 NS	10.0 U	4.0 U	5 U	1.0 U	4 U 5 U	1.0 U	10.0 U	2,500 U	100 U	10.0 U	7.0 5.0 U	5 U	1.0 U	5.0 U	4 U 5 U	1.0 U
	_		1.0 U	3.0 U	NT	1.0 U	NT	1.0 U	187.0	2,300 U	NT	1.0 U	3.0 U	NT	1.0 U	3.0 U	NT	1.0 U
Isopropylbenzene Methylene Chloride	NS NS	NS 5	1.0 U	3.0 U	3 U	1.0 U	3 U	1.0 U	187.0 1.0 U	1,500 U	60 U	1.0 U	3.0 U	3 U	1.0 U	3.0 U	3 U	1.0 U
4-Methyl-2-pentanone	NS NS	160	10.0 U	5.0 U	5 U	10.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	1.0 U
Methyl tert-butyl ether	NS NS	NS	10.0 U	3.0 U	NT	10.0 U	NT	10.0 U	10.0 U	2,300 0 NT	NT	10.0 U	3.0 U	NT	10.0 U	NT	NT	10.0 U
Styrene	100	1.600	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2.500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	
1,1,2,2-Tetrachloroethane	NS	0.055	17.8	12	5.2	1.0 U	1 U	1.0 U	1.0 U	500 U	20 U	1.0 U	1.0 U	1 U	1.0 U	1.0 U	1 U	
Tetrachloroethene	5	5	1.0 U	1.0 U	1 U	1.0 U	1 U	1.0 U	1.0 U	500 U	20 U	1.0 U	1.0 U	1 U	1.0 U	0.4 J	0.3 J	1.0 U
Toluene	1,000	1,000	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	11,700	8,200	120	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5.5 U	
1,2,3-Trichlorobenzene	NS	NS	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
1,2,4-Trichlorobenzene	0.07	190	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
1,1,1-Trichloroethane	200	540	1.0 U	5.0 U	5 U	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	
1,1,2-Trichloroethane	5	5	1.0	2.3 J	1.4 J	1.0 U	3 U	1.0 U	1.0 U	1,500 U	60 U	1.0 U	3.0 U	3 U	1.0 U	3.0 U	3 U	
Trichloroethene	5	5	141	100	67	1.0 U	0.9 J	1.0 U	1.0 U	500 U	20 U	1.0 U	1.0 U	1 U	11.4	19	20	1.0 U
Trichlorofluoromethane	NS	1,300	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
1,1,2-Trichloro-1,2,-trifluoroethane	NS	59,000	1.0 U	NT	NT	1.0 U	NT	1.0 U	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U	NT	NT	1.0 U
Vinyl Chloride	2	2	2.8	2.2 J	3.6 J	1.0 U	5 U	1.0 U	1.0 U	2,500 U	100 U	1.0 U	5.0 U	5 U	1.0 U	5.0 U	5 U	
Xylene (Total)	10,000	1,000	2.0 U	5.0 U	5.0 5 5 U	2.0 U	5 U		128,100	110,000	5,600	65.0	0.3 J	5 U	2.0 U	5.0 U	5 U	
Pold value indicates concentration execu		1,000	2.0 0	3.0 0	3 0	2.0 0	J 0	2.0 0	120,100	110,000	3,000	03.0	0.5 1	J U	2.0 0	5.0 0	<i>J</i> 0	2.0 0

Bold value indicates concentration exceeds EPA MCL

Italicized values indicates method detection limit exceeds EPA MCL

U = Not Detected Above Level Indicated

B = Compound Detected in Lab Blank

NS = No Standard

Table 2 Ground Water Volatile Organic Results 2002-2005

RCRA Facility Investigation Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

	1	ı	I		TA 4147 TO	T1 411/ 00	71 4144 0.00	T1 1111 116									
Sample ID	EPA MCL/	WVDEP	TMW-7D	TMW-7D	TMW-7D	TMW-8D	TMW-9D	TMW-11S	WP-1	WP-2	WP-3	WP-4	WP-5	WP-6	WP-7	WP-8	WP-9
Laboratory ID	WVDEP	Table	0208297-02A	410326	611727	0208387-02A	0208261-01A	611728	410559	410558	410557	410434	410432	410433	410551	410552	410553
Sample Media	46CSR12	60-3B	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Sample Date			08/07/02	02/21/03	02/28/05	08/08/02	08/06/02	03/01/05	02/24/03	02/24/03	02/24/03	02/23/03	02/23/03	02/23/03	02/25/03	02/25/03	02/25/03
Unit of Measure	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
																	1
Volatile Organics																	
Acetone	NS	2.4	10.0 U	5.0 U	5 U	20.0 U	20.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	15	5.0 U	5.0 U	5.0 U
Benzene	5	5	1.0 U	1.0 U	1 U	1.0 U	1.0 U	85 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromochloromethane	NS	6.1	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
Bromodichloromethane	NS	0.18	1.0 U	1.0 U	1 U	1.0 U	1.0 U	100 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	NS	8.4	1.0 U	4.0 U	4 U	1.0 U	1.0 U	400 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
Bromomethane	NS	8.7	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Butanone	NS	NS	10.0 U	5.0 U	5 U	10.0 U	10.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Carbon Disulfide	NS	1,000	10.0 U	0.7 J	5 U	10.0 U	10.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Carbon Tetrachloride	5	5	1.0 U	2.0 U	2 U	1.0 U	1.0 U	200 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
Chlorobenzene	100	110	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.6 J	5.0 U	5.0 U	5.0 U
Chloroethane	NS	3.8	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Chloroform	NS	0.16	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	0.4 J	0.2 J	5.0 U	0.5 J	0.4 J	1.2 J	5.0 U	5.0 U	5.0 U
Chloromethane	NS	1.5	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Dibromochloromethane	NS	0.13	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,2-Dibromo-3-chloropropane	0.0002	0.2	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
1,2-Dibromoethane	NS	0.05	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
1.2-Dichlorobenzene	NS	600	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
1,3-Dichlorobenzene	NS	600	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
1,4-Dichlorobenzene	NS	70	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
Dichlorodifluoromethane	NS	390	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
1,1-Dichloroethane	NS	810	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,2-Dichloroethane	5	5	1.0 U	2.0 U	2 U	1.0 U	1.0 U	200 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
1,1-Dichloroethene	7	7	1.0 U	2.0 U	2 U	1.0 U	1.0 U	200 U	0.3 J	0.8 J	2.0 U	2.0 U	0.5 J	0.8 J	0.6 J	0.7 J	2.0 U
cis-1,2-Dichloroethene	70	70	11.0	15	19	1.0 U	1.0 U	500 U	6.6	21	3.9 J	24	9.7	10	21	18	5.0 U
trans-1,2-Dichloroethene	100	120	1.0 U	5.0 U	0.5 J	1.0 U	1.0 U	500 U	13	52	2.0 J	64	25	15	60	48	5.0 U
1,2-Dichloropropane	7	5	1.0 U	1.0 U	1 U	1.0 U	1.0 U	100 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	NS	0.39	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
trans-1,3-Dichloropropene	NS	0.39	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Ethylbenzene	700	1,300	1.0 U	4.0 U	4 U	1.0 U	1.0 U	12,000	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U	4.0 U
2-Hexanone	NS	NS	10.0 U	5.0 U	5 U	10.0 U	10.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Isopropylbenzene	NS	NS	1.0 U	NT NT	NT	1.0 U	1.0 U	NT NT	NT	NT	NT NT	NT	NT	NT	NT	NT	NT
Methylene Chloride	NS NS	5	1.0 U	3.0 U	3 U	1.0 U	1.0 U	300 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
4-Methyl-2-pentanone	NS NS	160	1.0 U	5.0 U	5 U	10.0 U	10.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Methyl tert-butyl ether	NS NS	NS NS	10.0 U	3.0 U	NT	10.0 U	10.0 U	NT	3.0 U	3.0 U	3.0 0 NT	NT	3.0 U	NT	3.0 U	3.0 U	3.0 U
Styrene	100	1.600	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,1,2,2-Tetrachloroethane	NS	0.055	1.0 U	1.0 U	1 U	1.0 U	1.0 U	100 U	7.9	1.0 U	0.8 J	32	13	12	1.8	1.4	0.6 J
Tetrachloroethene	5	5	1.0 U	1.0 0	0.8 J	1.0 U	1.0 U	100 U	1.0 U	1.0 U	7.5	3.5	6.6	26	1.0 U	1.4 1.0 U	49
Toluene	1,000	1,000	1.0 U	5.0 U	0.8 J 5 U	1.0 U	1.0 U	4,400	5.0 U	5.0 U	7.5 5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,2,3-Trichlorobenzene	1 /	· · · · · · · · · · · · · · · · · · ·	1		NT	1.0 U	1.0 U	4,400 NT	5.0 U NT	5.0 U NT		5.0 U NT	5.0 U NT	5.0 U NT	5.0 U NT	5.0 U NT	5.0 U NT
1,2,4-Trichlorobenzene	NS 0.07	NS 100	1.0 U	NT NT	NT NT	1.0 U		NT NT	NT NT	NT NT	NT NT	NT	NT NT	NT NT	NT NT		NT NT
, ,	0.07	190	1.0 U				1.0 U				NT F.O.U.					NT 5 O U	
1,1,1-Trichloroethane	200	540	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,1,2-Trichloroethane	5	5	1.0 U	3.0 U	3 U	1.0 U	1.0 U	300 U	1.2 J	1.7 J	3.0 U	1.8 J	0.9 J	3.0 U	3.0 U	3.0 U	3.0 U
Trichloroethene	5	5	31.7	66	71	1.0 U	1.3	100 U	62	1.0 U	1.5	97	82	23	14	11	13
Trichlorofluoromethane	NS	1,300	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
1,1,2-Trichloro-1,2,-trifluoroethane	NS	59,000	1.0 U	NT	NT	1.0 U	1.0 U	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT
Vinyl Chloride	2	2	1.0 U	5.0 U	5 U	1.0 U	1.0 U	500 U	5.0 U	14	4.7 J	2.3 J	5.0 U	9.7	5.7	0.9 J	5.0 U
Xylene (Total)	10,000	1,000	2.0 U	5.0 U	5 U	2.0 U	2.0 U	42,000	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U

Bold value indicates concentration exceeds EPA MCL

Italicized values indicates method detection limit exceeds EPA MCL

U = Not Detected Above Level Indicated

B = Compound Detected in Lab Blank

NS = No Standard

Table 3
Ground Water Semi-Volatile Organic Results 2002 - 2005

Sample ID	EPA MCL/	WVDEP	TMW-1D	TMW-1D	TMW-2D	TMW-2D	TMW-3D	TMW-4S	TMW-4S	TMW-4S	TMW-4D	TMW-4D	TMW-5D	TMW-5D	TMW-6D	TMW-7D	TMW-7D	TMW-8D	TMW-9D	TMW-11S
Laboratory ID	WVDEP	Table	0208297-01A	616882	0208387-04A	611723	0208387-03A	0208401-01A	410423	611724	0208401-02A	611725	0208297-03A	616883	0208387-01A	0208297-02A	616884	0208387-02A	0208261-01A	616885
Sample Media	46CSR12	60-3B	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Sample Date			08/07/02	03/17/05	08/08/02	03/01/05	08/08/02	08/09/02	02/22/03	03/01/2005	08/09/02	02/28/05	08/07/02	03/17/05	08/08/02	08/07/02	03/17/05	08/08/02	08/06/02	03/17/05
Semi-Volatile Organics (ug/L)			55,51,52	, , ,	00,00,00	,.,	00,00,00		, , ,		00,00,00	. , .,	20,01,02	, , , , , , , , , , , ,		00,01,02	, ,	10,10,10	10,10,10	, , , , , , , , , , , , ,
Acenaphthene	NS	370	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Acenaphthylene	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Aniline	NS	12	9.7 U	11 U	8.4 U	0.4 J	8.5 U	118	1200	13 J	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	19 J
Anthracene	NS	1800	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Benzidine	NS	0.00029	9.7 U	43 U	8.4 U	43 U	8.5 U	23.3 U	440 U	89 U	8.9 U	46 U	9.6 U	41 U	8.4 U	9.1 U	41 U	8.3 U	9.6 U	860 U
Benzo(a)anthracene	NS	0.091	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	11 U	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U	9.1 U	1 U	8.3 U	9.6 U	22 U
Benzo(a)pyrene	0.2	0.2	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	11 U	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U	9.1 U	1 U	8.3 U	9.6 U	22 U
Benzo(b)fluoranthene	NS	0.091	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	11 U	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U	9.1 U	1 U	8.3 U	9.6 U	22 U
Benzo(g,h,i)perylene	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Benzo(k)fluoranthene	NS	0.91	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	11 U	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U	9.1 U	1 U	8.3 U	9.6 U	22 U
bis(2-Chloroethoxy)methane	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
bis(2-Chloroethyl)ether	NS	0.0097	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	NT	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U	9.1 U	1 U	8.3 U	9.6 U	22 U
bis(2-chloroisopropyl)ether	NS	0.27	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
bis(2-Ethylhexyl)phthalate	NS	6	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
4-Bromophenyl-phenylether	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Butylbenzylphthalate	NS	7300	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Carbazole	NS	3.3	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
4-Chloroaniline	NS	150	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	16 J	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
4-Chloro-3-methylphenol	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
2-Chloronaphthalene	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
2-Chlorophenol	NS	30	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
4-Chlorophenyl-phenylether	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Chrysene	NS	9.1	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Dibenz(a,h)anthracene	NS	0.0091	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	11 U	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U	9.1 U	1 U	8.3 U	9.6 U	22 U
Dibenzofuran	NS	24	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Di-n-butylphthalate	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
1,2-Dichlorobenzene	600	600	NT	11 U	NT	11 U	NT	NT	NT	22 U	NT	11 U	NT	10 U	NT	NT	10 U	NT	NT	220 U
1,3-Dichlorobenzene	NS 	600	NT	11 U	NT	11 U	NT	NT	NT	22 U	NT	11 U	NT	10 U	NT	NT	10 U	NT	NT	220 U
1,4-Dichlorobenzene	75	70	NT	11 U	NT	11 U	NT	NT	NT	1.9 J	NT	11 U	NT	10 U	NT	NT	10 U	NT	NT	220 U
3,3'-Dichlorobenzidine	NS	0.15	9.7 U	22 U	8.4 U	22 U	8.5 U	23.3 U	220 U	2 J	8.9 U	23 U	9.6 U	20 U	8.4 U	9.1 U	20 U	8.3 U	9.6 U	430 U
2,4-Dichlorophenol	NS	110	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Diethylphthalate	NS	29000	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Dimethylphthalate	NS	370000	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
2,4-Dimethylphenol	NS	730	9.7 U	11 U	8.4 U	11 U	8.5 U	54.2	NT	8.7 J	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	53 J
4,6-Dinitro-2-methylphenol	NS NS	NS 730	9.7 U 9.7 U	43 U 43 U	8.4 U 8.4 U	43 U 43 U	8.5 U 8.5 U	23.3 U 23.3 U	NT NT	89 U 89 U	8.9 U	46 U 46 U	9.6 U 9.6 U	41 U 41 U	8.4 U 8.4 U	9.1 U	41 U	8.3 U 8.3 U	9.6 U 9.6 U	860 U 860 U
2,4-Dinitrophenol 2,4-Dinitrotoluene	NS NS	730	9.7 U	2.2 U	8.4 U	2.2 U	8.5 U	23.3 U	22 U	4.4 U	8.9 U 8.9 U	2.3 U	9.6 U	41 U 2 U	8.4 U	9.1 U 9.1 U	41 U 2 U	8.3 U	9.6 U	43 U
2,6-Dinitrotoluene	NS NS	37	9.7 U	2.2 U	8.4 U	2.2 U	8.5 U	23.3 U	22 U	4.4 U	8.9 U	2.3 U	9.6 U	2 U	8.4 U	9.1 U	2 U	8.3 U	9.6 U	43 U
Di-n-octylphthalate	NS	730	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	2.3 U		10 U	8.4 U		10 U	8.3 U	9.6 U	220 U
1,2-Diphenylhydrazine	NS	0.083	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U		10 U	8.3 U	9.6 U	220 U
Fluoranthene	NS	1500	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	1	10 U	8.4 U		10 U	8.3 U	9.6 U	220 U
Fluorene	NS	240	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U		10 U	8.4 U		10 U	8.3 U	9.6 U	220 U
Hexachlorobenzene	1	1	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	110 U	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U		1 U	8.3 U	9.6 U	22 U
Hexachlorobutadiene	NS	0.85	9.7 U	2.2 U	8.4 U	2.2 U	8.5 U	23.3 U	NT	4.4 U	8.9 U	2.3 U	9.6 U	2 U	8.4 U		2 U	8.3 U	9.6 U	43 U
Hexachlorocyclopentadiene	50	260	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U		10 U	8.3 U	9.6 U	220 U
Hexachloroethane	NS	4.7	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	NT	2.2 U	8.9 U	1.1 U		1 U			1 U	8.3 U	9.6 U	22 U
Indeno(1,2,3-cd)pyrene	NS	0.091	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	11 U	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U		1 U	8.3 U	9.6 U	22 U
Isophorone	NS	70	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U		10 U	8.3 U	9.6 U	220 U
2-Methylnaphthalene	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
2-Methylphenol	NS	1800	NT	11 U	NT	11 U	NT	NT	NT	22 U	NT	11 U	NT	10 U	NT	NT	10 U	NT	NT	9.6 J
4-Methylphenol	NS	180	NT	11 U	NT	11 U	NT	NT	NT	22 U	NT	11 U	NT	10 U	NT	NT	10 U	NT	NT	9.4 J
Naphthalene	NS	6.2	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	0.4 J	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
2-Nitroaniline	NS	2.1	9.7 U	22 U	8.4 U	22 U	8.5 U	23.3 U	NT	44 U	8.9 U	23 U	9.6 U	20 U	8.4 U	9.1 U	20 U	8.3 U	9.6 U	430 U
3-Nitroaniline	NS	NS	9.7 U	22 U	8.4 U	22 U	8.5 U	23.3 U	220 U	44 U	8.9 U	23 U	9.6 U	20 U	8.4 U	9.1 U	20 U	8.3 U	9.6 U	430 U

Table 3 Ground Water Semi-Volatile Organic Results 2002 - 2005

RCRA Facility Investigation Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

Sample ID	EPA MCL/	WVDEP	TMW-1D	TMW-1D	TMW-2D	TMW-2D	TMW-3D	TMW-4S	TMW-4S	TMW-4S	TMW-4D	TMW-4D	TMW-5D	TMW-5D	TMW-6D	TMW-7D	TMW-7D	TMW-8D	TMW-9D	TMW-11S
Laboratory ID	WVDEP	Table	0208297-01A	616882	0208387-04A	611723	0208387-03A	0208401-01A	410423	611724	0208401-02A	611725	0208297-03A	616883	0208387-01A	0208297-02A	616884	0208387-02A	0208261-01A	616885
Sample Media	46CSR12	60-3B	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Sample Date			08/07/02	03/17/05	08/08/02	03/01/05	08/08/02	08/09/02	02/22/03	03/01/2005	08/09/02	02/28/05	08/07/02	03/17/05	08/08/02	08/07/02	03/17/05	08/08/02	08/06/02	03/17/05
Semi-Volatile Organics (ug/L)																				
4-Nitroaniline	NS	NS	9.7 U	22 U	8.4 U	22 U	8.5 U	23.3 U	220 U	44 U	8.9 U	23 U	9.6 U	20 U	8.4 U	9.1 U	20 U	8.3 U	9.6 U	430 U
Nitrobenzene	NS	3.4	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	NT	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U	9.1 U	1 U	8.3 U	9.6 U	22 U
2-Nitrophenol	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
4-Nitrophenol	NS	290	9.7 U	43 U	8.4 U	43 U	8.5 U	23.3 U	NT	89 U	8.9 U	46 U	9.6 U	41 U	8.4 U	9.1 U	41 U	8.3 U	9.6 U	860 U
N-Nitrosodiphenylamine	NS	14	9.7 U	11 U	8.4 U	11 U	8.5 U	90.1	45 J	130	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	70 J
N-Nitroso-di-n-propylamine	NS	0.0095	9.7 U	1.1 U	8.4 U	1.1 U	8.5 U	23.3 U	NT	2.2 U	8.9 U	1.1 U	9.6 U	1 U	8.4 U	9.1 U	1 U	8.3 U	9.6 U	22 U
Pentachlorophenol	1	1	9.7 U	43 U	8.4 U	43 U	8.5 U	23.3 U	NT	89 U	8.9 U	46 U	9.6 U	41 U	8.4 U	9.1 U	41 U	8.3 U	9.6 U	860 U
Phenanthrene	NS	NS	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Phenol	NS	22000	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
Pyrene	NS	180	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	110 U	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
1,2,4-Trichlorobenzene	70	190	NT	1.1 U	NT	1.1 U	NT	NT	NT	2.2 U	NT	1.1 U	NT	1 U	NT	NT	1 U	NT	NT	22 U
2,4,5-Trichlorophenol	NS	3700	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
2,4,6-Trichlorophenol	NS	6	9.7 U	11 U	8.4 U	11 U	8.5 U	23.3 U	NT	22 U	8.9 U	11 U	9.6 U	10 U	8.4 U	9.1 U	10 U	8.3 U	9.6 U	220 U
3,3'-Dimethoxybenzidine	NS	4.7	9.7 U	NT	8.4 U	NT	8.5 U	23.3 U	NT	NT	8.9 U	NT	9.6 U	NT	8.4 U	9.1 U	NT	8.3 U	9.6 U	NT
3,3'-Dimethylbenzidine	NS	4.7	9.7 U	NT	8.4 U	NT	8.5 U	23.3 U	NT	NT	8.9 U	NT	9.6 U	NT	8.4 U	9.1 U	NT	8.3 U	9.6 U	NT
o-Cresol	NS	NS	9.7 U	NT	8.4 U	NT	8.5 U	23.3 U	NT	NT	8.9 U	NT	9.6 U	NT	8.4 U	9.1 U	NT	8.3 U	9.6 U	NT
m,p-Cresol	NS	NS	19.3 U	NT	16.9 U	NT	17 U	46.6 U	NT	NT	17.9 U	NT	19.2 U	NT	16.7 U	18.3 U	NT	16.6 U	19.2 U	NT

Notes:

Bold value exceed standards

Italicized MDL value exceeds EPA MCL

NS = No Standard

ND = Not Detected

U = Not detected above MDL

J = Estimated value

Ground Water Polychlorinated Biphenyl and Metal Results for Ground Water 2002 - 2005
RCRA Facility Investigation Phase II
Former BASF Huntington Works Facility, Huntington, West Virginia

Sample ID	,		TMW-1D	TMW-2D	TMW-3D	TMW-4S	TMW-4S	TMW-4D	TMW-5D	TMW-6D	TMW-7D	TMW-8D	TMW-9D	TMW-10D	TMW-11S
Laboratory ID	EPA MCL/	WVDEP	0208297-01A	0208387-04A	0208387-03A	0208401-01A	611724	0208401-02A	0208297-03A	0208387-01A	0208297-02A	0208387-02A	0208261-01A	0208401-03A	611728
Sample Matrix	WVDEP	Table	Aqueous	Agueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous	Aqueous
Sample Date	46CSR12	60-3B	08/07/02	08/08/02	08/08/02	08/09/02	03/01/05	08/09/02	08/07/02	08/08/02	08/07/02	08/08/02	08/06/02	08/09/02	03/01/05
Unit of Measure	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
ome or measure	6/ =	6/ =	6/ =	6/ =	6/ =	6/ =	6/ =	6/ =	6/ =	6/ =	6/ -	6/ =	6/ =	6/ =	6/ =
PCBs															
Aroclor-1016	0.0005	950	0.000548 U	0.000427 U	0.000417 U	0.00192 U	NT	0.000426 U	0.000558 U	0.000417 U	0.000609 U	0.000292 U	0.000602 U	0.000415 U	NT
Aroclor-1221	0.0005	33	0.000548 U	0.000427 U	0.000417 U	0.00192 U	NT	0.000426 U	0.000558 U	0.000417 U	0.000609 U	0.000292 U	0.000602 U	0.000415 U	NT
Aroclor-1232	0.0005	33	0.000548 U	0.000427 U	0.000417 U	0.00192 U	NT	0.000426 U	0.000558 U	0.000417 U	0.000609 U	0.000292 U	0.000602 U	0.000415 U	NT
Aroclor-1242	0.0005	33	0.000548 U	0.000427 U	0.000417 U	0.00192 U	NT	0.000426 U	0.000558 U	0.000417 U	0.000609 U	0.000292 U	0.000602 U	0.000415 U	NT
Aroclor-1248	0.0005	33	0.000548 U	0.000427 U	0.000417 U	0.00192 U	NT	0.000426 U	0.000558 U	0.000417 U	0.000609 U	0.000292 U	0.000602 U	0.000415 U	NT
Aroclor-1254	0.0005	33	0.000548 U	0.000427 U	0.000417 U	0.00192 U	NT	0.000426 U	0.000558 U	0.000417 U	0.000609 U	0.000292 U	0.000602 U	0.000415 U	NT
Aroclor-1260	0.0005	33	0.000548 U	0.000427 U	0.000417 U	0.00192 U	NT	0.000426 U	0.000558 U	0.000417 U	0.000609 U	0.000292 U	0.000602 U	0.000415 U	NT
Total PCBs	0.0005	33	0.000548 U	0.000427 U	0.000417 U	0.00192 U	NT	0.000426 U	0.000558 U	0.000417 U	0.000609 U	0.000292 U	0.000602 U	0.000415 U	NT
Metals															
Aluminum	NS	37	0.333	0.195	0.213	201	0.125 U	0.136	0.186	0.268	0.351	0.161	0.227	0.153	0.0626 U
Antimony	0.006	0.015	0.0010 U	0.0010 U	0.0010 U	0.050 U	0.0116 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0025	0.0010 U	0.0058 U
Arsenic	0.01	0.05	0.0100 U	0.0193	0.0100 U	0.500 U	0.0067 J	0.0100 U	0.0188						
Barium	2	2.6	0.056	0.250	0.121	43.2	0.115 J	0.0836	0.159	0.0988	0.159	0.0659	0.0307	0.0880	0.18 J
Beryllium	0.004	0.073	0.001 U	0.001 U	0.001 U	0.50 U	0.0006 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.001 U	0.0003 U
Cadmium	0.005	0.018	0.0010 U	0.0010 U	0.0010 U	0.022	0.0008 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0004 U
Calcium	NS	NS	101	46.0	83.7	244	113	98.6	57.5	107	84.4	101	111	98.3	116
Chromium	0.1*	110	0.0050 U	0.0050 U	0.0050 U	2.00 U	0.0032 U	0.0050 U	0.0050 U	0.0050 U	0.0056	0.0050 U	0.0050 U	0.0050 U	0.0016 U
Cobalt	NS	2.2	0.0050 U	0.0050 U	0.0050 U	0.50 U	0.0117 J	0.0050 U	0.0095	0.0053	0.0050 U	0.0053	0.0090	0.0050 U	0.0064 J
Copper	1.3	1.4	0.0050 U	0.0050 U	0.0050 U	0.75	0.0077 J	0.0050 U	0.0037 U						
Iron	NS	11	1.99	16.8	5.42	1,620	62.3	7.04	1.00	0.430	2.98	0.369	0.939	7.02	98.5
Lead	0.015	0.015	0.0010 U	0.0010 U	0.0010 U	0.870	0.0052 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0026 U
Magnesium	NS	NS	22.2	10.1	25.8	59.7	19.6	29.6	14.5	18.1	16.6	21.9	24	29.7	11.5
Manganese	NS	0.88	10.8	5.53	8.52	80.1	27.7	1.62	2.95	2.31	1.59	1.81	6.00	1.62	5.86
Mercury	0.002	0.011	0.0002 U	0.0002 U	0.0002 U	0.01 U	0.0001 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0002 U	0.0001 U
Nickel	0.1*	0.73	0.0100 U	0.0100 U	0.0100 U	0.72	0.0051 J	0.0100 U	0.0127	0.0128	0.0125	0.0119	0.0181	0.0100 U	0.0025 J
Potassium	NS	NS	1.03	25.7	2.85	36.6	18.5	2.29	2.36	3.09	6.52	3.15	2	2.34	2.52 J
Selenium	0.05*	0.18	0.0100 U	0.0100 U	0.0100 U	0.050 U	0.0084 U	0.0100 U	0.0100 U	0.0100 U	0.0100 U	0.0100 U	0.0100 U	0.0100 U	0.0042 U
Silver	NS	0.18	0.005 U	0.005 U	0.005 U	0.50 U	0.0028 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.005 U	0.0014 U
Sodium	NS	NS	32	98.6	36.0	288	59.3	24.9	31.3	29.0	28.2	45.0	36.0	25.2	25.2
Thallium	0.002	0.0024	0.0010 U	0.0010 U	0.0010 U	0.050 U	0.0094 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0010 U	0.0100 U	0.0010 U	0.0047 U
Vanadium	NS	0.26	0.0100 U	0.0100 U	0.0100 U	0.50 U	0.004 U	0.0100 U	0.0100 U	0.0100 U	0.0100 U	0.0100 U	0.0010 U	0.0100 U	0.002 U
Zinc	NS	11	0.0100 U	0.0100 U	0.0100 U	1.78	0.0125 J	0.0100 U	0.0058 U						

Bold value indicates concentration exceeds EPA MCL

Italicized values indicates method detection limit exceeds EPA MCL

U = Not Detected Above Level Indicated

NS = No Standard

TMW-10D is a duplicate sample of TMW-4D

Table 5 RCRA Facility Investigation Phase II Sample Summary

RCRA Facility Investigation Phase II

		Boring ID/		Sample	Sample	Sample Depth	PID		WVSP	NAD83
Area of Concern	Sample ID	Well ID	Laboratory ID	Date	Matrix	(feet)	(ppm)	Analytical Paraments	South Co	ordinates
		Well ID		Date	IVIALITA	(leet)	(ppiii)		Easting	Northing
	AOC2-01-7.0	AOC2-01	A9G150161008	07/13/09	Soil	7.0-7.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563635.391	521557.876
	AOC2-02-7.0	AOC2-02	A9G150161007	07/13/09	Soil	7.0-7.5	18	RCRA APP IX VOC, SVOC, PCB, Metals	1563521.502	521557.154
	AOC2-03-8.0	AOC2-03	A9G150161005	07/13/09	Soil	8.0-8.5	30	RCRA APP IX VOC, SVOC, PCB, Metals	1563508.859	521616.797
	AOC2-04-7.5	AOC2-04	A9G150161009	07/13/09	Soil	7.5-8.0	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563393.124	521538.709
	AOC2-05-9.5	AOC2-05	A9G150150004	07/14/09	Soil	9.5-10.0	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563334.296	521524.892
	AOC2-06-9.5	AOC2-06	A9G150150003	07/14/09	Soil	9.5-10.0	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563363.983	521521.516
	AOC2-07-9.0	AOC2-07	A9G150161003	07/13/09	Soil	9.0-9.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563291.544	521665.298
	AOC2-08-8.0	AOC2-08	A9G150161004	07/13/09	Soil	8.0-8.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563280.465	521701.036
Former Process	AOC2-09-9.5	AOC2-09	A9G150150005	07/14/09	Soil	9.5-10.0	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563304.522	521523.333
	AOC2-10-10.0	AOC2-10	A9G110141009	07/10/09	Soil	10.0-10.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563352.753	521413.844
Sewers	AOC2-11-6.5	AOC2-11	A9G110141008	07/10/09	Soil	6.5-7.0	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563081.293	521444.711
(AOC-2)	AOC2-12-9.0	AOC2-12	A9G110141007	07/10/09	Soil	9.0-9.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563032.417	521472.589
	AOC2-13-7.0	AOC2-13	A9G110141006	07/10/09	Soil	7.0-7.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563019.341	521559.091
	AOC2-14-9.0	AOC2-14	A9G110141005	07/10/09	Soil	9.0-9.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562977.208	521463.909
	AOC2-15-11.0	AOC2-15	A9G110141004	07/10/09	Soil	11.0-11.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562862.049	521439.664
	AOC2-16-10.0	AOC2-16	A9G110141003	07/10/09	Soil	10.0-10.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562743.589	521411.997
	AOC2-17-11.0	AOC2-17	A9G100171013	07/09/09	Soil	11.0-11.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562643.750	521391.452
	AOC2-18-11.0	AOC2-18	A9G100171012	07/09/09	Soil	11.0-11.5	100	RCRA APP IX VOC, SVOC, PCB, Metals	1562577.397	521375.349
	AOC2-19-10.0	AOC2-19	A9G100171011	07/09/09	Soil	10.0-10.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562596.278	521303.575
	AOC2-20-9.5	AOC2-20	A9G100171010	07/09/09	Soil	9.5-10.0	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562688.781	521267.574
On-Site Waste	AOC5-01-20.0	AOC5-01	A9G100171007	07/09/09	Soil	20.0-20.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562830.688	521344.156
Water	AOC5-02-20.0	AOC5-02	A9G100171005	07/09/09	Soil	20.0-20.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562854.866	521376.920
Treatment	AOC5-03-20.0	AOC5-03	A9G100171004	07/09/09	Soil	20.0-20.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562841.478	521382.889
	AOC5-04-21.0	AOC5-04	A9G100171003	07/09/09	Soil	21.0-21.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562816.141	521377.991
System	AOC5-05-22.0	AOC5-05	A9G100171009	07/09/09	Soil	22.0-22.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562688.781	521267.574
(AOC-5)	AOC5-06-20.0	AOC5-06	A9G100171008	07/09/09	Soil	20.0-20.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562726.567	521261.252
	AOC6-01-1.5	AOC6-01	A9G160162007	07/15/09	Soil	1.5-2.0	0	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563723.576	521543.968
	AOC6-02-1.5	AOC6-02	A9G160162005	07/15/09	Soil	1.5-2.0	0	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563663.211	521566.172
	AOC6-03-1.0	AOC6-03	A9G160162008	07/15/09	Soil	1.0-1.5	0	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563660.467	521481.351
	AOC6-04-1.5	AOC6-04	A9G160162004	07/15/09	Soil	1.5-2.0	0	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563642.086	521556.270
	AOC6-05-2.0	AOC6-05	A9G160162010	07/15/09	Soil	2.0-2.5	0	RCRA APP IX VOC, SVOC, PCB, Metals, pH, Ethylene	1563606.630	521469.346
Above Ground	AUC0-05-2.0	AUC6-05	A9G100102010	07/15/09	3011	2.0-2.5	U	Glycol	1303000.030	321409.340
Storage Tanks	AOC6-06-5.0	AOC6-06	A9G160162006	07/15/09	Soil	5.0-5.5	134	RCRA APP IX VOC, SVOC, PCB, Metals, pH, Ethylene	1563595.842	521525.634
(AOC 6)	AUC0-00-5.0	AUC6-06	A9G160162006	07/15/09	2011	5.0-5.5	134	Glycol	1503595.842	521525.034
(AUC 6)	AOC6-07-2.0	AOC6-07	A9G160162003	07/15/09	Soil	2.0-2.5	1152	RCRA APP IX VOC, SVOC, PCB, Metals	1563550.767	521460.328
[AOC6-08-6.5	AOC6-08	A9G160162002	07/15/09	Soil	6.5-7.0	92.9	RCRA APP IX VOC, SVOC, PCB, Metals	1563525.820	521504.334
[AOC6-09-6.5	AOC6-09	A9G150150010	07/14/09	Soil	6.5-7.0	0	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563323.366	521400.125
	AOC6-10-2.5	AOC6-10	A9G150150009	07/14/09	Soil	2.5-3.0	7.9	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563294.265	521416.068
	AOC6-11-2.0	AOC6-11	A9G150150007	07/14/09	Soil	2.0-2.5	0	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563243.824	521407.172
	AOC6-12-8.0	AOC6-12	A9G150150008	07/14/09	Soil	8.0-8.5	9	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563289.500	521430.854
	AOC6-13-3.0	AOC6-13	A9G150150006	07/14/09	Soil	3.0-3.5	0	RCRA APP IX VOC, SVOC, PCB, Metals, pH	1563247.002	521451.830

Table 5 RCRA Facility Investigation Phase II Sample Summary

RCRA Facility Investigation Phase II

Area of Concern	Sample ID	Boring ID/ Well ID	Laboratory ID	Sample Date	Sample Matrix	Sample Depth (feet)	PID (ppm)	Analytical Paraments	WVSP I South Cod Easting	
Above Ground	AOC6-14-2.0	AOC6-14	A9G150161010	07/13/09	Soil	2.0-2.5	0	RCRA APP IX VOC, SVOC, PCB, Metals, DRO TPH	1562856.322	521246.668
Storage Tanks (AOC 6)	AOC6-15-6.0	AOC6-15	A9G150161011	07/13/09	Soil	6.0-6.5	0	RCRA APP IX VOC, SVOC, PCB, Metals, DRO TPH	1562779.569	521261.844
	AOC6-16-2.0	AOC6-16	A9G150161012	07/13/09	Soil	2.0-2.5	0	RCRA APP IX VOC, SVOC, PCB, Metals, DRO TPH	1562749.137	521213.408
	TMW-1D	TMW-1D	A9G240125002	07/23/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1563081.499	522174.789
	TMW-2D	TMW-2D	A9G240125003	07/23/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1563230.215	520968.613
	TMW-4S	TMW-4S	A9G240125004	07/23/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1563407.275	521097.430
	TMW-4D	TMW-4D	A9G240125005	07/23/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1563407.275	521097.430
	TMW-5D	TMW-5D	A9G250133003	07/24/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1564769.496	521703.923
Groundwater (AOC-9)	TMW-6D	TMW-6D	A9G250133002	07/24/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1565358.576	521189.129
	TMW-7D	TMW-7D	A9G250133005	07/24/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1564844.645	521935.468
	TMW-8D	TMW-8D	A9G250133001	07/24/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1564251.535	521661.221
	TMW-9D	TMW-9D	A9G230196001	07/22/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1562555.123	522101.897
	TMW-11S	TMW-11S	A9G240125007	07/23/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1562555.123	522101.897
	TMW-12D	TMW-12D	A9G230196003	07/22/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1563073.235	522241.847
	AOC2-21-8.0 (DUP AOC2-03-8)	AOC2-03	A9G150161006	07/13/09	Soil	8.0-8.5	30	RCRA APP IX VOC, SVOC, PCB, Metals	1563508.859	521616.797
	AOC5-07-20.0 (DUP AOC5-02-20)	AOC5-02	A9G100171006	07/09/09	Soil	20.0-20.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1562854.866	521376.920
	AOC6-22-1.0 (DUP AOC6-03-1)	AOC6-03	A9G160162009	07/15/09	Soil	1-1.5	0	RCRA APP IX VOC, SVOC, PCB, Metals	1563660.467	521481.351
QA/QC	TMW-10 (DUP TMW-4D)	TMW-4D	A9G240125001	07/23/09	Groundwater	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	1563081.499	522174.789
[FB-070909	NA	A9G100171001	07/09/09	Blank	NA	NA	RCRA APP IX VOC, SVOC, PCB, Metals	NA	NA
[FB-071009	NA	A9G110141001	07/10/09	Blank	NA	NA	RCRA APP IX VOC, SVOC, PCB, Metals	NA	NA
	FB-071309	NA	A9G150161001	07/13/09	Blank	NA	NA	RCRA APP IX VOC, SVOC, PCB, Metals	NA	NA
	FB-071409	NA	A9G150150001	07/14/09	Blank	NA	NA	RCRA APP IX VOC, SVOC, PCB, Metals	NA	NA
	FB-071509	NA	A9G160162001	07/15/09	Blank	NA	NA	RCRA APP IX VOC, SVOC, PCB, Metals, ethylene glycol	NA	NA

Table 5 RCRA Facility Investigation Phase II Sample Summary

RCRA Facility Investigation Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

Area of Concern	Sample ID	Boring ID/ Well ID	Laboratory ID	Sample Date	Sample Matrix	Sample Depth (feet)	PID (ppm)	Analytical Paraments		NAD83 ordinates Northing
	FB-072209	NA	A9G230196002	07/22/09	Blank	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	NA	NA
	FB-072309	NA	A9G240125006	07/23/09	Blank	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	NA	NA
	FB-072409	NA	A9G250133004	07/24/09	Blank	NA	NA	RCRA APP IX VOC, SVOC, Metals, Dissolved Gases, Anions	NA	NA
QA/QC	TB-070909	NA	A9G100171002	07/09/09	Blank	NA	NA	RCRA APP IX VOC	NA	NA
QA/QC	TB-071009	NA	A9G110141002	07/10/09	Blank	NA	NA	RCRA APP IX VOC	NA	NA
	TB-071309	NA	A9G150161002	07/13/09	Blank	NA	NA	RCRA APP IX VOC	NA	NA
	TB-071409	NA	A9G150150002	07/14/09	Blank	NA	NA	RCRA APP IX VOC	NA	NA
	TB-072209	NA	A9G230196004	07/22/09	Blank	NA	NA	RCRA APP IX VOC	NA	NA
	TB-072309	NA	A9G240125008	07/23/09	Blank	NA	NA	RCRA APP IX VOC	NA	NA
	TB-072409	NA	A9G250133006	07/24/09	Blank	NA	NA	RCRA APP IX VOC	NA	NA
	AOC2-22-10	NA	A9G200110	07/13/09	PE	NA	NA	RCRA APP IX VOC, SVOC, PCB, Metals	NA	NA

Notes:

- 1. RCRA Appendix IX VOC analysis includes 1,4-dioxane
- 2. RCRA Appendix IX SVOC analysis includes benzidine, 1,2-diphenyldrazine, and 3,3'-dimethoxybezidine
- 3. PE Performace Evaluation Sample
- 4. Dissolved Gases analysis includes methane, ethane and ethene
- 5. Anions analysis includes chloride, nitrate and sulfate
- 6. NA Not Applicable

Table 6 Monitoring Well Construction Information

RCRA Facility Investigation Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

Monitoring Well	TMW-1D	TMW-2D	TMW-3D	TMW-4S	TMW-4D	TMW-5D
WVDEP Permit #	WV-00226-0022-02	WV-00226-0017-02	WV-00226-0015-02	WV-00226-0013-02	WV-00226-0014-02	WV-00226-0018-02
Date of Install	6/25/2002	6/21/2002	6/19/2002	6/18/2002	6/18/2002	7/8/2009
Driller	Triad	Triad	Triad	Triad	Triad	Triad
Borehole Diameter (in)	6	6	6	6	6	6
Latitude	38 25 31 .8	38 25 19 .9	38 25 31 .2	38 25 21 .2	38 25 21 .2	38 25 27 .4
Longitude	82 24 55 .0	82 24 52 .9	82 24 49 .4	82 24 50 .7	82 24 50 .7	82 24 33 .7
Top of Casing Elev (ft MSL)	548.23	549.46	551.96	550.35	550.42	557.97
Top of Screen Elevation (ft MSL)	504.73	522.57	500.96	530.35	499.42	506.97
Bottom of Well Elevation (ft MSL)	494.73	512.57	493.96	520.35	494.42	499.97
Ground Water Elevation (ft MSL)	522.06	522.41	522.22	522.36	522.36	522.23
Well Type	Flushmount	Stick Up	Stick Up	Flushmount	Flushmount	Stick Up
Casing Type	PVC	PVC	PVC	PVC	PVC	PVC
Well Diameter (in)	2	2	2	2	2	2
Total Depth (ft)	53.5	26.99	58	30	56	58
Casing Length (ft)	43.5	28.5	51	20	51	51
Screen Length (ft)	10	10	10	10	5	10

Monitoring Well	TMW-6D	TMW-7D	TMW-8D	TMW-9D	TMW-11S	TMW-12D
WVDEP Permit #	WV-00226-0016-02	WV-00226-0019-02	WV-00226-0020-02	WV-00226-0021-02	WV00055-0001-05	WV-00271-0017-09
Date of Install	6/20/2002	6/24/2002	6/25/2002	6/26/2002	1/12/2004	7/8/2009
Driller	Triad	Triad	Triad	Triad	HC Nutting	Enviroprobe
Borehole Diameter (in)	6	6	6	6	6	11
Latitude	38 25 22 .4	38 25 29 .7	38 25 26 .9	38 25 31 .0	38 25 21 .1	38 25 32 .0
Longitude	82 24 26 .2	82 24 32 .8	82 24 40 .2	82 25 01 .6	82 24 50 .7	82 24 55 .0
Top of Casing Elev (ft MSL)	549.70	550.69	557.79	548.48	554.99	545.79
Top of Screen Elevation (ft MSL)	502.70	506.19	506.29	500.98	530.99	501.29
Bottom of Well Elevation (ft MSL)	495.70	499.19	499.29	493.98	519.99	491.29
Ground Water Elevation (ft MSL)	522.30	522.17	522.27	521.96	526.33	523.56
Well Type	Stick Up	Stick Up	Stick Up	Stick Up	Stick Up	Flushmount
Casing Type	PVC	PVC	PVC	PVC	PVC	PVC
Well Diameter (in)	2	2	2	2	2	4
Total Depth (ft)	54	51.5	58.5	54.5	35	54.5
Casing Length (ft)	47	44.5	51.5	47.5	25	44.5
Screen Length (ft)	10	10	10	10	10	10

Notes:

Depth to screen measured from top of casing.

NA = Unable to determine depth to groundwater

bgs = below ground surface

Table 7 Field Blank Results for Volatile Organic Compounds RCRA Facility Investigation Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

Sample ID:	FB-070909	FB-071009	FB-071309	FB-071409	FB-071509
Laboratory Sample ID:	A9G100171001	A9G110141001	A9G150161001	A9G150150001	A9G160162001
Sample Date:	07/09/2009	07/10/2009	07/13/2009	07/14/2009	07/15/2009
Unit:	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	Result LQ DV				
1,1,1,2-Tetrachloroethane	1 U	1 U	1 U	1 U	1 U
1,1,1-Trichloroethane	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	1 U	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane (EDB)	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	1 U	1 U	1 U	1 U	1 U
1,4-Dioxane	50 U R				
2-Butanone (MEK)	10 U	10 U	10 U	0.67 J	10 U
2-Hexanone	10 U				
4-Methyl-2-pentanone (MIBK)	10 U				
Acetone	1.2 J	10 U	10 U	1.2 J	10 U
Acetonitrile	20 U R				
Acrolein	20 U R				
Acrylonitrile	20 U				
Allyl chloride	2 U	2 U	2 U	2 U	2 U
Benzene	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	1 U	1 U	1 U	1 U	1 U
Bromoform	1 U	1 U	1 U	1 U	1 U
Bromomethane	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	1 U	1 U	1 U	0.54 J J	1 U
Carbon tetrachloride	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	1 U	1 U	1 U	1 U	1 U
Chloroethane	1 U	1 U	1 U	1 U	1 U
Chloroform	0.38 J	0.4 J	0.28 J	0.28 J	0.26 J
Chloromethane	1 U	1 U	1 U	1 U	1 U
Chloroprene	2 U	2 U	2 U	2 U	2 U
cis-1,3-Dichloropropene	1 U	1 U	1 U	1 U	1 U
Dibromochloromethane	1 U	1 U	1 U	1 U	1 U
Dibromomethane	1 U	1 U	1 U	1 U	1 U
Dichlorodifluoromethane	1 U	1 U	1 U	1 U	1 U
Ethyl methacrylate	1 U	1 U	1 U	1 U	1 U
Ethylbenzene	1 U	1 U	1 U	1 U	1 U
lodomethane	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	50 U R				
Methacrylonitrile	2 U	2 U	2 U	2 U	2 U
Methyl methacrylate	2 U	2 U	2 U	2 U	2 U
Methylene chloride	1 U	1 U	1 U	1 U	1 U
Propionitrile	4 U R	4 U R	4 U R	4 U R	4 U R
Styrene	1 U	1 U	1 U	1 U	1 U
Tetrachloroethene	1 U	1 U	1 U	1 U	1 U
Toluene	0.37 J	0.49 J	1	0.94 J	0.96 J
trans-1,2-Dichloroethene	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichloro-2-butene	1 U	1 U	1 U	1 U	1 U
Trichloroethene	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	2 U	2 U	2 U	2 U	2 U
Vinyl chloride	1 U	1 U	1 U	1 U	1 U
Xylenes (total)	2 U	2 U	0.54 J	0.35 J	0.59 J

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

- B Not detected substaintially above the level reported in the laboratory or field blanks
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm the result.
- J Analyte is present. Reported value may not be accurate or precise
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.

Table 7 Field Blank Results for Volatile Organic Compounds RCRA Facility Investigation Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

Sample ID:	FB-0722	200		FB-0723	เกด		FB-0724	ing.	
Laboratory Sample ID:	A9G23019			A9G24012			A9G250133004		
Sample Date:						,	07/24/2009		
Unit:	ug/L	003		ug/L	003		ug/L	005	
Chemical Name	Result	LQ	DV	Result	LQ	DV	Result	LQ	DV
1.1.1.2-Tetrachloroethane	1				U		1	U	
1,1,1-Trichloroethane	1				U		1	U	
1,1,2,2-Tetrachloroethane	1	U		1	_		1	U	
1,1,2-Trichloroethane	1	U		1	U		1	U	
1,1-Dichloroethane	1	U		1	U		1	U	
1,1-Dichloroethene	1	U		1	U		1	U	
1,2,3-Trichloropropane	1	U		1	U		1	U	
1,2-Dibromo-3-chloropropane	2	U		2	U		2	U	
1,2-Dibromoethane (EDB)	1	U		1	U		1	U	
1,2-Dichloroethane	1	U		1	U		1	U	
1,2-Dichloropropane	1	U		1	U		1	U	
1,4-Dioxane	50	U	R	50	U	R	50	U	R
2-Butanone (MEK)	10	U		0.73	J		10	U	
2-Hexanone	10	U		10	U	L	10	U	
4-Methyl-2-pentanone (MIBK)	10	U		10	U		10	U	
Acetone	10	U		2.1	J	В	10	U	
Acetonitrile	20	U		20	U	R	20	U	
Acrolein	20	U		20	U	R	20	U	
Acrylonitrile	20	U		20	U		20	U	
Allyl chloride	2	U		2	U		2	U	
Benzene	0.35	J		1	U		0.33	J	
Bromodichloromethane	1	U		1	U		1	U	
Bromoform	1	U		1	U		1	U	
Bromomethane	1	U		1	U		1	U	
Carbon disulfide	1	U		1	U		1	U	
Carbon tetrachloride	1	U		1	U		1	U	
Chlorobenzene	1	U		1	U		1	U	
Chloroethane	1	U		1	U		1	U	
Chloroform	0.22	J		0.19	J		0.2	J	
Chloromethane	1	U		1	U		1	U	
Chloroprene	2	U			U		2	U	
cis-1,3-Dichloropropene	1	U		1	_		1	U	
Dibromochloromethane	1	U		1	-		1	U	
Dibromomethane	1	U		1	-		1	U	
Dichlorodifluoromethane	1	U		1	U		1	U	
Ethyl methacrylate	1	U		1	U		1	U	
Ethylbenzene	1	U		1	 		1	U	
Iodomethane	1	U		1	U		1	U	
Isobutyl alcohol	50	U	R	50	U	R	13	JB	BL
Methacrylonitrile	2	U		2			2	U	
Methyl methacrylate	2	U			U			U	
Methylene chloride		U			U			U	
Propionitrile		U			U	R		U	
Styrene		U			U		1		
Tetrachloroethene		U			U			U	
Toluene	1.1			0.98	J		0.72	J	
trans-1,2-Dichloroethene		U			U			U	
trans-1,3-Dichloropropene	1				U		1	U	
trans-1,4-Dichloro-2-butene		U			U		1		
Trichloroethene		U			U			U	
Trichlorofluoromethane		U			U			U	
Vinyl acetate		U			U			U	
Vinyl chloride		U			U		1		
Xylenes (total)	0.58	J	<u> </u>	0.51	J			U	

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

- B Not detected substaintially above the level reported in the laboratory or field blanks
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm the result.
- J Analyte is present. Reported value may not be accurate or precise
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.

Table 8 Field Blank Results for Semi-Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former Huntington Works Facility, Huntington, West Virginia

Sample ID:	1	ED 071000			FB-071509
1	FB-070909	FB-071009	FB-071309	FB-071409	
Laboratory Sample ID:	A9G100171001	A9G110141001	A9G150161001	A9G150150001	A9G160162001
Sample Date:	07/09/2009	07/10/2009	07/13/2009	07/14/2009	07/15/2009
Unit:	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	Result LQ DV				
1,2,4,5-Tetrachlorobenzene	1 U	1 U	1 U	1 U	1 U
1,2,4-Trichlorobenzene	1 U	1 U	1 U	1 U	1 U
1,2-Dichlorobenzene	1 U	1 U	1 U	1 U	1 U
1,2-Diphenylhydrazine	1 U	1 U	1 U	1 U	1 U
1,3,5-Trinitrobenzene	5 U	5 U	5 U	5 U	5 U
1,3-Dichlorobenzene	1 U	1 U	1 U	1 U	1 U
1,3-Dinitrobenzene	2 U	2 U	2 U	2 U	2 U
1,4-Dichlorobenzene	1 U	1 U	1 U	1 U	1 U
1,4-Naphthoquinone	50 U				
1-Naphthylamine	2 U	2 U	2 U	2 U	2 U
2,3,4,6-Tetrachlorophenol	10 U				
2,4,5-Trichlorophenol	5 U	5 U	5 U	5 U	5 U
2,4,6-Trichlorophenol	5 U	5 U	5 U	5 U	5 U
2,4-Dichlorophenol	2 U	2 U	2 U	2 U	2 U
2,4-Dimethylphenol	2 U	2 U	2 U	2 U	2 U
2,4-Dinitrophenol	5 U	5 U	5 U	5 U	5 U
2,4-Dinitrotoluene	5 U	5 U	5 U	5 U	5 U
2,6-Dichlorophenol	5 U	5 U	5 U	5 U	5 U
2,6-Dinitrotoluene	5 U	5 U	5 U	5 U	5 U
2-Acetylaminofluorene	10 U				
2-Chloronaphthalene	1 U	1 U	1 U	1 U	1 U
2-Chlorophenol	1 U	1 U	1 U	1 U	1 U
2-Methylnaphthalene	0.2 U				
2-Methylphenol	1 U	1 U	1 U	1 U	1 U
2-Naphthylamine	2 U	2 U	2 U	2 U	2 U
2-Nitroaniline	2 U	2 U	2 U	2 U	2 U
2-Nitrophenol	2 U	2 U	2 U	2 U	2 U
2-Picoline	5 U	5 U	5 U	5 U	5 U
2-sec-Butyl-4,6-dinitrophenol	2 U	2 U	2 U	2 U	2 U
3,3'-Dichlorobenzidine	5 U	5 U	5 U	5 U	5 U
3,3'-Dimethoxybenzidine	10 U				
3,3'-Dimetholybenzidine	5 U	5 U	5 U	5 U	5 U
	5 U	5 U	5 U	5 U	5 U
3-Methylcholanthrene 3-Methylphenol	1 U	1 U	1 U	1 U	1 U
3-Nitroaniline	2 U	2 U	2 U	2 U	2 U
4,6-Dinitro-2-methylphenol	5 U	5 U	5 U	5 U	5 U
4-Aminobiphenyl	5 U	5 U	5 U	5 U	5 U
4-Aminobipnenyi 4-Bromophenyi phenyi ether	2 U	2 U	2 U	2 U	2 U
	2 U	2 U	2 U	2 U	2 U
4-Chloro-3-methylphenol	2 U	2 U	2 U	2 U	2 U
4-Chloroaniline					
4-Chlorophenyl phenyl ether	2 U	2 U	2 U	2 U	2 U
4-Methylphenol	1 U	1 U	1 U	1 U	1 U
4-Nitroaniline	2 U	2 U	2 U	2 U	2 U
4-Nitrophenol	5 U	5 U	5 U	5 U	5 U
4-Nitroquinoline-1-oxide	5 U	5 U	5 U	5 U	5 U
5-Nitro-o-toluidine	2 U	2 U	2 U	2 U	2 U
7,12-Dimethylbenz(a)anthracene	2 U	2 U	2 U	2 U	2 U
a,a-Dimethylphenethylamine	50 U				
Acenaphthene	0.2 U				

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

Field Blank Results for Semi-Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former Huntington Works Facility, Huntington, West Virginia

Sample ID:	FB-070909	FB-071009	FB-071309	FB-071409	FB-071509
Laboratory Sample ID:	A9G100171001	A9G110141001	A9G150161001	A9G150150001	A9G160162001
Sample Date:	07/09/2009	07/10/2009	07/13/2009	07/14/2009	07/15/2009
Unit:	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	Result LQ DV				
Acenaphthylene	0.2 U				
Acetophenone	1 U	1 U	1 U	1 U	1 U
Aniline	5 U	5 U	5 U	5 U	5 U
Anthracene	0.2 U				
Aramite	5 U	5 U	5 U	5 U	5 U
Benzidine	5 U	5 U	5 U	5 U	5 U
Benzo(a)anthracene	0.2 U				
Benzo(a)pyrene	0.2 U				
Benzo(b)fluoranthene	0.2 U				
Benzo(ghi)perylene	0.2 U				
Benzo(k)fluoranthene	0.2 U				
Benzyl alcohol	5 U	5 U	5 U	5 U	5 U
bis(2-Chloro-1-methylethyl) ether	1 U	1 U	1 U	1 U	1 U
bis(2-Chloroethoxy)methane	1 U	1 U	1 U	1 U	1 U
bis(2-Chloroethyl) ether	1 U	1 U	1 U	1 U	1 U
bis(2-Ethylhexyl) phthalate	0.96 JB B	1.1 JB B	2 U	1.9 J	2 U
Butyl benzyl phthalate	1 U	1.1 JB B	1 U	1.9 J	1 U
Chlorobenzilate	2 U	2 U	2 U	2 U	2 U
Chrysene	0.2 U				
Diallate	10 U				
Dibenz(a,h)anthracene	0.2 U				
Dibenzofuran	1 U	1 U	1 U	1 U	1 U
Diethyl phthalate	1 U	1 U	1 U	1 U	1 U
Dimethoate	2 U	2 U	2 U	2 U	2 U
Dimethoate Dimethyl phthalate	1 U	1 U	1 U	1 U	1 U
, ·	1 U	1 U	1 U	1 U	1 U
Di-n-butyl phthalate Di-n-octyl phthalate	1 U	1 U	1 U	1 U	1 U
Diphenylamine	1 U	1 U	1 U	1 U	1 U
Disulfoton	2 U	2 U	2 U	2 U	2 U
Ethyl methanesulfonate	2 U	2 U	2 U	2 U	2 U
Famphur	10 U				
Fluoranthene	0.2 U				
Fluorene	0.2 U				
Hexachlorobenzene	0.2 U				
Hexachlorobutadiene	1 U	1 U	1 U	1 U	1 U
Hexachlorocyclopentadiene	10 U				
Hexachloroethane	1 U	1 U	10 U	1 U	1 U
Hexachloropropene	5 U	5 U	5 U	5 U	5 U
Indeno(1,2,3-cd)pyrene	0.2 U				
Isodrin	2 U	2 U	2 U	2 U	2 U
	1 U				
Isophorone Isosafrole	5 U	1 U 5 U	1 U 5 U	1 U 5 U	1 U 5 U
Methapyrilene	2 U	2 U	2 U	2 U	2 U
Methyl methanesulfonate	2 U	2 U	2 U	2 U	2 U
Methyl parathion	2 U	2 U	2 U	2 U	2 U
Naphthalene	0.2 U				
Nitrobenzene	1 U		1 U	0.2 U	
N-Nitrosodiethylamine	2 U	1 U 2 U	2 U	2 U	1 U 2 U
	1 U	1 U	1 U	1 U	1 U
N-Nitrosodimethylamine	T U	T U	1 U	ΙU	1 U

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

Field Blank Results for Semi-Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former Huntington Works Facility, Huntington, West Virginia

Sample ID:	FB-070909	FB-071009	FB-071309	FB-071409	FB-071509
Laboratory Sample ID:	A9G100171001	A9G110141001	A9G150161001	A9G150150001	A9G160162001
Sample Date:	07/09/2009	07/10/2009	07/13/2009	07/14/2009	07/15/2009
Unit:	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	Result LQ DV				
N-Nitrosodi-n-butylamine	2 U	2 U	2 U	2 U	2 U
N-Nitrosodi-n-propylamine	1 U	1 U	1 U	1 U	1 U
N-Nitrosodiphenylamine	1 U	1 U	1 U	1 U	1 U
N-Nitrosomethylethylamine	2 U	2 U	2 U	2 U	2 U
N-Nitrosomorpholine	2 U	2 U	2 U	2 U	2 U
N-Nitrosopiperidine	2 U	2 U	2 U	2 U	2 U
N-Nitrosopyrrolidine	2 U	2 U	2 U	2 U	2 U
O,O,O-Triethyl phosphorothioate	2 U	2 U	2 U	2 U	2 U
o-Toluidine	2 U	2 U	2 U	2 U	2 U
Parathion	2 U	2 U	2 U	2 U	2 U
p-Dimethylaminoazobenzene	2 U	2 U	2 U	2 U	2 U
Pentachlorobenzene	2 U	2 U	2 U	2 U	2 U
Pentachloroethane	20 U				
Pentachloronitrobenzene	2 U	2 U	2 U	2 U	2 U
Pentachlorophenol	5 U	5 U	5 U	5 U	5 U
Phenacetin	2 U	2 U	2 U	2 U	2 U
Phenanthrene	0.2 U				
Phenol	1 U	1 U	1 U	1 U	1 U
Phorate	2 U	2 U	2 U	2 U	2 U
p-Phenylene diamine	40 U				
Pronamide	2 U	2 U	2 U	2 U	2 U
Pyrene	0.2 U				
Pyridine	1 U	1 U	1 U	1 U	1 U
Safrole	2 U	2 U	2 U	2 U	2 U
Tetraethyldithiopyrophosphate	5 U	5 U	5 U	5 U	5 U
Thionazin	2 U	2 U	2 U	2 U	2 U

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

Field Blank Results for Semi-Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former Huntington Works Facility, Huntington, West Virginia

			ung	gton Works Facility, Huntington, West					
Sample ID:	FB-072			FB-072		FB-072			
Laboratory Sample ID:	A9G2301			A9G2401			A9G250133004		
Sample Date:	07/22/	07/22/2009			2009	07/24/	07/24/2009		
Unit:	ug/L		ug/			ug/L			
Chemical Name	Result	LQ	DV	Result	LQ D	V Result	LQ	DV	
1,2,4,5-Tetrachlorobenzene	1	U		1	U	1	U		
1,2,4-Trichlorobenzene	1	U		1	U	1	U		
1,2-Dichlorobenzene	1	U		1	U	1	U		
1,2-Diphenylhydrazine	1	U		1	U	1	U		
1,3,5-Trinitrobenzene	5	U		5	U	5	U		
1,3-Dichlorobenzene	1	U		1	U	1	С		
1,3-Dinitrobenzene	2	U		2	U	2	U		
1,4-Dichlorobenzene	1	U		1	U	1	U		
1,4-Naphthoquinone	50	U		50	U	50	U		
1-Naphthylamine	2	U		2	U	2	U		
2,3,4,6-Tetrachlorophenol	10	U		10	U	10	U		
2,4,5-Trichlorophenol	5	U		5	U	5	U		
2,4,6-Trichlorophenol	5			5	U	5	U		
2,4-Dichlorophenol	2	_		2	U	2	U		
2,4-Dimethylphenol	2	U		2	U	2	U		
2,4-Dinitrophenol	5	U		5		5	U		
2,4-Dinitrotoluene	5	U		5		5	U		
2,6-Dichlorophenol	5	U		5		5	U		
2,6-Dinitrotoluene	5			5		5	U		
2-Acetylaminofluorene	10	_		10		10	U		
2-Chloronaphthalene	1	U		10	U	1	U		
2-Chlorophenol	1	U		1		1	U		
2-Methylnaphthalene	0.2			0.2		0.2	U		
2-Methylphenol	1	U		1		1	U		
2-Naphthylamine	2			2	_	2	U		
2-Nitroaniline	2			2		2	U		
2-Nitrophenol	2			2		2	U		
2-Picoline	5	U		5		5	U		
2-sec-Butyl-4,6-dinitrophenol	2	U		2		2	U		
3,3'-Dichlorobenzidine	5				U	5	U		
3,3'-Dimethoxybenzidine	10			10		10	U		
3,3'-Dimethoxyberizidine	5	U		5		5	U		
	5	U		5	_	5	U		
3-Methylphonol	1	U		1		1	U		
3-Methylphenol	2			2		2			
3-Nitroaniline					U		U		
4,6-Dinitro-2-methylphenol		U			_	5	U		
4-Aminobiphenyl		U			U		U		
4-Bromophenyl phenyl ether		U			U	-			
4-Chloro-3-methylphenol	2	_			U	2	U		
4-Chloroaniline	2			2		2			
4-Chlorophenyl phenyl ether	2				U	2	U		
4-Methylphenol	1	_		_	U	1	U		
4-Nitroaniline	2	_			U	2	U		
4-Nitrophenol		U			U	5	U		
4-Nitroquinoline-1-oxide	5				U	5	U		
5-Nitro-o-toluidine	2	_		2	-	2	U		
7,12-Dimethylbenz(a)anthracene	2				U		U		
a,a-Dimethylphenethylamine	50			50		50	U		
Acenaphthene	0.2	U		0.2		0.2	U		

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

Field Blank Results for Semi-Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former Huntington Works Facility, Huntington, West Virginia

_	er Huntington Works Facility, Huntington, West Vir								
Sample ID:	FB-072			FB-072			FB-072409		
Laboratory Sample ID:	A9G230196002			A9G2401		A9G250133004			
Sample Date:	07/22/			07/23/	2009	07/24/	2009)	
Unit:	ug/			ug/	L	ug/	L		
Chemical Name	Result		DV	Result	LQ DV			DV	
Acenaphthylene	0.2	U		0.2	U	0.2	U		
Acetophenone	1	U		1	U	0.51	J		
Aniline	5	U		5	U	5	U		
Anthracene	0.2	U		0.2	U	0.2	U		
	5			5	U	5	U		
Benzidine	5			5	U	5	U		
Benzo(a)anthracene	0.2	U		0.2	U	0.2	U		
Benzo(a)pyrene	0.2	U		0.2	U	0.2	U		
Benzo(b)fluoranthene	0.2	U		0.2	U	0.2	U		
Benzo(ghi)perylene	0.2	U		0.2	U	0.2	U		
Benzo(k)fluoranthene	0.2	U		0.2	U	0.2	U		
Benzyl alcohol	5	U		5	U	5	U		
bis(2-Chloro-1-methylethyl) ether	1	U		1	U	1	U		
bis(2-Chloroethoxy)methane	1	U		1	U	1	U		
bis(2-Chloroethyl) ether	1	U		1	U	1	U		
bis(2-Ethylhexyl) phthalate	1.2	JB	В	4.8		1.2	JB	В	
Butyl benzyl phthalate	1	U		1	U	1	U		
Chlorobenzilate	2	U		2	U	2	U		
Chrysene	0.2	U		0.2	U	0.2	U		
Diallate	10	U		10	U	10	U		
Dibenz(a,h)anthracene	0.2	U		0.2	U	0.2	U		
Dibenzofuran	1	U		1	U	1	U		
Diethyl phthalate	1	U		1	U	1	U		
Dimethoate	2	U		2	U	2	U		
Dimethyl phthalate	1	U		1	U	1	U		
Di-n-butyl phthalate	1	U		1	U	1	U		
Di-n-octyl phthalate	1	U		1	U	1	U		
Diphenylamine	1	U		1	U	1	U		
Disulfoton	2	U		2	U	2	U		
Ethyl methanesulfonate	2	U		2	U	2	U		
Famphur	10	U		10	U	10	U		
Fluoranthene	0.2	U		0.2	U	0.2	U		
Fluorene	0.2	U		0.2	U	0.2	U		
Hexachlorobenzene	0.2	U		0.2	U	0.2	U		
Hexachlorobutadiene	1	U		1	U	1	U		
Hexachlorocyclopentadiene	10	U		10	U	10	U		
Hexachloroethane	1	U			U		U		
Hexachloropropene	5	U		5	U	5	U		
Indeno(1,2,3-cd)pyrene	0.2			0.2	U	0.2	U		
Isodrin	2	_		2		2	U		
Isophorone	1	U		1	U	1	U		
Isosafrole	5			5	U	5	U		
Methapyrilene	2	U		2	U	2	U		
Methyl methanesulfonate	2	U		2	U	2	U		
Methyl parathion		U		2	U	2	U		
Naphthalene	0.2	U		0.2	U	0.2	U		
Nitrobenzene	1			1	U	1	U		
N-Nitrosodiethylamine	2			2	U	2	U		
N-Nitrosodimethylamine	1	_		1	U	1	U		
Laboratory Data Qualifiers	•	•				lidation Oua			

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

Table 8 Field Blank Results for Semi-Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former Huntington Works Facility, Huntington, West Virginia

	Former	Hun	ungi	.OII WOIKS F	acility, i	Huntington, west v			
Sample ID:	FB-072	2209		FB-072	309	FB-072	FB-072409		
Laboratory Sample ID:	A9G2301	A9G230196002			A9G240125006		A9G250133004		
Sample Date:	07/22/	2009		07/23/2009		07/24/2009		9	
Unit:	ug/	L_		ug/L		ug/	ug/L		
Chemical Name	Result	LQ	DV	Result	LQ D\	/ Result	LQ	DV	
N-Nitrosodi-n-butylamine	2	U		2	U	2	U		
N-Nitrosodi-n-propylamine	1	U		1	U	1	U		
N-Nitrosodiphenylamine	1	U		1	U	1	U		
N-Nitrosomethylethylamine	2	U		2	U	2	U		
N-Nitrosomorpholine	2	U		2	U	2	U		
N-Nitrosopiperidine	2	U		2	U	2	U		
N-Nitrosopyrrolidine	2	U		2	U	2	U		
O,O,O-Triethyl phosphorothioate	2	U		2	U	2	U		
o-Toluidine	2	U		2	U	2	U		
Parathion	2	U		2	U	2	U		
p-Dimethylaminoazobenzene	2	U		2	U	2	U		
Pentachlorobenzene	2	U		2	U	2	U		
Pentachloroethane	20	U		20	U	20	U		
Pentachloronitrobenzene	2	U		2	U	2	U		
Pentachlorophenol	5	U		5	U	5	U		
Phenacetin	2	U		2	U	2	U		
Phenanthrene	0.2	U		0.2	U	0.2	U		
Phenol	1	U		1	U	1	U		
Phorate	2	U		2	U	2	U		
p-Phenylene diamine	40	U		40	U	40	U		
Pronamide	2	U		2	U	2	U		
Pyrene	0.2	U		0.2	U	0.2	U		
Pyridine	1	U		1	U	1	В	В	
Safrole	2	U		2	U	2	U		
Tetraethyldithiopyrophosphate	5	U		5	U	5	U		
Thionazin	2	U		2	U	2	U		

Laboratory Data Qualifiers

U - Target analyte not detected above listed Reporting Limit

- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

Table 9 Field Blank Results for PCBs

RCRA Facility Investigation Phase II Former Huntington Works, Facility, Huntington, West Virginia

Sample ID:	FB-070909	FB-071009	FB-071309	FB-071409	FB-071509
Laboratory Sample ID:	A9G100171001	A9G110141001	A9G150161001	A9G150150001	A9G160162001
Sample Date:	07/10/2009	07/10/2009	07/13/2009	07/14/2009	07/15/2009
Unit:	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	Result LQ DV				
Aroclor 1016	1 U	1 U	1 U	1 U	1 U
Aroclor 1221	1 U	1 U	1 U	1 U	1 U
Aroclor 1232	1 U	1 U	1 U	1 U	1 U
Aroclor 1242	1 U	1 U	1 U	1 U	1 U
Aroclor 1248	1 U	1 U	1 U	1 U	1 U
Aroclor 1254	1 U	1 U	1 U	1 U	1 U
Aroclor 1260	1 U	1 U	1 U	1 U	1 U

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Field Blank Results for Metals

RCRA Facility Investigation Phase II

Former Huntington Works Facility, Huntington, West Virginia

Sample ID:	FB-070909	FE	-071009	FB-071309	FB-071409	FB-071509	FB-072209	FB-072309	FB-072409
Laboratory Sample ID:	A9G100171001	A9G	10141001	A9G150161001	A9G150150001	A9G160162001	A9G230196002	A9G240125006	A9G250133004
Sample Date:	7/109/2009	07	10/2009	07/13/2009	07/14/2009	07/15/2009	07/22/2009	07/23/2009	07/24/2009
Unit of Measure	ug/L		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	Result LQ	OV Resu	lt LQ D\	Result LQ D	/ Result LQ D\	Result LQ DV	Result LQ DV	Result LQ DV	Result LQ DV
Antimony	2 U		2 U	2 U	2 U	2 U	0.19 J	2 U	2 U
Arsenic	5 U		5 U	5 U	0.44 J	5 U	5 U	5 U	5 U
Barium	1 U	5.5	В В	1 U	1 U	0.49 JB B	1 U	0.23 JB B	1 U
Beryllium	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U
Cadmium	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chromium	2 U		2 U	2 U	2 U	2 U	2 U	0.97 J	2 U
Cobalt	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U
Copper	2 U		2 U	2 U	2 U	2 U	2 U	2 U	2 U
Lead	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U
Mercury	0.2 U		0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	2 U		2 U	2 U	2 U	2 U	2 U	2 U	2 U
Selenium	5 U		5 U	5 U	5 U	5 U	5 U	5 U	5 U
Silver	1 U		1 U	1 U	1 U	1 U	1 U	1 U	1 U
Thallium	1 U	0.1	J B	1 U	1 U	1 U	1 U	1 U	0.15 J
Tin	50 U		50 U	50 U	50 U	50 U	50 U	50 U	50 U
Vanadium	20 U		20 U	20 U	20 U	20 U	20 U	20 U	20 U
Zinc	4.7 JB E	7.7	JB B	20 U	20 U	7.9 JB B	4.2 JB BK	3.7 JB BK	20 U

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

- B Not detected substaintially above the level reported in the laboratory or field blanks
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm the result.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.

Table 11 Trip Blank Results for Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former Huntington Works Facility, Huntington, West Virginia

Sample ID:	TB-070909		TB-071009	TB-071309	TB-071409	TB-072209	TB-072309	TB-072409
Laboratory Sample ID:	A9G100171002		A9G110141002	A9G150161002	A9G150150002	A9G230196004	A9G240125008	A9G250133006
Sample Date:	07/10/2009		07/10/2009	07/13/2009	07/14/2009	07/22/2009	07/23/2009	07/24/2009
Unit:	ug/L		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	Result LQ [ΟV	Result LQ DV	Result LQ DV	Result LQ DV	Result LQ DV	Result LQ DV	Result LQ DV
1,1,1,2-Tetrachloroethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,1,1-Trichloroethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1.2.3-Trichloropropane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	2 U		2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dibromoethane (EDB)	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
1,4-Dioxane	50 U I	₹	50 U R	50 U R	50 U R	50 U R	50 U R	50 U R
2-Butanone (MEK)	10 U	Ì	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	10 U		10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	10 U		10 U	10 U	10 U	10 U	10 U	10 U
Acetone Acetone	10 U		10 U	10 U	1.1 J	10 U	2.5 J	10 U
Acetonitrile		₹	20 U R	20 U R	20 U R	20 U	2.3 J	20 U
Acrolein		` ?	20 U R	20 U R	20 U R	20 U	20 U R	20 U
Acrylonitrile	20 U	`	20 U	20 U	20 U	20 U	20 U	20 U
Allyl chloride	20 U		2 U	20 U	2 U	2 U	20 U	2 U
Benzene	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Bromodichloromethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Bromomethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	1 U		1 U	1 U	1 U	1 U	1 U	1 U
	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Carbon tetrachloride Chlorobenzene	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Chloroform	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Chloromethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
	2 U		2 U	2 U	2 U	2 U	2 U	2 U
Chloroprene	1 U		1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Dibromochloromethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Dibromomethane Dichlorodifluoromethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Ethyl methacrylate Ethylbenzene	1 U		1 U	1 U	1 U	1 U	1 U	1 U
lodomethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
		₹	50 U R	50 U R	50 U R	50 U R	11 JB BL	50 U R
Isobutyl alcohol	2 U	١	2 U	2 U	2 U	2 U	2 U	2 U
Methacrylonitrile Methyl methacrylate	2 U		2 U	2 U	2 U	2 U	2 U	2 U
, ,	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Methylene chloride		.	4 U R		4 U R	4 U	4 U R	4 U
Propionitrile	4 U I	۲						
Styrene Tetrachloroethene	1 U		1 U	1 U	1 U 1 U	1 U	1 U	1 U
Toluene	1 U	-	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,2-Dichloroethene		-		1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	1 U	-	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichloro-2-butene	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	2 U		2 U	2 U	2 U	2 U	2 U	2 U
Vinyl chloride	1 U		1 U	1 U	1 U	1 U	1 U	1 U
Xylenes (total) Laboratory Data Qualifiers	2 U		2 U	2 U Data Validation Qualif	2 U	2 U	2 U	2 U

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substaintially above the level reported in the laboratory or field blanks
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm the result.
- L Analyte is present. Reported value may be biased low. Actual value is expected higher

TABLE 12 Performance Evaluation Soil Sample Results for Volatile Organic Compounds

RCRA Facility Investigation Phase II

Sample ID:		AOC2-22-10.0	ERA Certified	Performance	
Labporatory Sample ID:		A9G200110003	Value Lot No.	Acceptance	Analysis within the
Sample Date:		07/13/2009	D062-924	(95% Confidence)	95% Confidence
		Result	Result	Range	Level
Chemical Name	CAS RN	mg/Kg	mg/Kg	mg/Kg	Yes/No
1,1,1,2-Tetrachloroethane	630-20-6	4.6	5.68	4.56 - 7.04	Yes
1,1,1-Trichloroethane	71-55-6	8.4	9.67	7.4 - 12.1	Yes
1,1,2,2-Tetrachloroethane	79-34-5	0.2 U	< 1		Yes
1,1,2-Trichloroethane	79-00-5	6.5	6.09	4.88 - 7.31	Yes
1,1-Dichloroethane	75-34-3	0.2 U	< 1		Yes
1,1-Dichloroethene	75-35-4	1.1	< 1		Yes
1,2,3-Trichloropropane	96-18-4	8.3	7.41	4.45 - 10.0	Yes
1,2,4-Trichlorobenzene			2.14	1.54 - 2.63	
1,2-Dibromo-3-chloropropane	96-12-8	0.4 U	< 1		Yes
1,2-Dibromoethane (EDB)	106-93-4	2.4	2.3	1.87 - 2.78	Yes
1,2-Dichlorobenzene			< 1		
1,2-Dichloroethane	107-06-2	2	1.94	1.49 - 2.44	Yes
1,2-Dichloropropane	78-87-5	8.7	8.6	7.07 - 10.2	Yes
1,3-Dichlorobenzene			8.94	6.96 - 11.2	
1,4-Dichlorobenzene			9.09	7.16 - 11.4	
2-Butanone (MEK)	78-93-3	0.8 U	<1		Yes
2-Hexanone	591-78-6	20	18.1	10.6 - 23.7	Yes
4-Methyl-2-pentanone (MIBK)	108-10-1	9.3	8.99	5.43 - 11.6	Yes
Acetone	67-64-1	16	15.6	5.79 - 22.6	Yes
Acetonitrile	75-05-8	0.5 U	< 1		Yes
Acrolein	107-02-8	4 U	< 1		Yes
Benzene	71-43-2	10	9.86	7.83 - 11.9	Yes
Bromobenzene			4.14	3.41 - 4.8	
Bromodichloromethane	75-27-4	3.5	4.29	3.46 - 5.53	Yes
Bromoform	75-25-2	1.5	2.27	1.59 - 2.97	No
Bromomethane	74-83-9	0.2 U	< 1		Yes
Carbon disulfide	75-15-0	0.2 U	< 1		Yes
Carbon tetrachloride	56-23-5	3.2	3.91	2.72 - 5.08	Yes
Chlorobenzene	108-90-7	0.2 U	< 1		Yes
Chloroethane	75-00-3	0.4 U	< 1		Yes
Chloroform	67-66-3	0.2 U	< 1		Yes
Chloromethane	74-87-3	0.2 U	< 1		Yes
cis-1,2-Dichloroethene			3.62	3.12 - 4.27	
cis-1,3-Dichloropropene	10061-01-5	0.2 U	< 1		Yes
Dibromochloromethane	124-48-1	1.2	1.42	1.06 - 1.80	Yes
Dibromomethane	74-95-3	3.4	3.21	2.65 - 3.85	Yes
Dichlorodifluoromethane	75-71-8	0.2 U	< 1		Yes
Ethylbenzene	100-41-4	8.9	8.32	6.61 - 10.3	Yes
Hexachlorobutadiene			6.53	4.88 - 8.75	
Hexachloroethane			10.5	7.15 - 14.2	
Isopropylbenzene			7.55	6.29 - 9.97	
Methylene chloride	75-09-2	7.7	7.31	4.89 - 9.5	Yes
Naphthalene			5.08	3.27 - 6.5	
Nitrobenzene			8.08	1.96 - 10.6	
Styrene	100-42-5	5.8	5.11	4.2 - 6.39	Yes
tert-Butyl methyl ether (MTBE)			6.86	4.99 - 8.37	
Tetrachloroethene	127-18-4	2.1	1.44	1.06 - 1.87	No
Toluene	108-88-3	4	3.73	3.01 - 4.48	Yes
trans-1,2-Dichloroethene	156-60-5	0.2 U	< 1		Yes
trans-1,3-Dichloropropene	10061-02-6	0.2 U	< 1		Yes
Trichloroethene	79-01-6	10	8.71	6.86 - 10.9	Yes
Trichlorofluoromethane	75-69-4	0.2 U	< 1		Yes
Vinyl acetate	108-05-4	0.4 U	< 1		Yes
Vinyl chloride	75-01-4	0.2 U	< 1		Yes
m-Xylene			3.81	3.08 - 4.72	
o-Xylene			1.74	1.41 - 2.16	
p-Xylene			3.61	2.92 - 4.48	
Xylenes (total)	1330-20-7	9.8	9.16	7.41 - 11.4	Yes

TABLE 13 Performance Evaluation Soil Sample Results for Semi-Volatile Organic Compounds

RCRA Facility Investigation Phase II

Sample ID:	<u> </u>	AOC2-22-10.0	1	Performance	1
Laboratory Sample ID:		A9G200110004	ERA Certified Value	Acceptance	Analysis within the
Sample Date:		07/13/2009	Lot No. D062-924	(95% Confidence)	95% Confidence
Sumple Bute.		Not Applicable	Result	Range	Level
Chemical Name	CAS RN	mg/Kg	mg/Kg	mg/Kg	Yes/No
1,2-Dichlorobenzene	95-50-1	0.25 U	<1	6/6	Yes
1,3-Dichlorobenzene	541-73-1	3.9	12.4	2.02 - 12.4	Yes
1,4-Dichlorobenzene	106-46-7	2.9	8.24	1.53 - 8.24	Yes
1-Chloronaphthalene		-	<1		
2,4-Dichlorophenol	120-83-2	0.75 U	<1		Yes
2,4-Dimethylphenol	105-67-9	0.75 U	<1		Yes
2,4-Dinitrophenol	51-28-5	1.6 U	8.24	D.L 8.24	
2,4-Dinitrotoluene	121-14-2	1 U	<1		Yes
2,6-Dichlorophenol	87-65-0	1.7	4.35	1.2 - 4.35	Yes
2,6-Dinitrotoluene	606-20-2	1 U	<1		Yes
2-Chloronaphthalene	91-58-7	0.25 U	<1		Yes
2-Chlorophenol	95-57-8	2.7	6.86	1.79 - 6.86	Yes
2-Methylnaphthalene	91-57-6	1.7	3.09	1.12 - 3.15	Yes
2-Methylphenol	95-48-7	1.1	8.35	0.786 - 8.35	Yes
2-Nitroaniline	88-74-4	1 U	<1		Yes
3,3'-Dichlorobenzidine	91-94-1	0.5 U	<1		Yes
3 & 4 - Methylphenol			11.1	0.789 - 11.1	
3-Nitroaniline	99-09-2	1 U	<1		Yes
4,6-Dinitro-2-methylphenol	534-52-1	0.54 J	13.7	0.068 - 13.7	Yes
4-Bromophenyl phenyl ether	101-55-3	0.25 U	<1		Yes
4-Chloro-3-methylphenol	59-50-7	0.75 U	<1		Yes
4-Chloroaniline	106-47-8	0.75 U	<1		Yes
4-Chlorophenyl phenyl ether	7005-72-3	7.8	13.8	6.1 - 15.6	Yes
4-Nitroaniline	100-01-6	1 U	<1		Yes
Acenaphthene	83-32-9	2.2	4.2	1.8 - 4.37	Yes
Acenaphthylene	208-96-8	1.4	2.84	0.997 - 2.84	Yes
Aniline	62-53-3	1.6 U	<1		Yes
Anthracene	120-12-7	4.7	8.58	3.47 - 8.58	Yes
Benzidine	92-87-5	1.6 U	<1		Yes
Benzoic acid			<1		
Benzo(a)anthracene	56-55-3	1.9	3.49	1.75 - 3.8	Yes
Benzo(a)pyrene	50-32-8	2.2	4.16	1.58 - 4.16	Yes
Benzo(b)fluoranthene	205-99-2	2.3	4.25	1.98 - 5.06	Yes
Benzo(ghi)perylene	191-24-2	0.8	1.46	0.64 - 1.71	Yes
Benzo(k)fluoranthene	207-08-9	2.6	4.16	1.97 - 4.87	Yes
Benzyl alcohol	100-51-6	1.6 U	< 1		Yes
bis(2-Chloroethoxy)methane	111-91-1	6.2	11.8	4.32 - 12.6	Yes
bis(2-Chloroethyl) ether	111-44-4	5.2	10.8	2.5 - 10.8	Yes
bis(2-Chloroisopropyl) ether			2.9	0.884 - 3.13	
bis(2-Ethylhexyl) phthalate	117-81-7	2.4	4.09	1.7 - 5.03	Yes
Butyl benzyl phthalate	85-68-7	0.25 U	<1		Yes
Carbazole	210.01.5	4.5	<1	404 0	.,
Chrysene	218-01-9	1.6	2.61	1.31 - 3.05	Yes
Dibenz(a,h)anthracene	53-70-3	0.033 U	<1	222 721	Yes
Dibenzofuran	132-64-9	4	7.39	3.22 - 7.91	Yes
Diethyl phthalate	84-66-2	0.25 U	<1		Yes
Dimethyl phthalate	131-11-3	0.25 U	<1		Yes
Di-n-butyl phthalate	84-74-2	0.25 U	<1		Yes
Di-n-octyl phthalate Fluoranthene	117-84-0 206-44-0	0.25 U 1.5	< 1 2.46	1.2 - 2.78	Yes Yes
Fluoranthene	86-73-7	1.9	3.34	1.2 - 2.78	Yes
Hexachlorobenzene	118-74-1	5.5	9.74	4.58 - 10.8	Yes
Hexachlorobutadiene	87-68-3	4.2	9.65	4.58 - 10.8 2.85 - 9.65	Yes
Hexachlorocyclopentadiene	77-47-4	4.2 1.6 U	9.65	2.03 - 3.03	Yes
Hexachloroethane	67-72-1	0.25 U	<1		Yes
Indeno(1,2,3-cd)pyrene	193-39-5	0.23 U	<1		Yes
Isophorone	78-59-1	2.6		1.72 - 5.68	
Naphthalene	91-20-3	0.033 U	5.21	1.72 - 3.08	Yes Yes
o-Toluidine	95-53-4	1.6 U	<1		Yes

TABLE 14
Performance Evaluation Soil Sample Results for PCBs and Metals
RCRA Facility Investigation Phase II

Sample ID:		AOC2-22-1	0.0	ERA	Performance	Analysis within the
Laboratory Sample ID:	:	A9G200110	001	Certified Value Lot	Acceptance	95% Confidence
Sample Date:		07/13/200	09	No. D062-924	(95% Confidence)	Level
					Range	Level
Chemical Name	CAS RN	mg/Kg		mg/Kg	mg/Kg	Yes/No
PCBs						
Aroclor 1254	11097-69-1	3.5		4.7	1.98 - 5.64	Yes
Metals						
Antimony	7440-36-0	71.6		126	63.3 - 189	Yes
Arsenic	7440-38-2	227		225	181 - 270	Yes
Barium	7440-39-3	565	J	565	461 - 669	Yes
Beryllium	7440-41-7	154		162	134 - 190	Yes
Cadmium	7440-43-9	68.9		69.1	58.1 - 80.1	Yes
Chromium	7440-47-3	121	J	124	101 - 147	Yes
Cobalt	7440-48-4	113		115	95.6 - 135	Yes
Copper	7440-50-8	64.4	J	66.7	53.9 - 79.5	Yes
Lead	7439-92-1	171	J	223	183 - 264	No
Mercury	7439-97-6	5.1		5.15	3.69 - 6.61	Yes
Nickel	7440-02-0	165	J	172	140 - 204	Yes
Selenium	7782-49-2	146		147	114 - 180	Yes
Silver	7440-22-4	36.3		35.2	23.3 - 47.1	Yes
Thallium	7440-28-0	130		173	140 - 205	No
Tin	7440-31-5	173		164	121 - 207	Yes
Vanadium	7440-62-2	92.4		93.9	72.1 - 116	Yes
Zinc	7440-66-6	347	J	349	280 - 418	Yes

TABLE 15 RFI Phase II Summary of Analytical Methods, Preservation, Sampling Volumes and Holding Times

RCRA Facility Investigaiton Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

Matrix	Analytical Group	EPA Test Method Series	Extraction Method	Sampling Equipment	Minimum Sample Volume ¹	Sample Container ²	Sample Preservation	Holding Time
	Appendix IX Volatile Organics (VOCs)	SW-846 Method 8260B	5035	TerraCore Sampling Kit	5 g	3 - 40 mL glass vials w/ teflon lined cap	4°C, MeOH & NaHSO₄	extract in the field, 14 days analyze
	Appendix IX SemiVolatile Organics (SVOCs)	SW-846 Method 8270C	3541	soil core, scoopula	50 g	Wide-mouth glass w/ teflon lined cap	4°C	14 days extract; 40 days analyze
	Appendix IX Polychlorinated Biphenyls (PCBs)	endix IX Polychlorinated Biphenyls (PCBs) SW-846 Method 8082		soil core, scoopula	50 g	Wide-mouth glass w/ teflon lined cap	4°C	14 days extract; 40 days analyze
Soil	Appendix IX Metals	SW-846 Method 6020	3050	soil core, scoopula	4 oz.	Wide-mouth glass w/ teflon lined cap	4°C	6 months (Hg = 28 days)
	Total Petroleum Hydrocarbons (DRO)	SW-846 Method 8015B	3540 C	soil core, scoopula	4 oz.	Wide-mouth glass w/ teflon lined cap	4°C	7 days
	Ethylene Glycol	SW-846 Method 8015B (M)	8015A	soil core, scoopula	4 oz.	Amber wide-mouth glass w/ teflon lined cap	4°C	14 days
	рН	SW-846 9045	Not Applicable	soil core, scoopula	20 g	Wide-mouth glass w/ teflon lined cap	Not Applicable	Immediately
	Appendix IX VOCs	SW-846 Method 8260B	5030	dedicated tubing	40 mL	Glass w/ telfon lined cap	4°C, HCl to pH<2	14 days
	Appendix IX SVOCs	SW-846 Method 8270C	3510	dedicated tubing	1000 mL	Amber glass w/ telfon lined cap	4°C	7 days to extract; 40 days to analyze
Ground Water	Appendix IX Metals	SW-846 Method 6020	3010	dedicated tubing	1000 mL	Plastic w/ telfon lined cap	4° C, HNO ₃ to pH < 2	6 months (Hg = 28 days)
vvaler	Methane, Ethene, Ethane	RSK SOP-175	Not Applicable	dedicated tubing	40 mL	Glass w/ telfon lined cap	4°C, HCl to pH<2	14 days
	Chloride, Nitrate, Sulfate	EPA Method 300.0	Not Applicable	dedicated tubing	250 mL	Plastic or glass w/ telfon lined cap	4°C	28 days (Chloride & Sulfate), 48 hours (Nitrate)

Notes

- 1 Triple volume is required for matrix spike/matrix spike duplicate (MS/MSD) analysis.
- 2 TerraCore VOC Sampling Kits contain 3 40mL Vials, 1 containing 5 mL of methanol (MeOH), 1 containing 5 mL of sodium bisulfate (NaHSO₄) & 1 containing 5 mL of reagent water.
- 3 The laboratory (TestAmerica) provide contaminant-free sample containers. All sample bottles complied with the standards outlined in the following reference:
- U.S. EPA (Environmental Protection Agency). December 1992. Specifications and Guidance for Contaminant-Free Sample Containers.
- 4 Appendix IX VOCs will also include 1,4-Dioxane and Appendix IX SVOCs will also include benzidine, 1,2-diphenyldrazine and 3,3'-dimethoxybenzidine

Table 16
RFI Phase II Analytical Parameters and EPA and WVDEP Standards

Chemical Name	CAS RN	EPA Industrial Risk Screening Level mg/Kg	WVDEP 60CSR3 Industrial Soil De Minimis Level mg/Kg	EPA Risk-Based Screening Level Protection of Groundwater mg/Kg	WVDEP 60CSR3 Migration to Ground Water Soil De Minimis Level mg/Kg	WVDEP 60CSR3 Ground Water De Minimis Level ug/L	EPA Groundwater Maximum Contaminant Level ug/L	EPA Risk Screening Level for Tapwater ug/L
Volatile Organics								
1,1,2,2-Tetrachloroethane	79-34-5	9.3	71	0.000026	0.0031	0.055	NS	0.067
1,1,1-Trichloroethane	71-55-6	38,000	710	3.2	2.1	200	200	9,100
1,1,1,2-Tetrachloroethane	630-20-6	2.8	9	0.0002	0.0004	0.43	NS	0.52
1,1,2-Trichloroethane	79-00-5	5.3	19	0.000078	0.035	5	5	0.24
1,1-Dichloroethane	75-34-3	17	1,600	0.00069	5.9	910	NS	2.4
1,1-Dichloroethene	75-35-4	1,100	430	0.12	0.059	7	7	340
1,2,3-Trichloropropane	96-18-4	0.095	11	0.00000031	0.00027	0.034	NS	0.00072
1,2-Dibromo-3-chloropropane	96-12-8	0.069	71	0.0000014	0.001	0.2	0.02	0.00032
1,2-Dibromoethane (EDB)	106-93-4	0.17	0.62	0.000018	0.00026	0.05	0.005	0.0065
1,2-Dichloroethane	107-06-2	2.2	7.7	0.000042	0.028	5	5	0.15
1,2-Dichloropropane	78-87-5	4.5	14	0.00013	0.03	5	5	0.39
1,4-Dioxane	123-91-1	160	2,200	0.0013	0.026	6.1	NS	61
2-Butanone (MEK)	78-93-3	190,000	56,000	1.5	29	7000	NS	7,100
2-Hexanone	591-78-6	1,400	NS	0.011	NS	NS	NS	47
4-Methyl-2-pentanone (MIBK)	108-10-1	53,000	8,900	0.45	59	6300	NS	2,000
Acetone	67-64-1	630,000	56,000	4.5	22	5500	NS	22,000
Acetonitrile	75-05-8	3,700	2,000	0.026	0.57	120	NS	130
Acrolein	107-02-8	0.65	0.31	0.0000084	0.0002	0.042	NS	0.042
Acrylonitrile	107-13-1	1.2	5.2	0.0000099	0.00016	0.039	NS	0.045
Allyl chloride	107-05-1	3.4	NS	0.00024	NS	NS	NS	0.65
Benzene	71-43-2	5.4	15	0.00021	0.034	5	5	0.41
Bromodichloromethane	75-27-4	1.4	24	0.000032	0.0015	0.18	NS	0.12
Bromoform	75-25-2	220	3,100	0.0023	0.064	8.5	NS	8.5
Bromomethane	74-83-9	32	13	0.0022	0.042	8.7	NS	8.7
Carbon disulfide	75-15-0	3,700	470	0.31	8.3	1000	NS	1,000
Carbon tetrachloride	56-23-5	1.2	5.3	0.000077	0.061	5	5	0.2
Chlorobenzene	108-90-7	1,400	310	0.062	1.3	100	100	91
Chloroethane	75-00-3	61,000	65	5.9	0.021	3.9	NS	21,000
Chloroform	67-66-3	1.5	5.2	0.000053	0.0011	0.17	NS	0.19
Chloromethane	74-87-3	500	160	0.049	1.3	190	NS	190

Table 16
RFI Phase II Analytical Parameters and EPA and WVDEP Standards

Chemical Name	CAS RN	EPA Industrial Risk Screening Level mg/Kg	WVDEP 60CSR3 Industrial Soil De Minimis Level mg/Kg	EPA Risk-Based Screening Level Protection of Groundwater mg/Kg	WVDEP 60CSR3 Migration to Ground Water Soil De Minimis Level mg/Kg	WVDEP 60CSR3 Ground Water De Minimis Level ug/L	EPA Groundwater Maximum Contaminant Level ug/L	EPA Risk Screening Level for Tapwater ug/L
Volatile Organics (cont'd.)								
Chloroprene	126-99-8	36	12	0.0075	0.12	14	NS	14
cis-1,3-Dichloropropene	10061-01-5	NS	NS	NS	NS	NS	NS	NS
cis-1,2-Dichloroethene	156-59-2	10,000	150	0.11	0.4	70	70	370
Dibromochloromethane	124-48-1	3.3	680	0.000039	0.018	0.8	NS	0.15
Dibromomethane	74-95-3	110	240	0.002	0.31	61	NS	8.2
Dichlorodifluoromethane	75-71-8	780	190	0.61	5.3	390	NS	390
Ethyl methacrylate	97-63-2	92,000	55	0.77	30	550	NS	3,300
Ethylbenzene	100-41-4	27	110	0.0017	8.9	700	700	1.5
Iodomethane	74-88-4	NS	NS	NS	NS	NS	NS	NS
Isobutyl alcohol	78-83-1	310,000	27,000	2.3	12	1800	NS	11,000
Methacrylonitrile	126-98-7	18	8.8	0.00024	0.0042	1	NS	1
Methyl methacrylate	80-62-6	21,000	3,400	0.31	6.5	1400	NS	1,400
Methylene chloride	75-09-2	53	210	0.0012	0.023	5	5	4.8
Propionitrile	107-12-0	NS	NS	NS	NS	NS	NS	NS
Styrene	100-42-5	36,000	630	1.8	4.1	100	100	1,600
Tetrachloroethene	127-18-4	2.6	19	0.000049	0.08	5	5	0.11
Toluene	108-88-3	45,000	260	1.6	10	1,000	1,000	2,300
trans-1,2-Dichloroethene	156-60-5	690	180	0.031	0.62	100	100	110
trans-1,3-Dichloropropene	10061-02-6	NS	NS	NS	NS	NS	NS	NS
trans-1,4-Dichloro-2-butene	110-57-6	0.035	NS	0.0000054	NS	NS	NS	0.0012
Trichloroethene	79-01-6	14	0.92	0.00072	0.043	5	5	2
Trichlorofluoromethane	75-69-4	3,400	950	0.83	22	1300	NS	1,300
Vinyl acetate	108-05-4	4,100	1,400	0.088	1.8	410	NS	410
Vinyl chloride	75-01-4	1.7	8.8	0.0000056	0.013	2	2	0.016
Xylenes (total)	1330-20-7	2,700	100	0.2	120	10,000	10,000	200
Semi-Volatile Organics								
1,2,4,5-Tetrachlorobenzene	95-94-3	180	260	0.051	0.66	11	NS	1.1
1,2,4-Trichlorobenzene	120-82-1	99	20,000	0.0068	4.9	70	70	2.3
1,2-Dichlorobenzene	95-50-1	9,800	150	0.36	12	600	600	370
1,2-Diphenylhydrazine	122-66-7	2.2	31	0.00027	0.0026	0.084	NS	0.084

Table 16
RFI Phase II Analytical Parameters and EPA and WVDEP Standards

Chemical Name	CAS RN	EPA Industrial Risk Screening Level mg/Kg	WVDEP 60CSR3 Industrial Soil De Minimis Level mg/Kg	EPA Risk-Based Screening Level Protection of Groundwater mg/Kg	WVDEP 60CSR3 Migration to Ground Water Soil De Minimis Level mg/Kg	WVDEP 60CSR3 Ground Water De Minimis Level ug/L	EPA Groundwater Maximum Contaminant Level ug/L	EPA Risk Screening Level for Tapwater ug/L
Semi-Volatile Organics (cont'd.)		6/ 1.6	1116/116	6/ 1/6	6/ 1.6	ω ₆ / L	46/ L	ω ₆ / L
1,3,5-Trinitrobenzene	99-35-4	27,000	26,000	3.9	52	1,100	NS	1,100
1,3-Dichlorobenzene	541-73-1	NS	130	NS	12	600	NS	NS
1,3-Dinitrobenzene	99-65-0	62	88	0.0033	0.037	3.7	NS	3.7
1,4-Dichlorobenzene	106-46-7	12	45	0.00041	2.2	75	75	0.43
1,4-Naphthoquinone	130-15-4	NS	NS	NS	NS	NS	NS	NS
1-Naphthylamine	134-32-7	NS	NS	NS	NS	NS	NS	NS
2,3,4,6-Tetrachlorophenol	58-90-2	18,000	26,000	6.7	92	1,100	NS	1,100
2,4,5-Trichlorophenol	95-95-4	62,000	88,000	14	250	3,700	NS	3,700
2,4,6-Trichlorophenol	88-06-2	160	2,200	0.023	0.12	6.1	NS	6.1
2,4-Dichlorophenol	120-83-2	1,800	2,600	0.13	1.1	110	NS	110
2,4-Dimethylphenol	105-67-9	12,000	18,000	18,000 0.86		730	NS	730
2,4-Dinitrophenol	51-28-5	1,200	1,800	0.082	0.29	73	NS	73
2,4-Dinitrotoluene	121-14-2	5.5	1,800	0.00029	0.57	73	NS	0.22
2,6-Dichlorophenol	87-65-0	NS	NS	NS	NS	NS	NS	NS
2,6-Dinitrotoluene	606-20-2	620	890	0.05	0.25	37	NS	37
2-Acetylaminofluorene	53-96-3	0.45	NS	0.000082	NS	NS	NS	0.018
2-Chloronaphthalene	91-58-7	82,000	27,000	15	32	490	NS	2,900
2-Chlorophenol	95-57-8	5,100	240	0.15	0.61	30	NS	180
2-Methylnaphthalene	91-57-6	4,100	NS	0.75	NS	NS	NS	150
2-Methylphenol	95-48-7	31,000	44,000	1.5	14	1,800	NS	1,800
2-Naphthylamine	91-59-8	0.96	NS	0.00019	NS	NS	NS	0.037
2-Nitroaniline	88-74-4	6,000	2,600	0.15	0.56	110	NS	370
2-Nitrophenol	88-75-5	NS	NS	NS	NS	NS	NS	NS
2-Picoline	109-06-8	NS	NS	NS	NS	NS	NS	NS
2-sec-Butyl-4,6-dinitrophenol	88-85-7	620	880	0.32	0.033	7	7	37
3,3'-Dichlorobenzidine			55	0.00098	0.0049	0.15	NS	0.15
3,3'-Dimethoxybenzidine			1,800	0.0058	0.3	4.8	NS	4.8
3,3'-Dimethylbenzidine	119-93-7	0.16	11	0.00004	0.0089	0.029	NS	0.0061
3-Methylcholanthrene	56-49-5	0.078	NS	0.0059	NS	NS	NS	0.0031
3-Methylphenol	108-39-4	31,000	44,000	1.5	39	1,800	NS	1,800

Table 16
RFI Phase II Analytical Parameters and EPA and WVDEP Standards

Chemical Name	CAS RN	EPA Industrial Risk Screening Level mg/Kg	WVDEP 60CSR3 Industrial Soil De Minimis Level mg/Kg	EPA Risk-Based Screening Level Protection of Groundwater mg/Kg	WVDEP 60CSR3 Migration to Ground Water Soil De Minimis Level mg/Kg	WVDEP 60CSR3 Ground Water De Minimis Level ug/L	EPA Groundwater Maximum Contaminant Level ug/L	EPA Risk Screening Level for Tapwater ug/L
Semi-Volatile Organics (cont'd.)			<u> </u>			<u>J</u> ,	J.	5.
3-Nitroaniline	99-09-2	NS	NS	NS	NS	NS	NS	NS
4,6-Dinitro-2-methylphenol	534-52-1	62	NS	0.0062	NS	NS	NS	3.7
4-Aminobiphenyl	92-67-1	0.082	NS	0.000016	NS	NS	NS	0.0032
4-Bromophenyl phenyl ether	101-55-3	NS	NS	NS	NS	NS	NS	NS
4-Chloro-3-methylphenol	59-50-7	62,000	NS	4.3	NS	NS	NS	3,700
4-Chloroaniline	106-47-8	8.6	3500	0.00014	0.97	150	NS	0.34
4-Chlorophenyl phenyl ether	7005-72-3	NS	NS	NS	NS	NS	NS	NS
4-Methylphenol	106-44-5	3100	4400	0.15	3.9	180	NS	180
4-Nitroaniline	100-01-6	86	NS	0.0014	NS	NS	NS	3.4
4-Nitrophenol	100-02-7	NS	7000	NS	1.7	290	NS	NS
4-Nitroquinoline-1-oxide	56-57-5	NS	NS	NS	NS	NS	NS	NS
5-Nitro-o-toluidine	99-55-8	52	750	0.0011	0.015	2	NS	2
7,12-Dimethylbenz(a)anthracene	57-97-6	0.0062	NS	0.00027	NS	NS	NS	0.00027
a,a-Dimethylphenethylamine	122-09-8	NS	NS	NS	NS	NS	NS	NS
Acenaphthene	83-32-9	33,000	38,000	22	73	370	NS	2,200
Acenaphthylene	208-96-8	NS	44,000	NS	91	370	NS	NS
Acetophenone	98-86-2	100,000	25,000	1.1	3.2	610	NS	3,700
Aniline	62-53-3	300	4,300	0.004	0.14	12	NS	12
Anthracene	120-12-7	170,000	390,000	360	1700	1800	NS	11,000
Aramite	140-57-8	69	NS	0.03	NS	NS	NS	2.7
Benzidine	92-87-5	0.0075	0.11	0.00000024	0.000033	0.00029	NS	0.000094
Benzo(a)anthracene	56-55-3	2.1	29	0.01	1.5	0.092	NS	0.029
Benzo(a)pyrene	50-32-8	0.21	2.9	0.0035	8.2	0.2	0.2	0.0029
Benzo(b)fluoranthene	205-99-2	2.1	29	0.035	4.5	0.092	0.029	NS
Benzo(ghi)perylene	191-24-2	NS	23,000	NS	120,000	1100	NS	NS
Benzo(k)fluoranthene	207-08-9	21	290	0.35	45	0.92	NS	0.29
Benzyl alcohol	100-51-6	62,000	440,000	0.89	150	18000	NS	3,700
bis(2-Chloro-1-methylethyl) ether	108-60-1	22	81	0.00012	0.0018	0.27	NS	0.32
bis(2-Chloroethoxy)methane	111-91-1	1,800	NS	0.025	NS	NS	NS	110
bis(2-Chloroethyl) ether	111-44-4	1.0	6	0.0000031	0.56	80	NS	0.12

Table 16
RFI Phase II Analytical Parameters and EPA and WVDEP Standards

Chemical Name	CAS RN	EPA Industrial Risk Screening Level	WVDEP 60CSR3 Industrial Soil De Minimis Level	EPA Risk-Based Screening Level Protection of Groundwater	WVDEP 60CSR3 Migration to Ground Water Soil De Minimis Level	WVDEP 60CSR3 Ground Water De Minimis Level	EPA Groundwater Maximum Contaminant Level	EPA Risk Screening Level for Tapwater
Semi-Volatile Organics (cont'd.)		mg/Kg	mg/Kg	mg/Kg	mg/Kg	ug/L	ug/L	ug/L
bis(2-Ethylhexyl) phthalate	117-81-7	120	1,800	1.1	3,600	6	6	4.8
Butyl benzyl phthalate	85-68-7	910	180,000	0.51	17,000	7,300	NS	35
Chlorobenzilate	510-15-6	16	91	0.002	0.027	0.25	NS	0.61
Chrysene	218-01-9	210	2900	1.1	150	9.2	NS	2.9
Diallate	2303-16-4	28	NS NS	0.0016	NS NS	NS	NS	1.1
Dibenz(a,h)anthracene	53-70-3	0.21	2.9	0.011	1.4	0.0092	NS	0.0029
Dibenzofuran	132-64-9	1,000	2,000	0.68	11	37	NS	37
Diethyl phthalate	84-66-2	490,000	700,000	12	450	29,000	NS	29,000
Dimethoate	60-51-5	120	NS	0.0016	NS	NS	NS	7.3
Dimethyl phthalate	131-11-3	NS	1,000,000	NS	2,000	370,000	NS	NS
Di-n-butyl phthalate	84-74-2	62,000	88,000	9.2	5,000	3,700	NS	3,700
Di-n-octyl phthalate	117-84-0	NS	NS	NS	NS	NS	NS	NS
Diphenylamine	122-39-4	15,000	22,000	1.7	25	910	NS	910
Disulfoton	298-04-4	25	35	0.0027	0.064	1.5	NS	1.5
Ethyl methanesulfonate	62-50-0	NS	NS	NS	NS	NS	NS	NS
Famphur	52-85-7	NS	NS	NS	NS	NS	NS	NS
Fluoranthene	206-44-0	22,000	30,000	160	6,300	1,500	NS	1,500
Fluorene	86-73-7	22,000	33,000	27	78	240	NS	1,500
Hexachlorobenzene	118-74-1	1.1	15	0.00053	2.2	1	1	0.042
Hexachlorobutadiene	87-68-3	22	320	0.0017	1.9	0.86	NS	0.86
Hexachlorocyclopentadiene	77-47-4	3,700	5,200	0.68	400	50	50	220
Hexachloroethane	67-72-1	120	880	0.0029	0.36	4.8	NS	4.8
Hexachloropropene	1888-71-7	NS	NS	NS	NS	NS	NS	NS
Indeno(1,2,3-cd)pyrene	193-39-5	2.1	29	0.12	13	0.092	NS	0.029
Isodrin	465-73-6	NS	NS	NS	NS	NS	NS	NS
Isophorone			26,000	0.023	0.42	71	NS	71
Isosafrole			NS	NS	NS	NS	NS	NS
Methapyrilene	91-80-5	NS	NS	NS	NS	NS	NS	NS
Methyl methanesulfonate	66-27-3	17	NS	0.00014	NS	NS	NS	0.68
Methyl parathion	298-00-0	150	220	0.015	0.085	9.1	NS	9.1

Table 16
RFI Phase II Analytical Parameters and EPA and WVDEP Standards

Chemical Name	CAS RN	EPA Industrial Risk Screening Level mg/Kg	WVDEP 60CSR3 Industrial Soil De Minimis Level mg/Kg	EPA Risk-Based Screening Level Protection of Groundwater mg/Kg	WVDEP 60CSR3 Migration to Ground Water Soil De Minimis Level mg/Kg	WVDEP 60CSR3 Ground Water De Minimis Level ug/L	EPA Groundwater Maximum Contaminant Level ug/L	EPA Risk Screening Level for Tapwater ug/L
Semi-Volatile Organics (cont'd.)		6/ 1/6	1116/116	6/ 1/6	6/ 1.6	ug/ L	46/ L	u _B / E
Nitrobenzene	98-95-3	24	110	0.000079	0.022	3.4	NS	0.12
N-Nitrosodiethylamine	55-18-5	0.011	0.16	0.000000053	0.0000023	0.00045	NS	0.00014
N-Nitrosodimethylamine	62-75-9	0.034	0.48	0.0000001	0.0000057	0.0013	NS	0.00042
N-Nitrosodi-n-butylamine	924-16-3	0.40	0.62	0.000005	0.000029	0.002	NS	0.0024
N-Nitrosodi-n-propylamine	621-64-7	0.25	3.5	0.0000072	0.000048	0.0096	NS	0.0096
N-Nitrosodiphenylamine	86-30-6	350	5,000	0.075	0.76	14	NS	14
N-Nitrosomethylethylamine	10595-95-6	0.078	1.1	0.00000088	0.000021	0.0031	NS	0.0031
N-Nitrosomorpholine	59-89-2	0.26	NS	0.0000026	NS	NS	NS	0.01
N-Nitrosopiperidine	100-75-4	0.18	NS	0.0000038	NS	NS	NS	0.0072
N-Nitrosopyrrolidine	930-55-2	0.82	12	0.000012	0.00033	0.032	NS	0.032
O,O,O-Triethyl phosphorothioate	126-68-1	NS	NS	NS	NS	NS	NS	NS
o-Toluidine	95-53-4	NS	100	NS	0.0057	0.28	NS	NS
Parathion	56-38-2	3,700	5,300	1.1	10	220	NS	220
p-Dimethylaminoazobenzene	60-11-7	0.37	NS	0.000062	NS	NS	NS	0.015
Pentachlorobenzene	608-93-5	490	700	0.22	20	29	NS	29
Pentachloroethane	76-01-7	19	NS	0.00036	NS	NS	NS	0.75
Pentachloronitrobenzene	82-68-8	6.6	95	0.0032	0.083	0.26	NS	0.26
Pentachlorophenol	87-86-5	9	110	0.0057	0.028	1	1	0.56
Phenacetin	62-44-2	780	NS	0.0086	NS	NS	NS	31
Phenanthrene	85-01-8	NS	410,000	NS	1,500	1,800	NS	NS
Phenol	108-95-2	180,000	260,000	6.3	56	11,000	NS	11,000
Phorate	298-02-2	120	NS	0.0082	NS	NS	NS	7.3
p-Phenylene diamine	106-50-3	120,000	170,000	1.9	48	6,900	NS	6,900
Pronamide	23950-58-5	46,000	NS	2.8	NS	NS	NS	2,700
Pyrene	129-00-0	17,000	54,000	120	500	180	NS	11,000
Pyridine	110-86-1	1,000	880	0.013	0.19	37	NS	37
Safrole	94-59-7	7.8	NS	0.00019	NS	NS	NS	31
Tetraethyldithiopyrophosphate	3689-24-5	310	NS	0.013	NS	NS	NS	18
Thionazin	297-97-2	NS	NS	NS	NS	NS	NS	NS

Table 16
RFI Phase II Analytical Parameters and EPA and WVDEP Standards

Chemical Name	CAS RN	EPA Industrial Risk Screening Level	WVDEP 60CSR3 Industrial Soil De Minimis Level	EPA Risk-Based Screening Level Protection of Groundwater	WVDEP 60CSR3 Migration to Ground Water Soil De Minimis Level	WVDEP 60CSR3 Ground Water De Minimis Level	EPA Groundwater Maximum Contaminant Level	EPA Risk Screening Level for Tapwater
		mg/Kg	mg/Kg	mg/Kg	mg/Kg	ug/L	ug/L	ug/L
Polychlorinated Biphenyls								
Total PCBs	1336-36-3 NS		10	NS	0.9	0.5	NS	NS
Aroclor 1016	12674-11-2	21	50	0.092	1.3	0.96	NS	0.96
Aroclor 1221	11104-28-2	0.54	10	0.00012	0.0023	0.0056	NS	0.0068
Aroclor 1232	11141-16-5	0.54	10	0.00012	0.0023	0.0056	NS	0.0068
Aroclor 1242	53469-21-9	0.74	10	0.0053	0.045	0.034	NS	0.034
Aroclor 1248	12672-29-6	0.74	10	0.0052	0.059	0.034	NS	0.034
Aroclor 1254	11097-69-1	0.74	10	0.0088	0.27	0.034	NS	0.034
Aroclor 1260	11096-82-5	0.74	10	0.024	0.39	0.034	NS	0.034
Metals								
Antimony	7440-36-0	410	820	0.66	5.4	6	6	15
Arsenic	7440-38-2	1.6	27	0.0013	5.8	10	10	0.045
Barium	7440-39-3	190,000	290,000	82	1,600	2,000	2,000	7,300
Beryllium	7440-41-7	2,000	3,700	3.2	63	4	4	73
Cadmium	7440-43-9	800	1,000	1.4	7.5	5	5	18
Chromium	7440-47-3	NS	NS	180,000	NS	NS	100	NS
Cobalt	7440-48-4	300	19,000	0.49	660	730	NS	11
Copper	7440-50-8	41,000	82,000	51	1,000	1,500	1,300	1,500
Lead	7439-92-1	800	1,000	NS	270	15	15	NS
Mercury	7439-97-6	34	610	0.03	2.1	NS	2	0.57
Nickel	7440-02-0	20,000	41,000	48	130	100	NS	730
Selenium	7782-49-2	5,100	10,000	0.95	5.2	50	50	180
Silver	7440-22-4	5,100	10,000	1.6	31	180	NS	180
Thallium	7440-28-0 NS		160	NS	2.8	2	2	NS
Tin			1,000,000	5,500	110,000	22,000	NS	22,000
Vanadium	7440-62-2 72		2,000	2.6	730	37	NS	2.6
Zinc	7440-66-6	310,000	610,000	680	14,000	11,000	NS	11,000

Table 17 AOC 2 Soil Sample Results for Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

						FORTIER BAS	of Huntington Works,	nuntington, west vir	giriia						
Boring Location:					AOC2-01	AOC2-02	AOC2-03	AOC2-04	AOC2-05	AOC2-06	AOC2-07	AOC2-08	AOC2-09	AOC2-10	AOC2-11
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	WVDEP 60CSR3	AOC2-01-7.0	AOC2-02-7.0	AOC2-03-8.0	AOC2-04-7.5	AOC2-05-9.5	AOC2-06-9.5	AOC2-07-9.0	AOC2-08-8.0	AOC2-09-9.5	AOC2-10-10.0	AOC2-11-6.5
Laboratory Sample ID:		Soil Screening	Table 60-3B	Table 60-3B	A9G150161008	A9G150161007	A9G150161005	A9G150161009	A9G150150004	A9G150150003	A9G150161003	A9G150161004	A9G150150005	A9G110141009	A9G110141008
Sample Date:		Level	Industrial Soil De	Migration to Ground Water Soil	07/13/2009	07/13/2009	07/13/2009	07/13/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/14/2009	07/10/2009	07/10/2009
Sample Depth:		Dec 2009	Minimis Level	De Minimis Level	7-7.5	7-7.5	8-8.5	7.5-8	9.5-10	9.5-10	9-9.5	8-8.5	9.5-10	10-10.5	6.5-7
Concentration Unit:		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN			1116/116	Result/RL LQ	DV Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ D	OV Result/RL LQ	DV Result/RL LQ DV	/ Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV
1,1,1,2-Tetrachloroethane	630-20-6	9.3	71	0.0031	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,1,1-Trichloroethane	71-55-6	38,000	710	2.1	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,1,2,2-Tetrachloroethane	79-34-5	2.8	9	0.0004	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,1,2-Trichloroethane	79-00-5	5.3	19	0.035	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,1-Dichloroethane	75-34-3	17	1,600	5.9	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,1-Dichloroethene	75-35-4	1,100	430	0.059	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,2,3-Trichloropropane	96-18-4	0.095	11	0.00027	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,2-Dibromo-3-chloropropane	96-12-8	0.069	71	0.001	0.01 U	0.13 U J	0.11 U J	0.24 U R	0.0091 U	0.0089 U	0.011 U	0.0099 U	0.0099 U	0.011 U	0.011 U
1,2-Dibromoethane (EDB)	106-93-4	0.17	0.62	0.00026	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,2-Dichloroethane	107-06-2	2.2	7.7	0.028	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,2-Dichloropropane	78-87-5	4.5	14	0.03	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
1,4-Dioxane	123-91-1	160	2,200	0.026	0.26 U	R 3.2 U R	2.6 U R	6 U R	0.23 U	0.22 U	0.26 U R	0.25 U	0.25 U	0.27 U R	0.28 U R
2-Butanone (MEK)	78-93-3	190,000	56,000	29	0.0037 J	0.26 U J	0.21 U J	0.48 U R	0.018 U	0.018 U	0.021 U	0.00097 J	0.02 U	0.021 U	0.0023 J
2-Hexanone	591-78-6	1,400	NS	NS NS	0.021 U	0.26 U J	0.21 U J	0.48 U R	0.018 U	0.018 U	0.021 U	0.02 U	0.02 U	0.021 U	0.023 U
4-Methyl-2-pentanone (MIBK)	108-10-1	53,000	8,900	59	0.021 U	0.26 U J	0.21 U J	0.48 U R	0.018 U	0.018 U	0.021 U	0.02 U	0.02 U	0.021 U	0.023 U
Acetone	67-64-1	630,000	56,000	22	0.023	0.14 JB BJ	0.12 JB BJ	0.48 U R	0.0054 J	0.0049 J	0.005 J	0.018 J	0.0047 J	0.003 J J	0.02 J J
Acetonitrile	75-05-8	3,700	2,000	0.57	0.55 U	0.64 U J	0.53 U J	1.2 U R	0.46 U	0.47 U	0.52 U	0.52 U	0.47 U	0.53 U	0.56 U
Acrolein	107-02-8	0.65	0.31	0.0002	0.1 U	1.3 U J	1.1 U J	2.4 U R	0.091 U	0.089 U	0.11 U	0.099 U	0.099 U	0.11 U	0.11 U
Acrylonitrile	107-13-1	1.2	5.2	0.00016	0.1 U	1.3 U J	1.1 U J	2.4 U R	0.091 U	0.089 U	0.11 U	0.099 U	0.099 U	0.11 U	0.11 U
Allyl chloride	107-05-1	3.4	NS	NS	0.055 U	0.064 U J	0.053 U J	0.12 U R	0.046 U	0.047 U	0.052 U	0.052 U	0.047 U	0.053 U	0.056 U
Benzene	71-43-2	5.4	15	0.034	0.0035 J	0.015 J J	0.012 J J	0.12 U R	0.0045 U	0.00038 J	0.0043 J	0.00028 J	0.0062	0.0053 U	0.0057 U
Bromodichloromethane	75-27-4	1.4	24	0.0015	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Bromoform	75-25-2	220	3,100	0.064	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Bromomethane	74-83-9	32	13	0.042	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Carbon disulfide	75-15-0	3,700	470	8.3	0.0052 U	2.5 J	0.048 J J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0035 J	0.0053 U	0.0057 U
Carbon tetrachloride	56-23-5	1.2	5.3	0.061	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Chlorobenzene	108-90-7	1,400	310	1.3	0.0052 U	0.064 U J	0.031 J J	0.12 U R	0.0045 U	0.002 J	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Chloroethane	75-00-3	61,000	65	0.021	0.0052 U	0.13 U J	0.11 U J	0.24 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Chloroform	67-66-3	1.5	5.2	0.0011	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Chloromethane	74-87-3	500	160	1.3	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Chloroprene	126-99-8	36	12	0.12	0.055 U	0.064 U J	0.053 U J	0.12 U R	0.046 U	0.047 U	0.052 U	0.052 U	0.047 U	0.053 U	0.056 U
cis-1,3-Dichloropropene	10061-01-5	NS	NS	NS	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Dibromochloromethane	124-48-1	3.3	680	0.018	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Dibromomethane	74-95-3	110	240	0.31	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Dichlorodifluoromethane	75-71-8	780	190	5.3	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.00071 J	0.0049 U	0.0053 U	0.0057 U
Ethyl methacrylate	97-63-2	92,000	55	30	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Ethylbenzene	100-41-4	27	110	8.9	0.00072 J	0.094 J	0.0081 J J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Iodomethane	74-88-4	NS	NS	NS	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Isobutyl alcohol	78-83-1	310,000	27,000	12	1.1 U		1.1 U R	2.4 U R	0.92 U	0.93 U	1 U R	1 U	0.95 U	1.1 U R	1.1 U R
Methacrylonitrile	126-98-7	18	8.8	0.0042	0.055 U	0.064 U J	0.053 U J	0.12 U R	0.046 U	0.047 U	0.052 U	0.052 U	0.047 U	0.053 U	0.056 U
Methyl methacrylate	80-62-6	21,000	3,400	6.5	0.055 U	0.064 U J	0.053 U J	0.12 U R	0.046 U	0.047 U	0.052 U	0.052 U	0.047 U	0.053 U	0.056 U
Methylene chloride	75-09-2	53	210	0.023	0.0052 U	0.26 U J	0.21 U J	0.48 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Propionitrile	107-12-0	NS	NS	NS	0.11 U	0.13 U J	0.11 U J	0.24 U R	0.092 U	0.093 U	0.1 U	0.1 U	0.095 U	0.11 U	0.11 U
Styrene	100-42-5	36,000	630	4.1	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Tetrachloroethene	127-18-4	2.6	19	0.08	0.0052 U	0.064 U J	<u>0.12</u> J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.003 J	0.0049 U	0.0053 U	0.0057 U
Toluene	108-88-3	45,000	260	10	0.00065 J	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.00042 J B	0.0057 U
trans-1,2-Dichloroethene	156-60-5	690	180	0.62	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
trans-1,3-Dichloropropene	10061-02-6	NS	NS	NS	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
trans-1,4-Dichloro-2-butene	110-57-6	0.035	NS	NS	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Trichloroethene	79-01-6	14	0.92	0.043	0.00037 J	0.064 U J	0.023 J J	0.12 U R	0.0045 U	0.0044 U	0.0017 J	0.005 U	0.0049 U	0.0048 J	0.0057 U
Trichlorofluoromethane	75-69-4	3,400	950	22	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0045 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Vinyl acetate	108-05-4	4,100	1,400	1.8	0.0032 U	0.13 U J	0.11 U J	0.24 U R	0.0043 U	0.0089 U	0.011 U	0.009 U	0.0049 U	0.011 U	0.0037 U
Vinyl chloride	75-01-4	1.7	8.8	0.013	0.0052 U	0.064 U J	0.053 U J	0.12 U R	0.0031 U	0.0044 U	0.0053 U	0.005 U	0.0049 U	0.0053 U	0.0057 U
Xylenes (total)	1330-20-7	2,700	100	120	0.0032 U	0.13 U J	0.02 J J	0.24 U R	0.0043 U	0.0089 U	0.011 U	0.009 U	0.0049 U	0.011 U	0.0037 U
Ayrenes (total)	1330-20-7	2,700	100	120	0.01 0	0.15 0 1	0.02 J J	0.24 U N	0.0031 0	0.0000	0.011	0.0055 0	0.0033 0	0.011 0	0.011

Notes

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. *Italicized* values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers (DV)

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

Table 17 AOC 2 Soil Sample Results for Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:				1	AOC2-12	AOC2-13	AOC2-14	AOC2-15	AOC2-16	AOC2-17	AOC2-18	AOC2-19	AOC2-20	AOC2-03
Soil Sample ID:		EDA Industrial	WVDEP 60CSR3	WVDEP 60CSR3	AOC2-12-9.0	AOC2-13 AOC2-13-7.0	AOC2-14 AOC2-14-9.0	AOC2-15 AOC2-15-11.0	AOC2-10 AOC2-16-10.0	AOC2-17 AOC2-17-11.0	AOC2-18 AOC2-18-11.0	AOC2-19-10.0	AOC2-20-9.5	AOC2-03 AOC2-21-8.0
Laboratory Sample ID:		EPA Industrial Soil Screening	Table 60-3B	Table 60-3B	A9G110141007	A9G110141006	A9G110141005	A9G110141004	A9G110141003	A9G100171013	A9G100171012	A9G100171011	A9G100171010	A9G150161006
Sample Date:		Level	Industrial Soil De	Migration to	07/10/2009	07/10/2009	07/10/2009	07/10/2009	07/10/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/13/2009
Sample Depth:		Dec 2009	Minimis Level	Ground Water Soil	9-9.5	7-8	9-9.5	11-11.5	10-10.5	11-11.5	11-11.5	10-10.5	9.5-10	8-8.5
Concentration Unit:		mg/Kg	mg/Kg	De Minimis Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN			mg/Kg	Result/RL LQ DV	Result/RL LQ DV		o. o	Result/RL LQ DV	Result/RL LQ DV	- · ·	Result/RL LQ DV	Result/RL LQ DV	
1,1,1,2-Tetrachloroethane	630-20-6	9.3	71	0.0031	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,1,1-Trichloroethane	71-55-6	38,000	710	2.1	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,1,2,2-Tetrachloroethane	79-34-5	2.8	9	0.0004	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	<u>0.058</u> J	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,1,2-Trichloroethane	79-00-5	5.3	19	0.035	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,1-Dichloroethane	75-34-3	17	1,600	5.9	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,1-Dichloroethene	75-35-4	1,100	430	0.059	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,2,3-Trichloropropane	96-18-4	0.095	11	0.00027	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,2-Dibromo-3-chloropropane	96-12-8	0.069	71	0.001	0.0085 U	0.0098 U	0.0097 U	0.094 U	0.099 U J	0.13 U	0.52 U L	0.01 U	0.01 U	0.11 U
1,2-Dibromoethane (EDB)	106-93-4	0.17	0.62	0.00026	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,2-Dichloroethane	107-06-2	2.2	7.7	0.028	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,2-Dichloropropane	78-87-5	4.5	14	0.03	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
1,4-Dioxane	123-91-1	160	2,200	0.026	0.21 U R	0.25 U R	0.24 U R	2.4 U R	2.5 U R	3.3 U R	13 U R	0.25 U R	0.26 U R	2.8 U R
2-Butanone (MEK)	78-93-3	190,000	56,000	29	0.0022 J	0.0056 J	0.0039 J	0.19 U	0.2 U J	0.18 JB B	1 U L	0.0018 J	0.0019 J	0.22 U
2-Hexanone	591-78-6	1,400	NS	NS	0.017 U	0.02 U	0.019 U	0.19 U	0.2 U J	0.26 U	1 U L	0.02 U	0.021 U	0.22 U
4-Methyl-2-pentanone (MIBK)	108-10-1	53,000	8,900	59	0.017 U	0.02 U	0.019 U	0.19 U	0.2 U J	0.26 U	1 U L	0.02 U	0.021 U	0.22 U
Acetone	67-64-1	630,000	56,000	22	0.032 J	0.049 J	0.048 J	0.19 U	0.1 JB BJ	0.26 U	1 U L	0.011 J B	0.017 J B	0.11 JB BJ
Acetonitrile	75-05-8	3,700	2,000	0.57	0.47 U	0.47 U J	0.52 U	0.47 U	0.5 U J	0.66 U	2.6 U L	0.45 U J	0.5 U	0.55 U
Acrolein	107-02-8	0.65	0.31	0.0002	0.085 U	0.098 U	0.097 U	0.94 U	0.99 U J	1.3 U	5.2 U L	0.1 U	0.1 U	1.1 U
Acrylonitrile	107-13-1	1.2	5.2	0.00016	0.085 U	0.098 U	0.097 U	0.94 U	0.99 U J	1.3 U	5.2 U L	0.1 U	0.1 U	1.1 U
Allyl chloride	107-05-1	3.4	NS 15	NS 0.034	0.047 U	0.047 U J	0.052 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.045 U J	0.05 U	0.055 U
Benzene Bromodichloromethane	71-43-2 75-27-4	5.4 1.4	15 24	0.034	0.0042 U 0.0042 U	0.0049 U 0.0049 U	0.00058 J 0.0049 U	0.047 U 0.047 U	0.76 J 0.05 U J	0.04 J 0.066 U	2.6 L 0.26 U L	0.0051 U 0.0051 U	0.00039 J 0.0052 U	0.012 J 0.055 U
Bromoform	75-27-4	220	3,100	0.0015	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Bromomethane	74-83-9	32	13	0.064	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Carbon disulfide	75-15-0	3,700	470	8.3	0.0042 U	0.0049 U	0.0043 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0031 U	0.0032 U	0.033 U
Carbon tetrachloride	56-23-5	1.2	5.3	0.061	0.0042 U	0.0049 U	0.0042 J	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0023 J	0.0052 U	0.055 U
Chlorobenzene	108-90-7	1,400	310	1.3	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.0093 J J	0.013 J	1.6 L	0.0051 U	0.0052 U	0.046 J
Chloroethane	75-00-3	61,000	65	0.021	0.0042 U	0.0049 U	0.0049 U	0.094 U	0.099 U J	0.066 U	0.52 U L	0.0051 U	0.0052 U	0.11 U
Chloroform	67-66-3	1.5	5.2	0.0011	0.0042 U	0.0049 U	0.00048 J B	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Chloromethane	74-87-3	500	160	1.3	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Chloroprene	126-99-8	36	12	0.12	0.047 U	0.047 U J	0.052 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.045 U J	0.05 U	0.055 U
cis-1,3-Dichloropropene	10061-01-5	NS	NS	NS	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Dibromochloromethane	124-48-1	3.3	680	0.018	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Dibromomethane	74-95-3	110	240	0.31	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Dichlorodifluoromethane	75-71-8	780	190	5.3	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Ethyl methacrylate	97-63-2	92,000	55	30	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Ethylbenzene	100-41-4	27	110	8.9	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.0078 J J	0.0093 J	1.4 L	0.0051 U	0.0052 U	0.055 U
Iodomethane	74-88-4	NS	NS	NS	0.00063 J	0.00098 J	0.00058 J	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Isobutyl alcohol	78-83-1	310,000	27,000	12	0.93 U R	0.94 U R	1 U R	0.94 U R	0.99 U R	1.3 U R	5.2 U R	0.9 U R	0.99 U R	1.1 U R
Methacrylonitrile	126-98-7	18	8.8	0.0042	0.047 U	0.047 U J	0.052 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.045 U J	0.05 U	0.055 U
Methylone chloride	80-62-6	21,000	3,400	6.5	0.047 U	0.047 U J	0.052 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.045 U J	0.05 U	0.055 U
Methylene chloride	75-09-2 107-12-0	53 NS	210 NS	0.023 NS	0.0042 U 0.093 U	0.0049 U 0.094 U J	0.0049 U 0.1 U	0.19 U 0.094 U	0.2 U J 0.099 U J	0.066 U 0.13 U	1 U L	0.0051 U J	0.0012 J 0.099 U	0.22 U
Propionitrile Styrene	107-12-0	36,000	630	NS 4.1	0.093 U 0.0042 U	0.094 U J	0.1 U 0.0049 U	0.094 U 0.047 U	0.099 U J	0.13 U 0.066 U	0.52 U L 0.26 U L	0.09 U J 0.0051 U	0.099 U	0.11 U 0.055 U
Tetrachloroethene	127-18-4	2.6	19	0.08	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.075	1.8 L	0.0051 U	0.0052 U	0.08 J
Toluene	108-88-3	45,000	260	10	0.0042 U	0.0049 U	0.00087 J	0.047 U	0.05 U J	0.066 U	1.2 L	0.0051 U	0.0052 U	0.055 U
trans-1,2-Dichloroethene	156-60-5	690	180	0.62	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
trans-1,3-Dichloropropene	10061-02-6	NS	NS	NS	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
trans-1,4-Dichloro-2-butene	110-57-6	0.035	NS	NS NS	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Trichloroethene	79-01-6	14	0.92	0.043	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	2.3	0.96 L	0.0051 U	0.0052 U	0.021 J
Trichlorofluoromethane	75-69-4	3,400	950	22	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Vinyl acetate	108-05-4	4,100	1,400	1.8	0.0085 U	0.0098 U	0.0097 U	0.094 U	0.099 U J	0.13 U	0.52 U L	0.01 U	0.01 U	0.11 U
Vinyl chloride	75-01-4	1.7	8.8	0.013	0.0042 U	0.0049 U	0.0049 U	0.047 U	0.05 U J	0.066 U	0.26 U L	0.0051 U	0.0052 U	0.055 U
Xylenes (total)	1330-20-7	2,700	100	120	0.0085 U	0.0098 U	0.0097 U	0.094 U	0.099 U J	0.034 J	5.6 L	0.01 U	0.01 U	0.018 J
Notes:					Labatory Data Qualif	iors (LO)		Data Validation Quali	fiors (DV)		• • • • • • • • • • • • • • • • • • • •		1	· · · · · · · · · · · · · · · · · · ·

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. *Italicized* values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers (DV)

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

TABLE 18 AOC 2 Soil Sample Results for Semi-Volatile Organic Compounds

RCRA Facility Investigation Phase II

Boring Location:					AOC2-01	AOC2-02	AOC2-03	AOC2-04	AOC2-05	AOC2-06	AOC2-07	AOC2-08	AOC2-09	AOC2-10	AOC2-11
Soil Sample ID:		FDA Industrial	WVDEP 60CSR3	WVDEP 60CSR3 Table 60-3B	AOC2-01 AOC2-01-7.0	AOC2-02-7.0	AOC2-03 AOC2-03-8.0	AOC2-04-7.5	AOC2-05-9.5	AOC2-00	AOC2-07	AOC2-08-8.0	AOC2-09	AOC2-10 AOC2-10-10.0	AOC2-11 AOC2-11-6.5
Laboratory Sample ID:		EPA Industrial Soil Screening	Table 60-3B		A9G150161008	A9G150161007	A9G150161005	A9G150161009	A9G150150004	A9G150150003	A9G150161003	A9G150161004	A9G150150005	A9G110141009	A9G110141008
Sample Date:		Level	Industrial Soil De	Migration to Ground Water	07/13/2009	07/13/2009	07/13/2009	07/13/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/14/2009	40004.625	07/10/2009
Sample Date:		Dec 2009	Minimis Level	Soil De Minimis	7-7.5	7-7.5	8-8.5	7.5-8	9.5-10	9.5-10	9-9.5	8-8.5	9.5-10	10-10.5	6.5-7
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN	<i>3, 3</i>	<i>3, 3</i>	mg/Kg	Result/RL LQ D\		Result/RL LQ D	0. 0	Result/RL LQ D	o. o	O, O	o. o	o. 0	J. J	Result/RL Q
1,2,4,5-Tetrachlorobenzene	95-94-3	180	260	0.66	0.13 U	0.14 U	0.026 J	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
1,2,4-Trichlorobenzene	120-82-1	99	20,000	4.9	0.26	0.14 U	21	0.21 U	0.12 U	0.061 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
1,2-Dichlorobenzene	95-50-1	9,800	150	12	0.26 U	0.07 U	0.068 J	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
1,2-Dichlorobenzene 1,2-Diphenylhydrazine	122-66-7	2.2	31	0.0026	0.066 U	0.07 U	0.068 J	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
1,3,5-Trinitrobenzene	99-35-4	27,000	26,000	52	2.1 U	2.3 U	2.2 U	3.4 U	2 U	2 U J	2 U	2.1 U	2.1 U	2 U	7 U
1,3-Dichlorobenzene	541-73-1	NS	130	12	0.066 U	0.07 U	0.15 J	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
1,3-Dinitrobenzene	99-65-0	62	88	0.037	0.44 U	0.46 U	0.13 J	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
1,4-Dichlorobenzene	106-46-7	12	45	2.2	0.066 U	0.40 U	5.6	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
1,4-Naphthoquinone	130-15-4	NS	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
1-Naphthylamine	134-32-7	NS	NS NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
2,3,4,6-Tetrachlorophenol	58-90-2	18,000	26,000	92	0.13 U	0.14 U	0.13 U	0.71 U	0.12 U	0.41 U J	0.42 U	0.13 U	0.42 U	0.41 U	0.44 U
2,4,5-Trichlorophenol	95-95-4	62,000	88,000	250	0.13 U	0.14 U	0.13 U	0.32 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.65 U
2,4,6-Trichlorophenol	88-06-2	160	2,200	0.12	0.2 U	0.21 U	0.2 U	0.32 U	0.18 U	0.18 U J	0.19 U	0.19 U	0.19 U	0.19 U	0.65 U
2,4-Dichlorophenol	120-83-2	1,800	2,600	1.1	0.2 U	0.21 U	0.037 J	0.32 U	0.18 U	0.18 U J	0.19 U	0.19 U	0.19 U	0.19 U	0.65 U
2,4-Dimethylphenol	105-67-9	12,000	18,000	9	0.2 U	0.21 U	0.037 J	0.32 U	0.18 U	0.18 U J	0.19 U	0.19 U	0.19 U	0.19 U	0.65 U
2,4-Dinitrophenol	51-28-5	1,200	1,800	0.29	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
2,4-Dinitrotoluene	121-14-2	5.5	1,800	0.57	0.27 U	0.28 U	0.27 U	0.43 U	0.4 U	0.41 U J	0.42 U	0.26 U	0.42 U	0.41 U	0.87 U
2,6-Dichlorophenol	87-65-0	NS	NS NS	NS	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
2,6-Dinitrotoluene	606-20-2	620	890	0.25	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
2-Acetylaminofluorene	53-96-3	0.45	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
2-Chloronaphthalene	91-58-7	82,000	27,000	32	0.066 U	0.40 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
2-Chlorophenol	95-57-8	5,100	240	0.61	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
2-Methylnaphthalene	91-57-6	4,100	NS NS	NS	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.12
2-Methylphenol	95-48-7	31,000	44.000	14	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
2-Naphthylamine	91-59-8	0.96	NS	NS	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
2-Nitroaniline	88-74-4	6,000	2,600	0.56	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
2-Nitrophenol	88-75-5	NS	NS	NS	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
2-Picoline	109-06-8	NS	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
2-sec-Butyl-4,6-dinitrophenol	88-85-7	620	880	0.033	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
3,3'-Dichlorobenzidine	91-94-1	3.8	55	0.0049	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
3,3'-Dimethoxybenzidine	119-90-4	120	1,800	0.3	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
3,3'-Dimethylbenzidine	119-93-7	0.16	11	0.0089	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
3-Methylcholanthrene	56-49-5	0.078	NS	NS	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
3-Methylphenol	108-39-4	31,000	44,000	39	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
3-Nitroaniline	99-09-2	NS	NS	NS	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
4,6-Dinitro-2-methylphenol	534-52-1	62	NS	NS	0.2 U	0.21 U	0.2 U	0.32 U	0.18 U	0.18 U J	0.19 U	0.19 U	0.19 U	0.19 U	0.65 U
4-Aminobiphenyl	92-67-1	0.082	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
4-Bromophenyl phenyl ether	101-55-3	NS	NS	NS	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
4-Chloro-3-methylphenol	59-50-7	62,000	NS	NS	0.2 U	0.21 U	0.2 U	0.32 U	0.18 U	0.18 U J	0.19 U	0.19 U	0.19 U	0.19 U	0.65 U
4-Chloroaniline	106-47-8	8.6	3500	0.97	0.2 U	0.21 U	0.2 U	0.32 U	0.18 U	0.18 U J	0.19 U	0.19 U	0.19 U	0.19 U	0.65 U
4-Chlorophenyl phenyl ether	7005-72-3	NS	NS	NS	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
4-Methylphenol	106-44-5	3100	4400	3.9	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
4-Nitroaniline	100-01-6	86	NS	NS	0.27 U	0.28 U	0.27 U	0.43 U	0.25 U	0.25 U J	0.25 U	0.26 U	0.26 U	0.25 U	0.87 U
4-Nitrophenol	100-02-7	NS	7000	1.7	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
4-Nitroquinoline-1-oxide	56-57-5	NS	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Notes:	<u>_</u>						Labatory Data Quali	fiers (LQ)		Data Validation Qual	ifiers (DV)		<u> </u>		·

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 5. U Qualifier denotes chemical was not detected above the listed Reporting Limit
- 6. J Qualifier denotes result was detected below the Reporting Limit
- 7. B Qualifier denotes chemical was also detected in the Method Blank

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

		1	1					1		ı		_	_	1	
Boring Location:				WVDEP 60CSR3	AOC2-01	AOC2-02	AOC2-03	AOC2-04	AOC2-05	AOC2-06	AOC2-07	AOC2-08	AOC2-09	AOC2-10	AOC2-11
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC2-01-7.0	AOC2-02-7.0	AOC2-03-8.0	AOC2-04-7.5	AOC2-05-9.5	AOC2-06-9.5	AOC2-07-9.0	AOC2-08-8.0	AOC2-09-9.5	AOC2-10-10.0	AOC2-11-6.5
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G150161008	A9G150161007	A9G150161005	A9G150161009	A9G150150004	A9G150150003	A9G150161003	A9G150161004	A9G150150005	A9G110141009	A9G110141008
Sample Date:		Level	Industrial Soil De	Ground Water	07/13/2009	07/13/2009	07/13/2009	07/13/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/14/2009	40004.625	07/10/2009
Sample Depth:		Dec 2009	Minimis Level	Soil De Minimis	7-7.5	7-7.5	8-8.5	7.5-8	9.5-10	9.5-10	9-9.5	8-8.5	9.5-10	10-10.5	6.5-7
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN			mg/Kg	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL Q	Result/RL Q
5-Nitro-o-toluidine	99-55-8	52	750	0.015	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
7,12-Dimethylbenz(a)anthracene	57-97-6	0.0062	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
a,a-Dimethylphenethylamine	122-09-8	NS	NS	NS	0.88 U	0.93 U	0.89 U	1.4 U	0.81 U	0.81 U J	0.83 U	0.85 U	0.85 U	0.82 U	2.9 U
Acenaphthene	83-32-9	33,000	38,000	73	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.15
Acenaphthylene	208-96-8	NS	44,000	91	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.029 U
Acetophenone	98-86-2	100,000	25,000	3.2	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
Aniline	62-53-3	300	4,300	0.14	<u>0.3</u> J	0.04 J	0.44 U	0.059 J	0.4 U	0.023 J J	0.051 J	0.035 J	0.066 J	<u>0.18</u> J	1.4 U
Anthracene	120-12-7	170,000	390,000	1,700	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.96
Aramite	140-57-8	69	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Benzidine	92-87-5	0.0075	0.11	0.000033	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Benzo(a)anthracene	56-55-3	2.1	29	1.5	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	2.2
Benzo(a)pyrene	50-32-8	0.21	2.9	8.2	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U	0.0084 U	0.013	0.0086 U	0.0083 U	1.3
Benzo(b)fluoranthene	205-99-2	2.1	29	4.5	0.015	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U	0.0084 U	0.022	0.0086 U	0.0083 U	1.7
Benzo(ghi)perylene	191-24-2	NS	23,000	120,000	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.53
Benzo(k)fluoranthene	207-08-9	21	290	45	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.75
Benzyl alcohol	100-51-6	62,000	440,000	150	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
bis(2-Chloro-1-methylethyl) ether	108-60-1	22	81	0.0018	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
bis(2-Chloroethoxy)methane	111-91-1	1,800	NS	NS	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
bis(2-Chloroethyl) ether	111-44-4	1.0	6	0.56	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
bis(2-Ethylhexyl) phthalate	117-81-7	120	1,800	3,600	0.076	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Butyl benzyl phthalate	85-68-7	910	180,000	17,000	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Chlorobenzilate	510-15-6	16	91	0.027	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Chrysene	218-01-9	210	2900	150	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	1.8
Diallate	2303-16-4	28	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Dibenz(a,h)anthracene	53-70-3	0.21	2.9	1.4	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.16
Dibenzofuran	132-64-9	1,000	2,000	11	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Diethyl phthalate	84-66-2	490,000	700,000	450	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Dimethoate	60-51-5	120	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Dimethoate Dimethyl phthalate	131-11-3	NS NS	1,000,000	2,000	0.066 U	0.40 U	0.067 U	0.71 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Di-n-butyl phthalate	84-74-2	62.000	88.000	5.000	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Di-n-octyl phthalate	117-84-0	NS	NS	NS	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Diphenylamine	122-39-4	15,000	22,000	25	0.39	0.14	0.13 U	0.11 U	0.12 U	0.12 U J	0.003 J	0.13 U	0.004 U	0.12 U	0.22 U
Disulfoton	298-04-4	25	35	0.064	0.39 0.44 U	0.14 0.46 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.033 J	0.13 U	0.13 U	0.12 U	1.4 U
Ethyl methanesulfonate	62-50-0	NS NS	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Famphur	52-85-7	NS NS	NS	NS NS	4.4 U	4.6 U	4.4 U	7.1 U	4 U	4.1 U J	4.2 U	4.2 U	4.2 U	4.1 U	1.4 U
Fluoranthene	206-44-0	22,000	30,000	6,300	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.011	0.0086 U	0.0083 U	4.6
Fluorene	86-73-7	22,000	33,000	78	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0011 0.0086 U	0.0086 U	0.0083 U	0.22
Hexachlorobenzene	118-74-1	1.1	15	2.2	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.029 U
Hexachlorobutadiene	87-68-3		320	1.9	0.066 U	0.0094 U	0.067 U	0.014 U	0.0082 U	0.0082 U J	0.063 U	0.064 U	0.0086 U	0.062 U	0.029 U
Hexachlorocyclopentadiene	87-68-3 77-47-4	3,700	5,200	400	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U		0.063 U	0.064 U	0.064 U	0.062 U	1.4 U
			-												
Hexachloroptopopo	67-72-1	120	880 NC	0.36	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Hexachloropropene	1888-71-7	NS 2.1	NS 30	NS 13	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Indeno(1,2,3-cd)pyrene	193-39-5	2.1	29 NG	13	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.46
Isodrin	465-73-6	NS 1.800	NS 26,000	NS 0.43	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Isophorone	78-59-1	1,800	26,000	0.42	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Notes:							Labatory Data Qualif	iers (LO)		Data Validation Qual	mers (DV)				

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 5. U Qualifier denotes chemical was not detected above the listed Reporting Limit
- 6. J Qualifier denotes result was detected below the Reporting Limit
- 7. B Qualifier denotes chemical was also detected in the Method Blank

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

		ı													
Boring Location:				WVDEP 60CSR3	AOC2-01	AOC2-02	AOC2-03	AOC2-04	AOC2-05	AOC2-06	AOC2-07	AOC2-08	AOC2-09	AOC2-10	AOC2-11
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC2-01-7.0	AOC2-02-7.0	AOC2-03-8.0	AOC2-04-7.5	AOC2-05-9.5	AOC2-06-9.5	AOC2-07-9.0	AOC2-08-8.0	AOC2-09-9.5	AOC2-10-10.0	AOC2-11-6.5
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G150161008	A9G150161007	A9G150161005	A9G150161009	A9G150150004	A9G150150003	A9G150161003	A9G150161004	A9G150150005	A9G110141009	A9G110141008
Sample Date:		Level	Industrial Soil De	Ground Water	07/13/2009	07/13/2009	07/13/2009	07/13/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/14/2009	40004.625	07/10/2009
Sample Depth:		Dec 2009	Minimis Level	Soil De Minimis	7-7.5	7-7.5	8-8.5	7.5-8	9.5-10	9.5-10	9-9.5	8-8.5	9.5-10	10-10.5	6.5-7
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN			mg/Kg	Result/RL LQ DV	Result/RL LQ DV		Result/RL LQ DV	Result/RL LQ DV		V Result/RL LQ DV		Result/RL LQ DV		Result/RL Q
Isosafrole	120-58-1	NS	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Methapyrilene	91-80-5	NS	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Methyl methanesulfonate	66-27-3	17	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Methyl parathion	298-00-0	150	220	0.085	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Naphthalene	91-20-3	18	190	0.32	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	0.056
Nitrobenzene	98-95-3	24	110	0.022	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
N-Nitrosodiethylamine	55-18-5	0.011	0.16	0.0000023	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
N-Nitrosodimethylamine	62-75-9	0.034	0.48	0.0000057	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
N-Nitrosodi-n-butylamine	924-16-3	0.40	0.62	0.000029	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
N-Nitrosodi-n-propylamine	621-64-7	0.25	3.5	0.000048	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
N-Nitrosodiphenylamine	86-30-6	350	5,000	0.76	0.39	0.14	0.067 U	0.11 U	0.061 U	0.061 U J	0.033 J	0.064 U	0.064 U	0.062 U	0.22 U
N-Nitrosomethylethylamine	10595-95-6	0.078	1.1	0.000021	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
N-Nitrosomorpholine	59-89-2	0.26	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
N-Nitrosopiperidine	100-75-4	0.18	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
N-Nitrosopyrrolidine	930-55-2	0.82	12	0.00033	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
O,O,O-Triethyl phosphorothioate	126-68-1	NS	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
o-Toluidine	95-53-4	9.6	100	0.0057	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Parathion	56-38-2	3,700	5,300	10	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
p-Dimethylaminoazobenzene	60-11-7	0.37	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Pentachlorobenzene	608-93-5	490	700	20	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
Pentachloroethane	76-01-7	19	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Pentachloronitrobenzene	82-68-8	6.6	95	0.083	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Pentachlorophenol	87-86-5	9	110	0.028	0.2 U	0.21 U	0.2 U	0.32 U	0.18 U	0.18 U J	0.19 U	0.19 U	0.19 U	0.19 U	0.65 U
Phenacetin	62-44-2	780	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Phenanthrene	85-01-8	NS	410,000	1,500	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.0086 U	0.0086 U	0.0083 U	2.2
Phenol	108-95-2	180,000	260,000	56	0.066 U	0.07 U	0.067 U	0.11 U	0.061 U	0.061 U J	0.063 U	0.064 U	0.064 U	0.062 U	0.22 U
Phorate	298-02-2	120	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
p-Phenylene diamine	106-50-3	120,000	170,000	48	0.88 U	0.93 U	0.89 U	1.4 U	0.81 U	0.81 U J	0.83 U	0.85 U	0.85 U	0.82 U	2.9 U
Pronamide	23950-58-5	46,000	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Pyrene	129-00-0	17,000	54,000	500	0.0089 U	0.0094 U	0.009 U	0.014 U	0.0082 U	0.0082 U J	0.0084 U	0.011	0.0086 U	0.0083 U	3.6
Pyridine	110-86-1	1,000	880	0.19	0.13 U	0.14 U	0.13 U	0.21 U	0.12 U	0.12 U J	0.13 U	0.13 U	0.13 U	0.12 U	0.44 U
Safrole	94-59-7	7.8	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Tetraethyldithiopyrophosphate	3689-24-5	310	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U
Thionazin	297-97-2	NS	NS	NS	0.44 U	0.46 U	0.44 U	0.71 U	0.4 U	0.41 U J	0.42 U	0.42 U	0.42 U	0.41 U	1.4 U

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 5. U Qualifier denotes chemical was not detected above the listed Reporting Limit
- 6. J Qualifier denotes result was detected below the Reporting Limit 7. B Qualifier denotes chemical was also detected in the Method Blank

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- ${\rm K}$ Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

			ı	ı	I	T	T			I	1	1	_	1
Boring Location:				WVDEP 60CSR3	AOC2-12	AOC2-13	AOC2-14	AOC2-15	AOC2-16	AOC2-17	AOC2-18	AOC2-19	AOC2-20	AOC2-03
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC2-12-9.0	AOC2-13-7.0	AOC2-14-9.0	AOC2-15-11.0	AOC2-16-10.0	AOC2-17-11.0	AOC2-18-11.0	AOC2-19-10.0	AOC2-20-9.5	AOC2-21-8.0
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G110141007	A9G110141006	A9G110141005	A9G110141004	A9G110141003	A9G100171013	A9G100171012	A9G100171011	A9G100171010	A9G150161006
Sample Date:		Level	Industrial Soil De	Ground Water	07/10/2009	07/10/2009	07/10/2009	07/10/2009	07/10/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/13/2009
Sample Depth:		Dec 2009	Minimis Level	Soil De Minimis	9-9.5	7-8	9-9.5	11-11.5	10-10.5	11-11.5	11-11.5	10-10.5	9.5-10	8-8.5
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN			mg/Kg	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q
1,2,4,5-Tetrachlorobenzene	95-94-3	180	260	0.66	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.13 U	0.025 J
1,2,4-Trichlorobenzene	120-82-1	99	20,000	4.9	0.06 J	0.061 U	0.064 U	0.78	3.2 U	0.61	170,000 J	0.042 J	1.7	<u>15</u> J
1,2-Dichlorobenzene	95-50-1	9,800	150	12	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	<i>7,900</i> U	0.064 U	0.065 U	0.099 J
1,2-Diphenylhydrazine	122-66-7	2.2	31	0.0026	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	<i>7,900</i> U	0.064 U	0.065 U	0.067 U
1,3,5-Trinitrobenzene	99-35-4	27,000	26,000	52	2 U	2 U	2.1 U	2 U	100 U	2.1 U	250,000 U	2.1 U	2.1 U	2.2 U
1,3-Dichlorobenzene	541-73-1	NS	130	12	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.4	0.23 J
1,3-Dinitrobenzene	99-65-0	62	88	0.037	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	<i>52,000</i> U	0.43 U	0.43 U	0.45 U
1,4-Dichlorobenzene	106-46-7	12	45	2.2	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.1	<i>7,900</i> U	0.064 U	0.18	<u>6.9</u>
1,4-Naphthoquinone	130-15-4	NS	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
1-Naphthylamine	134-32-7	NS	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
2,3,4,6-Tetrachlorophenol	58-90-2	18,000	26,000	92	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.13 U	0.13 U
2,4,5-Trichlorophenol	95-95-4	62,000	88,000	250	0.19 U	0.18 U	0.19 U	0.19 U	9.5 U	0.2 U	24,000 U	0.19 U	0.19 U	0.2 U
2,4,6-Trichlorophenol	88-06-2	160	2,200	0.12	0.19 U	0.18 U	0.19 U	0.19 U	9.5 U	0.2 U	24,000 U	0.19 U	0.19 U	0.2 U
2,4-Dichlorophenol	120-83-2	1,800	2,600	1.1	0.19 U	0.18 U	0.19 U	0.19 U	9.5 U	0.2 U	24,000 U	0.19 U	0.19 U	0.074 J
2,4-Dimethylphenol	105-67-9	12,000	18,000	9	0.19 U	0.18 U	0.19 U	0.19 U	9.5 U	0.2 U	24,000 U	0.19 U	0.19 U	0.2 U
2,4-Dinitrophenol	51-28-5	1,200	1,800	0.29	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	<i>52,000</i> U	0.43 U	0.43 U	0.45 U
2,4-Dinitrotoluene	121-14-2	5.5	1,800	0.57	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
2,6-Dichlorophenol	87-65-0	NS	NS	NS	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
2,6-Dinitrotoluene	606-20-2	620	890	0.25	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
2-Acetylaminofluorene	53-96-3	0.45	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
2-Chloronaphthalene	91-58-7	82,000	27,000	32	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
2-Chlorophenol	95-57-8	5,100	240	0.61	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	<i>7,900</i> U	0.064 U	0.065 U	0.067 U
2-Methylnaphthalene	91-57-6	4,100	NS	NS	0.0083 U	0.0082 U	0.0086 U	0.0083 U	0.42 U	0.0089 U	1,100 U	0.0086 U	0.066	0.009 U
2-Methylphenol	95-48-7	31,000	44,000	14	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
2-Naphthylamine	91-59-8	0.96	NS	NS	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
2-Nitroaniline	88-74-4	6,000	2,600	0.56	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	<i>32,000</i> U	0.26 U	0.26 U	0.27 U
2-Nitrophenol	88-75-5	NS	NS	NS	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
2-Picoline	109-06-8	NS	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
2-sec-Butyl-4,6-dinitrophenol	88-85-7	620	880	0.033	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	<i>52,000</i> U	0.43 U	0.43 U	0.45 U
3,3'-Dichlorobenzidine	91-94-1	3.8	55	0.0049	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.13 U	0.13 U
3,3'-Dimethoxybenzidine	119-90-4	120	1,800	0.3	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	<i>52,000</i> U	0.43 U	0.43 U	0.45 U
3,3'-Dimethylbenzidine	119-93-7	0.16	11	0.0089	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	<i>52,000</i> U	0.43 U	0.43 U	0.45 U
3-Methylcholanthrene	56-49-5	0.078	NS	NS	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
3-Methylphenol	108-39-4	31,000	44,000	39	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
3-Nitroaniline	99-09-2	NS	NS	NS	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
4,6-Dinitro-2-methylphenol	534-52-1	62	NS	NS	0.19 U	0.18 U	0.19 U	0.19 U	9.5 U	0.2 U	24,000 U	0.19 U	0.19 U	0.2 U
4-Aminobiphenyl	92-67-1	0.082	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
4-Bromophenyl phenyl ether	101-55-3	NS	NS	NS	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
4-Chloro-3-methylphenol	59-50-7	62,000	NS	NS	0.19 U	0.18 U	0.19 U	0.19 U	9.5 U	0.2 U	24,000 U	0.19 U	0.19 U	0.2 U
4-Chloroaniline	106-47-8	8.6	3500	0.97	0.19 U	0.18 U	0.19 U	0.19 U	9.5 U	0.2 U	24,000 U	0.19 U	0.19 U	0.2 U
4-Chlorophenyl phenyl ether	7005-72-3	NS	NS	NS	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
4-Methylphenol	106-44-5	3100	4400	3.9	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
4-Nitroaniline	100-01-6	86	NS	NS	0.25 U	0.25 U	0.26 U	0.25 U	13 U	0.27 U	32,000 U	0.26 U	0.26 U	0.27 U
4-Nitrophenol	100-02-7	NS	7000	1.7	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
4-Nitroquinoline-1-oxide	56-57-5	NS	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Notes:							Labatory Data Qual	-	-	Data Validation Qual				

Notes

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 5. U Qualifier denotes chemical was not detected above the listed Reporting Limit
- 6. J Qualifier denotes result was detected below the Reporting Limit
- 7. B Qualifier denotes chemical was also detected in the Method Blank

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

a		1	1		100010	1000.10	100011	1000.15	1000.15	1	1000.10	1000.40	1000.00	1 .000.00
Boring Location:				WVDEP 60CSR3	AOC2-12	AOC2-13	AOC2-14	AOC2-15	AOC2-16	AOC2-17	AOC2-18	AOC2-19	AOC2-20	AOC2-03
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC2-12-9.0	AOC2-13-7.0	AOC2-14-9.0	AOC2-15-11.0	AOC2-16-10.0	AOC2-17-11.0	AOC2-18-11.0	AOC2-19-10.0	AOC2-20-9.5	AOC2-21-8.0
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G110141007	A9G110141006	A9G110141005	A9G110141004	A9G110141003	A9G100171013	A9G100171012	A9G100171011	A9G100171010	A9G150161006
Sample Date:		Level	Industrial Soil De Minimis Level	Ground Water Soil De Minimis	07/10/2009	07/10/2009	07/10/2009	07/10/2009	07/10/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/13/2009
Sample Depth:		Dec 2009 mg/Kg	mg/Kg	Level	9-9.5	7-8	9-9.5	11-11.5	10-10.5	11-11.5	11-11.5	10-10.5	9.5-10	8-8.5
Concentration Unit:		IIIg/ Kg	IIIg/ Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN				Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q	Result/RL Q
5-Nitro-o-toluidine	99-55-8	52	750	0.015	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
7,12-Dimethylbenz(a)anthracene	57-97-6	0.0062	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
a,a-Dimethylphenethylamine	122-09-8	NS	NS	NS 	0.82 U	0.81 U	0.85 U	0.82 U	42 U	0.89 U	100,000 U	0.85 U	0.85 U	0.89 U
Acenaphthene	83-32-9	33,000	38,000	73	0.0083 U	0.0082 U	0.0086 U	0.0083 U	0.42 U	0.0089 U	1,100 U	0.0086 U	0.0086 U	0.009 U
Acenaphthylene	208-96-8	NS	44,000	91	0.0083 U	0.0082 U	0.0086 U	0.0083 U	0.42 U	0.0089 U	1,100 U	0.0086 U	0.0086 U	0.009 U
Acetophenone	98-86-2	100,000	25,000	3.2	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.13 U	0.13 U
Aniline	62-53-3	300	4,300	0.14	0.41 U	0.4 U	0.42 U	0.026 J	61	0.8	52,000 U	0.43 U	0.84	0.025 J
Anthracene	120-12-7	170,000	390,000	1,700	0.0083 U	0.0082 U	0.0086 U	0.0083 U	0.42 U	0.0089 U	1,100 U	0.0086 U	0.0086 U	0.009 U
Aramite	140-57-8	69	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Benzidine	92-87-5	0.0075	0.11	0.000033	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Benzo(a)anthracene	56-55-3	2.1	29	1.5	0.0083 U	0.0082 U	0.0086 U	0.041	0.42 U	0.0089 U	1,100 U	0.0086 U	0.015	0.009 U
Benzo(a)pyrene	50-32-8	0.21	2.9	8.2	0.0083 U	0.0082 U	0.0086 U	0.056	0.42 U	0.0089 U	1,100 U	0.0086 U	0.018	0.009 U
Benzo(b)fluoranthene	205-99-2	2.1	29	4.5	0.0083 U	0.0082 U	0.0086 U	0.079	0.42 U	0.014	1,100 U	0.0086 U	0.028	0.009 U
Benzo(ghi)perylene	191-24-2	NS	23,000	120,000	0.0083 U	0.0082 U	0.0086 U	0.053	0.42 U	0.0089 U	1,100 U	0.0086 U	0.02	0.009 U
Benzo(k)fluoranthene	207-08-9	21	290	45	0.0083 U	0.0082 U	0.0086 U	0.033	0.42 U	0.0089 U	1,100 U	0.0086 U	0.0086 U	0.009 U
Benzyl alcohol	100-51-6	62,000	440,000	150	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
bis(2-Chloro-1-methylethyl) ether	108-60-1	22	81	0.0018	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.13 U	0.13 U
bis(2-Chloroethoxy)methane	111-91-1	1,800	NS	NS	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.13 U	0.13 U
bis(2-Chloroethyl) ether	111-44-4	1.0	6	0.56	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.13 U	0.13 U
bis(2-Ethylhexyl) phthalate	117-81-7	120	1,800	3,600	0.029 J B	0.029 J B	0.025 J B	0.062 U	3.2 U	0.024 J	<i>7,900</i> U	0.031 J B	5.8	0.067 U
Butyl benzyl phthalate	85-68-7	910	180,000	17,000	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
Chlorobenzilate	510-15-6	16	91	0.027	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	<i>52,000</i> U	0.43 U	0.43 U	0.45 U
Chrysene	218-01-9	210	2900	150	0.0083 U	0.0082 U	0.0086 U	0.048	0.42 U	0.0089 U	1,100 U	0.0086 U	0.033	0.009 U
Diallate	2303-16-4	28	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Dibenz(a,h)anthracene	53-70-3	0.21	2.9	1.4	0.0083 U	0.0082 U	0.0086 U	0.0083 U	0.42 U	0.0089 U	1,100 U	0.0086 U	0.0086 U	0.009 U
Dibenzofuran	132-64-9	1,000	2,000	11	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	<i>7,900</i> U	0.064 U	0.065 U	0.067 U
Diethyl phthalate	84-66-2	490,000	700,000	450	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
Dimethoate	60-51-5	120	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Dimethyl phthalate	131-11-3	NS	1,000,000	2,000	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
Di-n-butyl phthalate	84-74-2	62,000	88,000	5,000	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
Di-n-octyl phthalate	117-84-0	NS	NS	NS	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
Diphenylamine	122-39-4	15,000	22,000	25	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.053 J	0.13 U
Disulfoton	298-04-4	25	35	0.064	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	<i>52,000</i> U	0.43 U	0.43 U	0.45 U
Ethyl methanesulfonate	62-50-0	NS	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Famphur	52-85-7	NS	NS	NS	4.1 U	4 U	4.2 U	4.1 U	210 U	4.4 U	520,000 U	4.3 U	4.3 U	4.5 U
Fluoranthene	206-44-0	22,000	30,000	6,300	0.0083 U	0.0082 U	0.0086 U	0.052	0.42 U	0.0089 U	1,100 U	0.0086 U	0.025	0.009 U
Fluorene	86-73-7	22,000	33,000	78	0.0083 U	0.0082 U	0.0086 U	0.0083 U	0.42 U	0.0089 U	1,100 U	0.0086 U	0.0086 U	0.009 U
Hexachlorobenzene	118-74-1	1.1	15	2.2	0.0083 U	0.0082 U	0.0086 U	0.0083 U	0.42 U	0.0089 U	1,100 U	0.0086 U	0.0086 U	0.009 U
Hexachlorobutadiene	87-68-3	22	320	1.9	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
Hexachlorocyclopentadiene	77-47-4	3,700	5,200	400	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	<i>52,000</i> U	0.43 U	0.43 U	0.45 U
Hexachloroethane	67-72-1	120	880	0.36	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
Hexachloropropene	1888-71-7	NS	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Indeno(1,2,3-cd)pyrene	193-39-5	2.1	29	13	0.0083 U	0.0082 U	0.0086 U	0.041	0.42 U	0.0089 U	1,100 U	0.0086 U	0.013	0.009 U
Isodrin	465-73-6	NS	NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Isophorone	78-59-1	1,800	26,000	0.42	0.062 U	0.061 U	0.064 U	0.062 U	3.2 U	0.067 U	7,900 U	0.064 U	0.065 U	0.067 U
Notes:							Labatory Data Qual	ifiars (IO)		Data Validation Out	alifiers (DV)			

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 5. U Qualifier denotes chemical was not detected above the listed Reporting Limit
- 6. J Qualifier denotes result was detected below the Reporting Limit
- 7. B Qualifier denotes chemical was also detected in the Method Blank

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:		1			AOC2-12	AOC2-13	AOC2-14	AOC2-15	AOC2-16	AOC2-17	AOC2-18	AOC2-19	AOC2-20	AOC2-03
Soil Sample ID:		EDA Lada at dal	14.0 ED COCCD3	WVDEP 60CSR3	AOC2-12 AOC2-12-9.0	AOC2-13 AOC2-13-7.0	AOC2-14 AOC2-14-9.0	AOC2-13 AOC2-15-11.0	AOC2-16 AOC2-16-10.0	AOC2-17 AOC2-17-11.0	AOC2-18 AOC2-18-11.0	AOC2-19 AOC2-19-10.0	AOC2-20 AOC2-20-9.5	AOC2-03 AOC2-21-8.0
Laboratory Sample ID:		EPA Industrial	WVDEP 60CSR3 Table 60-3B	Table 60-3B	A9G110141007	A9G110141006	A9G110141005	A9G110141004	A9G110141003	A9G100171013	A9G100171012	A9G100171011	A9G100171010	A9G150161006
Sample Date:		Soil Screening Level	Industrial Soil De	Migration to Ground Water	07/10/2009	07/10/2009	07/10/2009	07/10/2009	07/10/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/13/2009
Sample Date. Sample Depth:		Dec 2009	Minimis Level	Soil De Minimis	9-9.5	7-8	9-9.5	11-11.5	10-10.5	11-11.5	11-11.5	10-10.5	9.5-10	8-8.5
' '		mg/Kg	mg/Kg	Level						mg/Kg				
Concentration Unit:	CAS RN	8/8		mg/Kg	mg/Kg Result/RL Q	mg/Kg Result/RL Q	mg/Kg Result/RL Q	mg/Kg Result/RL Q	mg/Kg Result/RL Q	Result/RL Q	mg/Kg Result/RL Q	mg/Kg Result/RL Q	mg/Kg Result/RL Q	mg/Kg Result/RL Q
Chemical Name Isosafrole		NS	NS	NS NS			1 1		+ · · · · · · · · · · · · · · · · · · ·				 	
	120-58-1 91-80-5	NS NS	NS NS	NS NS	0.41 U 0.41 U	0.4 U	0.42 U 0.42 U	0.41 U 0.41 U	21 U 21 U	0.44 U 0.44 U	52,000 U 52,000 U	0.43 U 0.43 U	0.43 U 0.43 U	0.45 U
Methapyrilene	66-27-3	17	NS NS	NS NS	0.41 U	0.4 U 0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Methyl methanesulfonate	298-00-0	150	220	0.085	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Methyl parathion	91-20-3	18	190	0.085	0.41 U	0.4 U	0.42 U	0.41 U	0.42 U	0.44 U		0.43 U	0.43 0	0.45 U
Naphthalene	91-20-3	24	190	0.32		0.0082 U			6.4 U		1,100 U			0.009 U
Nitrobenzene					0.12 U		0.13 U	0.12 U		0.13 U	16,000 U	0.13 U	0.13 U	
N-Nitrosodiethylamine N-Nitrosodimethylamine	55-18-5 62-75-9	0.011 0.034	0.16 0.48	0.0000023 0.0000057	0.12 U 0.12 U	0.12 U 0.12 U	0.13 U 0.13 U	0.12 U 0.12 U	6.4 U	0.13 U 0.13 U	16,000 U 16,000 U	0.13 U 0.13 U	0.13 U 0.13 U	0.13 U 0.13 U
		0.034	0.48		0.12 U	0.12 U		0.12 U	6.4 U	0.13 U		0.13 U	0.13 U	
N-Nitrosodi-n-butylamine	924-16-3 621-64-7	0.40	3.5	0.000029 0.000048	0.12 U	0.12 U	0.13 U 0.064 U	0.12 U	3.2 U	0.13 U	16,000 U 7,900 U	0.13 U 0.064 U	0.13 U	0.13 U 0.067 U
N-Nitrosodi-n-propylamine		350	5,000				0.064 U	0.062 U		0.067 U				0.067 U
N-Nitrosodiphenylamine	86-30-6		· · · · · · · · · · · · · · · · · · ·	0.76	0.062 U	0.061 U			3.2 U		7,900 U	0.064 U	0.053 J	
N-Nitrosomethylethylamine	10595-95-6	0.078	1.1	0.000021	0.12 U	0.12 U	0.13 U	0.12 U	6.4 U	0.13 U	16,000 U	0.13 U	0.13 U	0.13 U
N-Nitrosomorpholine	59-89-2	0.26	NS NC	NS NG	0.41 U	0.4 U 0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
N-Nitrosopiperidine	100-75-4 930-55-2	0.18	NS 12	NS 0.00033	0.41 U		0.42 U 0.064 U	0.41 U 0.062 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U 0.067 U
N-Nitrosopyrrolidine	126-68-1	0.82	NS	0.00033 NS	0.062 U 0.41 U	0.061 U	0.064 U		3.2 U 21 U	0.067 U 0.44 U	7,900 U 52,000 U	0.064 U 0.43 U	0.065 U 0.43 U	0.067 U
O,O,O-Triethyl phosphorothioate o-Toluidine	95-53-4	NS 9.6	100	0.0057	0.41 U	0.4 U 0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Parathion	56-38-2	3,700	5.300	10	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
p-Dimethylaminoazobenzene	60-11-7	0.37	5,300 NS	NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
	608-93-5	490	700	20	0.41 U	0.4 U	0.42 U	0.41 U	6.4 U	0.44 U	16,000 U	0.43 U	0.43 U	0.43 U
Pentachlorobenzene Pentachloroethane	76-01-7	19	NS	NS	0.12 U	0.12 U	0.13 U	0.12 U	21 U	0.13 U	52,000 U	0.13 U	0.13 U	0.13 U
	82-68-8	6.6	95	0.083	0.41 U		0.42 U	0.41 U	21 U	0.44 U	520,000 U	0.43 U	0.43 U	0.45 U
Pentachloronitrobenzene Pentachlorophenol	82-68-8	9	110	0.083	0.41 U	0.4 U 0.18 U	0.42 U	0.41 U	9.5 U	0.44 U	24,000 U	0.43 U 0.19 U	0.43 U	0.45 U
Phenacetin	62-44-2	780	NS NS	0.028 NS	0.19 U	0.18 U	0.19 U	0.19 U	21 U	0.2 U	52,000 U	0.19 U	0.19 U	0.45 U
Phenanthrene	85-01-8	NS	410,000	1,500	0.41 U	0.4 U	0.42 U	0.41 0	0.42 U	0.0096	1,100 U	0.43 U	0.43 0	0.45 U
Phenol	108-95-2	180,000	260,000	56	0.062 U	0.0082 U	0.0080 U	0.023 0.062 U	3.2 U	0.0090 0.067 U	7,900 U	0.0080 U	0.056 U	0.067 U
Phorate	298-02-2	120	NS	NS NS	0.062 U	0.001 U	0.064 U	0.002 U	21 U	0.067 U	52,000 U	0.064 U	0.063 U	0.45 U
p-Phenylene diamine	106-50-3	120,000	170,000	48	0.41 U	0.4 U	0.42 U	0.41 U	42 U	0.44 U	100,000 U	0.45 U	0.45 U	0.43 U
Pronamide	23950-58-5	46,000	NS	NS	0.82 U	0.81 U	0.42 U	0.82 U	21 U	0.89 U	52,000 U	0.83 U	0.43 U	0.45 U
	129-00-0	17,000	54,000	500	0.0083 U	0.0082 U	0.0086 U	0.41 0	0.42 U	0.0089 U	1,100 U	0.43 U	0.43 0	0.43 U
Pyrene Pyridine	110-86-1	1,000	880	0.19	0.0083 U	0.0082 U	0.0086 U	0.05 0.12 U	6.4 U	0.0089 U	1,100 U	0.0086 U	0.027 0.13 U	0.009 U
Safrole	94-59-7	7.8	NS	0.19 NS	0.12 U	0.12 U	0.13 U	0.12 U	21 U	0.13 U	52,000 U	0.13 U	0.13 U	0.13 U
Tetraethyldithiopyrophosphate	3689-24-5	310	NS NS	NS NS	0.41 U	0.4 U	0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
	297-97-2		NS NS	NS NS			0.42 U	0.41 U	21 U	0.44 U	52,000 U	0.43 U	0.43 U	0.45 U
Thionazin	297-97-2	NS	IND	INS	0.41 U	0.4 U	0.42 0	0.41 0	21 U	U.44 U	52,000 0	U.43 U	U.43 U	U.45 U

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 5. U Qualifier denotes chemical was not detected above the listed Reporting Limit 6. J Qualifier denotes result was detected below the Reporting Limit
- 7. B Qualifier denotes chemical was also detected in the Method Blank

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

AOC 2 Soil Sample Results for PCBs and Metals

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

		•	1	•	1						•				
Boring Location:			WVDEP 60CSR3	WVDEP 60CSR3	AOC2-	-01	AOC2-02	<u>-</u>	AOC2-03	AOC2-04	AOC2-05		AOC2-06	AOC2-07	AOC2-08
Soil Sample ID:		EPA Industrial	Table 60-3B	Table 60-3B	AOC2-02	1-7.0	AOC2-02-7	7.0	AOC2-03-8.0	AOC2-04-7.5	AOC2-05-9.	5	AOC2-06-9.5	AOC2-07-9.0	AOC2-08-8.0
Laboratory Sample ID:		Soil Screening	Industrial Soil	Migration to	A9G1501	61008	A9G150161	007	A9G150161005	A9G150161009	A9G1501500	04	A9G150150003	A9G150161003	A9G150161004
Sample Date:		Level	De Minimis	Ground Water	07/13/2	2009	07/13/200)9	07/13/2009	07/13/2009	07/14/2009)	07/14/2009	07/13/2009	07/13/2009
Sample Depth:		Dec 2009	Level	Soil De Minimis	7-7.5	5	7-7.5		8-8.5	7.5-8	9.5-10		9.5-10	9-9.5	8-8.5
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/K	(g	mg/Kg		mg/Kg	mg/Kg	mg/Kg		mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN		ilig/ kg	mg/Kg	Result/RL	LQ DV	Result/RL LO) DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ	DV	Result/RL LQ DV	Result/RL LQ D	V Result/RL LQ DV
Polychlorinated Biphenyls															
Total PCBs	1336-36-3	NS	10	0.9	0.074		0.077		4.1	0.063	0.04 U		0.041 U	0.042 U	0.27
Aroclor 1016	12674-11-2	21	50	1.3	0.044	U	0.046 U		0.44 U	0.071 U	0.04 U		0.041 U	0.042 U	0.085 U
Aroclor 1221	11104-28-2	0.54	10	0.0023	0.044	U	0.046 U		0.44 U	0.071 U	0.04 U		0.041 U	0.042 U	0.085 U
Aroclor 1232	11141-16-5	0.54	10	0.0023	0.044	U	0.046 U		0.44 U	0.071 U	0.04 U		0.041 U	0.042 U	0.085 U
Aroclor 1242	53469-21-9	0.74	10	0.045	0.044	U	0.046 U		0.44 U	0.071 U	0.04 U		0.041 U	0.042 U	0.12
Aroclor 1248	12672-29-6	0.74	10	0.059	0.074		0.077		4.1	<u>0.063</u> J	0.04 U		0.041 U	0.042 U	0.085 U
Aroclor 1254	11097-69-1	0.74	10	0.27	0.044	U	0.046 U		0.44 U	0.071 U	0.04 U		0.041 U	0.042 U	0.15
Aroclor 1260	11096-82-5	0.74	10	0.39	0.044	U	0.046 U		0.44 U	0.071 U	0.04 U		0.041 U	0.042 U	0.085 U
Metals															
Antimony	7440-36-0	410	820	5.4	0.42	L	0.17 J	L	0.099 J L	1.5 JG L	0.039 J	L	0.066 J L	0.12 J L	0.18 J L
Arsenic	7440-38-2	1.6	27	5.8	<u>6</u>	J	3.5	J	2.8	48.1 J	1.9	J	3.2 J	5.6 J	5.8 J
Barium	7440-39-3	190,000	290,000	1,600	<u>1,780</u>	В	348 B		417 B	477 J	100 B		173 B	65.8 B	703 B
Beryllium	7440-41-7	2,000	3,700	63	1.4		2.3		1.4	5.4	0.44		0.75	0.78	1.2
Cadmium	7440-43-9	800	1,000	7.5	0.045	J	0.15		1.5	0.14 J	0.12 U		0.12 U	0.026 J	0.11 J
Chromium	7440-47-3	NS	NS	NS	19	В	17.4 B		17.1 B	17.4 B	11.2 B		14.8 B	13.4 B	14.6 B
Cobalt	7440-48-4	300	19,000	660	2.6		3.4		2.4	11.7	2.8		5.1	7.6	10.6
Copper	7440-50-8	41,000	82,000	1,000	19.2	В В	25.2 B		22 B J	116 B	11.3 B	В	10.7 B B	16.3 B B	19.9 B
Lead	7439-92-1	800	1,000	270	24.4	B L	20 B	L	18.6 B L	53.5 B L	10.4 B	L	12.3 B L	14.7 B L	30.5 B L
Mercury	7439-97-6	34	610	2.1	0.045	J	0.062 J		0.046 J	0.12 J	0.034 J		0.026 J	0.027 J	0.062 J
Nickel	7440-02-0	20,000	41,000	130	13.7	В	16.1 B		10.1 B	23.4 B	9 B		13 B	16.5 B	21.1 B
Selenium	7782-49-2	5,100	10,000	5.2	2.3		2.7		2.1	<u>27.8</u>	1.1	K	1.1 K	1.3	1.6
Silver	7440-22-4	5,100	10,000	31	0.056	J	0.079 J		0.1 J	0.24	0.045 J		0.027 J	0.13 U	0.028 J
Thallium	7440-28-0	NS	160	2.8	0.24	В	0.25 B		0.22 B	1.6 B	0.12 B		0.15 B	0.14 B	0.15 B
Tin	7440-31-5	610,000	1,000,000	110,000	1.3	JB	0.82 JB	В	0.69 JB B	4.1 JBG	0.38 JB	В	0.48 JB B	0.5 JB B	0.61 JB B
Vanadium	7440-62-2	72	2,000	730	22.3	L	19.9	L	19.6 L	45.1 L	9.6	L	16 L	19.9 L	22.3 L
Zinc	7440-66-6	310,000	610,000	14,000	43.7	В	33.6 B		40.6 B J	31.8 B	27.7 B		43 B	48.4 B	89.8 B

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte
- G Elevated Reporting Limit due to matrix interference

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.

AOC 2 Soil Sample Results for PCBs and Metals

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Bering Locations: Sol Sample D1:	D. d. L. L.		T	Ι	WAYDED COCCDS	1002.00	1002.10	1002.44	1002.42	1062.42	1000.44	1002.45	1002.16
Solid Screening Lishor Lock y Sample ID: Solid Screening Lock	_		EDA Industrial	WVDEP 60CSR3									
Cample Debte Camp	· ·			Table 60-3B									
Sample pepth: Dec 2009 De Minimis Sample pepth: Dec 2009 Minimis Minimi	1 '		_	Industrial Soil	_								
Concentration Unit: Chemical Name CASEN mg/Kg	· ·			De Minimis									
Chemical Name CAS RN	· · · · · · · · · · · · · · · · · · ·			Level									
The minimal Name			mg/Kg	mg/Kg			J. J			U. U			
Total PCBS		CAS RN		<i>0,</i> 0	mg/Kg	Result/RL LQ DV							
Arcotor 1016													
Arcolor 1221 11104-28-2 0.54 10 0.0023 0.042 U 0.041 U 0.036 U 0.041 U 0.041 U 0.042 U 0.042													
Arcolor 1232 11141-16-5 0.54 10 0.0023 0.002 U 0.0041 U 0.0036 U 0.0041 U 0.004 U 0.0042 U	Aroclor 1016	12674-11-2		50		0.042 U	0.041 U		0.041 U	0.04 U	0.042 U	0.041 U	0.042 U
Aroclor 1242 53469-21-9 0.74 10 0.045 0.042 U 0.041 U 0.035 U 0.035 U 0.041 U 0.042 U 0.042		11104-28-2		10	0.0023	0.042 U				0.04 U	0.042 U	0.041 U	
Arcolor 1248	Aroclor 1232	11141-16-5	0.54	10	0.0023	0.042 U	0.041 U	0.036 U		0.04 U	0.042 U	0.041 U	0.042 U
Aroclor 1254	Aroclor 1242	53469-21-9	0.74	10	0.045	0.042 U	0.041 U	0.036 U	0.041 U	0.04 U	0.042 U	0.041 U	0.042 U
Arcior 1260	Aroclor 1248	12672-29-6	0.74	10	0.059	0.042 U	0.041 U	<u>0.075</u>	0.029 J	0.04 U	0.023 J	0.045	0.042 U
Metals 7440-36-0 410 820 5.4 0.078 J L 0.48 L 0.053 J L 0.11 J L 0.079 J L 0.013 J L 0.14 J L 0.013 J L 0.14 J L 0.014 J L 0.013 J L 0.14 J L 0.03 J L 0.013 J L 0.14 J L 0.01 J L 0.01 J L 0.01 J L 0.01 J L 0.03 J L	Aroclor 1254	11097-69-1	0.74	10	0.27	0.042 U	0.041 U	0.036 U	0.041 U	0.04 U	0.042 U	0.041 U	0.042 U
Antimony 7440-36-0 410 820 5.4 0.078 J L 0.48 L 0.053 J L 0.11 J L 0.079 J L 0.13 J L 0.13 J L 0.13 J L 0.14 J L Arsenic 7440-38-2 1.6 27 5.8 1.7 J 5 L 3 L 3 L 6 L 3 L 6 L 3 L 4.1 L 4.9 L 5.1 L 3.4 L 5.1	Aroclor 1260	11096-82-5	0.74	10	0.39	0.042 U	0.041 U	0.036 U	0.041 U	0.04 U	0.042 U	0.041 U	0.042 U
Arsenic 7440-38-2 1.6 27 5.8 1.7 J 5 L 3 J 5 L 3 J 6 J 7420-38-3 190,000 290,000 1,600 462 B J 7.7 B 5.5.7 B 27.9 B 74.2 B 22.8 B 390 B 105 B 28 Beryllium 7440-41-7 2,000 3,700 63 0.59 C 0.19 L 0.35 C 0.9 J 0.02 J 0.081 J 0.084 J	Metals												
Barium 7440-39-3 190,000 290,000 1,600 462 B 17.7 B 15.7 B 1 27.9	Antimony	7440-36-0	410	820	5.4	0.078 J L	0.48 L	0.053 J L	0.11 J L	0.079 J L	0.13 J L	0.13 J L	0.14 J L
Beryllium 7440-41-7 2,000 3,700 63 0.59 0.19 0.19 0.19 0.035 0.09 0.072 0.081 0.081 0.081 0.089 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088 0.088	Arsenic	7440-38-2	1.6	27	5.8	1.7 J	5 L	3	<u>6</u>	4.1	4.9	5.1	3.4
Cadmium 7440-43-9 800 1,000 7.5 0.13 U 0.084 J L 0.04 J 0.028 J 0.081 J 0.076 J 0.046 J 0.068 J 0.068 J 0.068 J 0.068 J 0.084 J 0.084 J 0.028 J 0.028 J 0.081 J 0.076 J 0.046 J 0.046 J 0.068 J	Barium	7440-39-3	190,000	290,000	1,600	462 B	17.7 B	55.7 B	27.9 B	74.2 B	228 B	390 B	105 B
Chromium 7440-47-3 NS NS NS 14.9 B 4.3 B 5 3.8 B 16.3 B 5 9.4 B 12.6 B 12.4 B 14.3 B 14.3 B 1 Cobalt 7440-48-4 300 19,000 660 2.7 B 8.6 B 19,000 82,000 1,000 17.6 B B 10.5 B L 4.1 B 16.8 B 10.4 B 10	Beryllium	7440-41-7	2,000	3,700	63	0.59	0.19 L	0.35	0.9	0.72	0.81	0.89	0.8
Coalt 7440-48-4 300 19,000 660 2.7 8.6 3.9 8.9 7.3 9.3 10.7 11.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6 18.6	Cadmium	7440-43-9	800	1,000	7.5	0.13 U	0.084 J L	0.04 J	0.028 J	0.081 J	0.076 J	0.046 J	0.068 J
Copper 7440-50-8 41,000 82,000 1,000 17.6 B B 10.5 B L 4.1 B 16.8 B 10.4 B 16.4 B 15 B 25.6 B C C C A.1 B L 4.1 B L 1.0 B L 4.8 B L 4.5 B K 1.1 B K 1.1 B L 4.8 B L 4.5 B K 1.1 B K 1.1 <td>Chromium</td> <td>7440-47-3</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>14.9 B</td> <td>4.3 B</td> <td>3.8 B</td> <td>16.3 B</td> <td>9.4 B</td> <td>12.6 B</td> <td>12.4 B</td> <td>14.3 B</td>	Chromium	7440-47-3	NS	NS	NS	14.9 B	4.3 B	3.8 B	16.3 B	9.4 B	12.6 B	12.4 B	14.3 B
Lead 7439-92-1 800 1,000 270 15.1 B L 4.8 B 4.5 B K 12.3 B K 16.4 B K 18.5 B K 11.2 B K Mercury 7439-97-6 34 610 2.1 0.041 J 0.12 U 0.011 U 0.024 J 0.13 U 0.026 J 0.036 J Nickel 7440-02-0 20,000 41,000 130 8.7 B 18.2 B 8.5 B 16 B 11.9 B 17.2 B 14.5 B 19.5 B Selenium 7782-49-2 5,100 10,000 5.2 1.2 K 0.36 B L 0.29 J L 0.64 L 0.92 L 0.84 L 0.81 L Silver 7440-22-4 5,100 10,000 31 0.045 J 0.012 U 0.012 U 0.024 J 0.022 J 0.031	Cobalt	7440-48-4	300	19,000	660	2.7	8.6	3.9	8.9	7.3	9.3	10.7	18.6
Mercury 7439-97-6 34 610 2.1 0.041 J 0.12 U 0.11 U 0.12 U 0.024 J 0.13 U 0.026 J 0.036 J Nickel 7440-02-0 20,000 41,000 130 8.7 B 18.2 B 8.5 B 16 B 11.9 B 17.2 B 14.5 B 19.5 B Selenium 7782-49-2 5,100 10,000 5.2 1.2 K 0.36 B L 0.29 J L 0.64 L 0.92 L 0.84 L 0.81 L Silver 7440-22-4 5,100 10,000 31 0.045 J 0.12 U 0.12 U 0.024 J 0.024 J 0.031 J Thallium 7440-28-0 NS 160 2.8 0.14 B 0.041 J L 0.039 J <td>Copper</td> <td>7440-50-8</td> <td>41,000</td> <td>82,000</td> <td>1,000</td> <td>17.6 B B</td> <td>10.5 B L</td> <td>4.1 B</td> <td>16.8 B</td> <td>10.4 B</td> <td>16.4 B</td> <td>15 B</td> <td>25.6 B</td>	Copper	7440-50-8	41,000	82,000	1,000	17.6 B B	10.5 B L	4.1 B	16.8 B	10.4 B	16.4 B	15 B	25.6 B
Nickel 7440-02-0 20,000 41,000 130 8.7 B 18.2 B 18.2 B 16 B 11.9 B 17.2 B 14.5 B 19.5 B Selenium 7782-49-2 5,100 10,000 5.2 1.2 K 0.36 B L 0.29 J L 0.96 L 0.64 L 0.92 J L 0.92 J L 0.84 L 0.81 L 0.81 L Silver 7440-22-4 5,100 10,000 31 0.045 J 0.045 J 0.041 J L 0.039 J 0.14 D 0.12 U 0.024 J 0.022 J 0.031 J 1.81 D 0.48 D 0.041 D 0.14 D 0.039 J 0.14 D 0.089 J 0.14 D 0.14 D 0.15 D 0	Lead	7439-92-1	800	1,000	270	15.1 B L	4.8 B	4.5 B K	12.3 B K	8.1 B K	16.4 B K	18.5 B K	11.2 B K
Selenium 7782-49-2 5,100 10,000 5.2 1.2 K 0.36 B L 0.29 J L 0.64 L 0.92 L 0.84 L 0.81 L Silver 7440-22-4 5,100 10,000 31 0.045 J 0.12 U L 0.12 U 0.024 J 0.022 J 0.031 J Thallium 7440-28-0 NS 160 2.8 0.14 B 0.041 J L 0.039 J 0.14 0.024 J 0.011 J 0.031 J Tin 7440-31-5 610,000 1,000,000 110,000 0.48 JB B 2.2 JB BL 2.2 JB B 1.8 JB B 2.1 JB B	Mercury	7439-97-6	34	610	2.1	0.041 J	0.12 U	0.11 U	0.12 U	0.024 J	0.13 U	0.026 J	0.036 J
Silver 7440-22-4 5,100 10,000 31 0.045 J 0.12 U 0.12 U 0.12 U 0.024 J 0.022 J 0.031 J Thallium 7440-28-0 NS 160 2.8 0.14 B 0.041 J L 0.039 J 0.14 D 0.11 J 0.15 D Tin 7440-31-5 610,000 1,000,000 110,000 0.48 JB B 2.2 JB B 1.8 JB B 1.9 JB B 3.1 JB B	Nickel	7440-02-0	20,000	41,000	130	8.7 B	18.2 B	8.5 B	16 B	11.9 B	17.2 B	14.5 B	19.5 B
Thallium 7440-28-0 NS 160 2.8 0.14 B 0.041 J L 0.039 J 0.14 B 0.15 I Tin 7440-31-5 610,000 1,000,000 110,000 0.48 JB B 2.2 JB BL 2.2 JB B 1.8 JB B 1.9 JB B 3.1 JB B 2.1 JB B Vanadium 7440-62-2 72 2,000 730 18.1 L 6.4 L 6 21 12.8 16.7 16.3 14.8 14.8 -	Selenium	7782-49-2	5,100	10,000	5.2	1.2 K	0.36 B L	0.29 J L	0.96 L	0.64 L	0.92 L	0.84 L	0.81 L
Thallium 7440-28-0 NS 160 2.8 0.14 B 0.041 J L 0.039 J 0.14 B 0.15 D Tin 7440-31-5 610,000 1,000,000 110,000 0.48 JB B 2.2 JB BL 2.2 JB B 1.8 JB B 1.9 JB B 3.1 JB B 2.1 JB B Vanadium 7440-62-2 72 2,000 730 18.1 L 6.4 L 6 21 12.8 16.7 16.3 14.8 14.8 -	Silver	7440-22-4	5,100	10,000	31	0.045 J	0.12 U L	0.11 U	0.12 U	0.12 U	0.024 J	0.022 J	0.031 J
Tin 7440-31-5 610,000 1,000,000 110,000 0.48 JB B 2.2 JB BL 2.2 JB B 1.8 JB B 3.1 JB B 2.8 JB B Vanadium 7440-62-2 72 2,000 730 18.1 L 6.4 L 6 L 6 21 12.8 16.7 16.3 14.8 14.8	Thallium	7440-28-0	· ·	· ·		0.14 B			0.14	0.089 J			
Vanadium 7440-62-2 72 2,000 730 18.1 L 6.4 L 6 21 12.8 16.7 16.3 14.8	Tin	7440-31-5	610,000	1,000,000	110,000	0.48 JB B	2.2 JB BL	2.2 JB B	1.8 JB B	1.9 JB B	3.1 JB B	2.8 JB B	2.1 JB B
	Vanadium				·								
ו שן שו של של של של הידד ו שו בידד ו בידד ו בידד ו בידד ו שו בידד ו שו בידד ו שו בידד ו שו בידד ו בי	Zinc	7440-66-6	310,000	610,000	14,000	27 B	29.1 B	17.2 B	46.1 B	41.4 B	42.3 B	50 B	55.5 B

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte
- G Elevated Reporting Limit due to matrix interference

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.

AOC 2 Soil Sample Results for PCBs and Metals

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

ACC2-18-11.0 ACC2-19-10.0 ACC2			1	1	1	1		1		T		1		1		
Table 60-38 Sample 10: Sample 10: Soil Stream(s)	Boring Location:			WVDEP 60CSR3	WVDEP 60CSR3	AOC2-17										
Maystroton Sample Dec Sereeming Level Dec 2009 Enterol Dec 2009 May	Soil Sample ID:							AOC2-18	3-11.0			AOC2-2	0-9.5			
De Minimis De Coop	Laboratory Sample ID:				Migration to	A9G10017101	13	A9G1001	71012	A9G1001	71011	A9G1001	71010			
Solidor Ministrict Minist	Sample Date:				Ground Water	07/09/2009)	07/09/	2009	07/09/	2009	07/09/	2009)
Concentration Unit: Marging Ma	Sample Depth:				Soil De Minimis			11-13	1.5			9.5-	10			
Total PCBs 1336-36-3 NS 10 0.9 0.084 3.400 0.003 U 0.0	Concentration Unit:		mg/Kg		Level	mg/Kg		mg/I	Κg	mg/l	Kg	mg/	Kg	mg/	′Kg	
Total PCBs	Chemical Name	CAS RN		1116/116	mg/Kg	Result/RL LQ	DV	Result/RL	LQ DV	Result/RL	LQ DV	Result/RL	LQ DV	Result/RL	LQ	DV
Arcolor 1016	Polychlorinated Biphenyls															
Arcolor 1221	Total PCBs	1336-36-3	NS	10	0.9	0.084		<u>3,400</u>		0.043	U	0.043	U	<u>3.5</u>		
Arcolor 1232	Aroclor 1016	12674-11-2	21	50	1.3	0.044 U		520	U	0.043	U	0.043	U	0.22	<u>'</u> U	
Arcolor 1242 53469-21-9 0.74 10 0.045 0.044 U 520 U 0.043 U 0.043 U 0.023 U 0.023 U Arcolor 1248 12672-29-6 0.74 10 0.059 0.084 U 520 U 0.043 U 0.043 U 0.043 U 0.043 U 0.027 U Arcolor 1254 11097-69-1 0.74 10 0.27 0.044 U 520 U 520 U 0.043 U 0.043 U 0.043 U 0.023 U 0.022 U Arcolor 1260 11096-82-5 0.74 10 0.39 0.044 U 520 U 0.043 U 0.043 U 0.043 U 0.023 U 0.022 U Arcolor 1260 11096-82-5 0.74 10 0.39 0.044 U 520 U 0.043 U 0.043 U 0.043 U 0.023 U 0.022 U Arcolor 1260 U 0.043 U 0.043 U 0.023 U 0.024 U 0.	Aroclor 1221	11104-28-2	0.54	10	0.0023	0.044 U		520	U	0.043	U	0.043	U	0.22	<u>'</u> U	
Arcolor 1248	Aroclor 1232	11141-16-5	0.54	10	0.0023	0.044 U		520	U	0.043	U	0.043	U	0.22	<u>'</u> U	
Aroclor 1254 Aroclor 1260 11097-69-1 1096-82-5 0.74 10 0.39 0.044 U 520 U 0.0043 U 0.0044 U 0	Aroclor 1242	53469-21-9	0.74	10	0.045	0.044 U		520	U	0.043	U	0.043	U	0.22	<u>'</u> U	
Arcolor 1260	Aroclor 1248	12672-29-6	0.74	10	0.059	0.084		3,400		0.043	U	0.043	U	<u>3.5</u>		
Metals Metals<	Aroclor 1254	11097-69-1	0.74	10	0.27	0.044 U		520	U	0.043	U	0.043	U	0.22	<u>'</u> U	
Antimony 7440-36-0 410 820 5.4 0.23 J L 43.1 L 0.11 J L 0.07 J L 0.066 J L Arsenic 7440-38-2 1.6 27 5.8 2.9 L 44.7 L 44.7 L 4.8 L 1.8 L 1.8 L 1.8 L 2 J S S S S S S S S S S S S S S S S S S	Aroclor 1260	11096-82-5	0.74	10	0.39	0.044 U		520	U	0.043	U	0.043	U	0.22	2 U	
Arsenic 7440-38-2 1.6 27 5.8 2.9 L 44.7 L 1.8 L 1.8 L 2 J Barium 7440-39-3 190,000 290,000 1,600 281 B	Metals															
Barium 7440-39-3 190,000 290,000 1,600 281 B 348 B 99.7 B 785 B 573 B 8 Expllium 7440-41-7 2,000 3,700 63 1.1 L L 0.667 L 2.2 L 1.4	Antimony	7440-36-0	410	820	5.4	0.23 J	L	<u>43.1</u>	L	0.11	J L	0.077	J L	0.066	J	L
Beryllium 7440-41-7 2,000 3,700 63 1.1 L 0.67 L 2.2 L 1.4 L 1.4 L 2.000 3,700 63 1.1 L 0.67 L 2.2 L 1.4 L 0.032 J L 0.001 J L 0.04 L 0.017 J L 0.022 J L 0.022 J L 0.022 J L 0.032 J L 0.017 J L 0.022 J L 0.032 J L 1.1 J L 1.2 B L 1.1 J L 1.2 B L	Arsenic	7440-38-2	1.6	27	5.8	2.9	L	<u>44.7</u>	L	4.8	L	1.8	L	2		J
Cadmium 7440-43-9 800 1,000 7.5 0.05 J L 0.017 J L 0.022 J L 0.032 J L 0.017 J L 0.032 J L 0.022 J L 1.03 B L 1.13 B L 1.14 B <td>Barium</td> <td>7440-39-3</td> <td>190,000</td> <td>290,000</td> <td>1,600</td> <td>281 B</td> <td></td> <td>348</td> <td>В</td> <td>99.7</td> <td>В</td> <td>785</td> <td>В</td> <td>573</td> <td>В</td> <td></td>	Barium	7440-39-3	190,000	290,000	1,600	281 B		348	В	99.7	В	785	В	573	В	
Chromium 7440-47-3 NS NS NS 16.6 B L 256 B L 19.6 B L 17.1 B L 16.3 B Cobalt 7440-48-4 300 19,000 660 11 L 5.9 L 7.9 L 10.3 L 1.8 L Copper 7440-50-8 41,000 82,000 1,000 23.4 B L 1,260 B L 11.2 B L 17.3 B L 12 B B L 11.2 B L 17.3 B L 12 B B L 11.2 B L 11.3 B L 11.3 B L 11.3 B L 11.4 B <	Beryllium	7440-41-7	2,000	3,700	63	1.1	L	0.67	L	2.2	L	1.4	L	1.4		
Cobalt 7440-48-4 300 19,000 660 11 s 5.9 7.9 1 10.3 1 18 1 Copper 7440-50-8 41,000 82,000 1,000 23.4 B L 1,260 B L 11.2 B L 17.3 B L 12 B BJ Lead 7439-92-1 800 1,000 270 14.8 B L 1,510 B L 11.3 B L 13.4 B L 14.6 B L Mercury 7439-97-6 34 610 2.1 0.032 J 1.3 0.029 J 0.052 J 0.036 J Nickel 7440-02-0 20,000 41,000 130 21.6 B L 28 B L 17.8 B L 7.5 B L 7.5 B L 7.5 B L 7.5 B	Cadmium	7440-43-9	800	1,000	7.5	0.05 J	L	0.4	L	0.017	J L	0.022	J L	0.032	J	
Copper 7440-50-8 41,000 82,000 1,000 23.4 B L 1,260 B L 11.2 B L 17.3 B L 12 B B Lead 7439-92-1 800 1,000 270 14.8 B 1,510 B L 11.3 B L 13.4 B L 14.6 B L Mercury 7439-97-6 34 610 2.1 0.032 J 1.3 U 0.029 J 0.052 J 0.036 J Nickel 7440-02-0 20,000 41,000 130 21.6 B L 28 B L 17.8 B L 23.2 B L 7.5 B Selenium 7782-49-2 5,100 10,000 31 0.046 J L 0.14 J L 0.039 J L 0.029 J L 0.049 J L <td>Chromium</td> <td>7440-47-3</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>16.6 B</td> <td></td> <td>256</td> <td>В</td> <td>19.6</td> <td>В</td> <td>17.1</td> <td>В</td> <td>16.3</td> <td>В</td> <td></td>	Chromium	7440-47-3	NS	NS	NS	16.6 B		256	В	19.6	В	17.1	В	16.3	В	
Lead 7439-92-1 800 1,000 270 14.8 B 1,510 B 14.3 B 13.4 B 14.6 B L Mercury 7439-97-6 34 610 2.1 0.032 J 1.3 0.029 J 0.052 J 0.036 J Nickel 7440-02-0 20,000 41,000 130 21.6 B L 28 B L 17.8 B L 23.2 B L 7.5 B Selenium 7782-49-2 5,100 10,000 5.2 1.3 0.048 J 1.1 1.1 1.1 1.1 2.1 1.1 Silver 7440-22-4 5,100 10,000 31 0.046 J L 0.16 L 0.039 J L 0.029 J L 0.049 J Thallium 7440-28-0 NS 160 2.8 0.17 L 0.59 L 0.17 L 0.17 L 0.19 B Tin 7440-31-5	Cobalt	7440-48-4	300	19,000	660	11		5.9		7.9		10.3		1.8		
Mercury 7439-97-6 34 610 2.1 0.032 J 1.3 0.029 J 0.052 J 0.036 J Nickel 7440-02-0 20,000 41,000 130 21.6 B L 28 B L 17.8 B L 23.2 B L 7.5 B Selenium 7782-49-2 5,100 10,000 5.2 1.3 0.48 J 1.1 1.1 2.1 2.1 Silver 7440-22-4 5,100 10,000 31 0.046 J L 0.16 L 0.039 J L 0.049 J L Thallium 7440-28-0 NS 160 2.8 0.17 L 0.59 L 0.17 L 0.17 <td>Copper</td> <td>7440-50-8</td> <td>41,000</td> <td>82,000</td> <td>1,000</td> <td>23.4 B</td> <td>L</td> <td><u>1,260</u></td> <td>B L</td> <td>11.2</td> <td>B L</td> <td>17.3</td> <td>B L</td> <td>12</td> <td>В</td> <td>BJ</td>	Copper	7440-50-8	41,000	82,000	1,000	23.4 B	L	<u>1,260</u>	B L	11.2	B L	17.3	B L	12	В	BJ
Nickel 7440-02-0 20,000 41,000 130 21.6 B L 28 B L 17.8 B L 23.2 B L 7.5 B Selenium 7782-49-2 5,100 10,000 5.2 1.3 0.48 J 1.1 1.1 2.1 2.1 5.1 2.1 5.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1	Lead	7439-92-1	800	1,000	270	14.8 B		<u>1,510</u>	В	14.3	В	13.4	В	14.6	В	L
Selenium 7782-49-2 5,100 10,000 5.2 1.3 0.48 J 1.1 1.1 2.1 2.1 5 Silver 7440-22-4 5,100 10,000 31 0.046 J L 0.039 J L 0.029 J L 0.049 J Thallium 7440-28-0 NS 160 2.8 0.17 L 0.59 L 0.17 L 0.19 B Tin 7440-31-5 610,000 1,000,000 110,000 2.5 JB BL 8.4 B BL 2.3 JB BL 0.59 JB BL 2.3 JB BL 0.59 JB BL 2.3 JB BL 0.59	Mercury	7439-97-6	34	610	2.1	0.032 J		1.3		0.029	J	0.052	J	0.036	J	
Silver 7440-22-4 5,100 10,000 31 0.046 J L 0.039 J L 0.029 J L 0.049 J Thallium 7440-28-0 NS 160 2.8 0.17 L 0.59 L 0.17 L 0.17 L 0.19 B Tin 7440-31-5 610,000 1,000,000 110,000 2.5 JB BL 8.4 B BL 2.3 JB BL 0.59 JB BL Vanadium 7440-62-2 72 2,000 730 21.3 L 82.6 L 34.9 L 17.1 L 20 L	Nickel	7440-02-0	20,000	41,000	130	21.6 B	L	28	B L	17.8	B L	23.2	B L	7.5	В	
Thallium 7440-28-0 NS 160 2.8 0.17 L 0.59 L 0.17 L 0.19 B Vanadium 7440-62-2 72 2,000 730 21.3 L 82.6 L 34.9 L 17.1 L 20	Selenium	7782-49-2	5,100	10,000	5.2	1.3		0.48	J	1.1		1.1		2.1		
Tin 7440-31-5 610,000 1,000,000 110,000 2.5 JB BL 8.4 B BL 2.3 JB BL 2.3 JB BL 0.59 JB BJ Vanadium 7440-62-2 72 2,000 730 21.3 L 82.6 L 34.9 L 17.1 L 20 L	Silver	7440-22-4	5,100	10,000	31	0.046 J	L	0.16	L	0.039	J L	0.029	J L	0.049	J	
Vanadium 7440-62-2 72 2,000 730 21.3 L 82.6 L 34.9 L 17.1 L 20 L	Thallium	7440-28-0	NS	160	2.8	0.17	L	0.59	L	0.17	L	0.17	L	0.19	В	
	Tin	7440-31-5	610,000	1,000,000	110,000	2.5 JB	BL	8.4	B BL	2.3	JB BL	2.3	JB BL	0.59	JB	BJ
Zinc 7440-66-6 310,000 610,000 14,000 64.9 B 149 B 57.6 B 70.3 B 19.7 B J	Vanadium	7440-62-2	72	2,000	730	21.3	L	82.6	L	34.9	L	17.1	L	20		L
	Zinc	7440-66-6	310,000	610,000	14,000	64.9 B		149	В	57.6	В	70.3	В	19.7	В	J

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte
- G Elevated Reporting Limit due to matrix interference

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.

Table 20 AOC 5 Soil Sample Results for Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

					TOTTICI BASI TIGITUI	igton works, Huntingto	Jii, West Viigiilia				
Boring Location:				WVDEP 60CSR3	AOC5-01	AOC5-02	AOC5-03	AOC5-04	AOC5-05	AOC5-06	AOC5-02
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC5-01-20.0	AOC5-02-20.0	AOC5-03-20.0	AOC5-04-21.0	AOC5-05-22.0	AOC5-06-20.0	AOC5-07-20.0
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G100171007	A9G100171005	A9G100171004	A9G100171003	A9G100171009	A9G100171008	A9G100171006
Sample Date:		Level	Industrial Soil De	Ground Water Soil	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009
Sample Depth:		Dec 2009	Minimis Level	De Minimis Level	20-20.5	20-20.5	20-20.5	21-21.5	22-22.5	20-20.5	20-20.5
Concentration Unit:		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN				Result/RL LQ DV	Result/RL LQ DV			Result/RL LQ DV		
1,1,1,2-Tetrachloroethane	630-20-6	9.3	71	0.0031	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,1,1-Trichloroethane	71-55-6	38,000	710	2.1	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,1,2,2-Tetrachloroethane	79-34-5	2.8	9	0.0004	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,1,2-Trichloroethane	79-00-5	5.3	19	0.035	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,1-Dichloroethane	75-34-3	17	1,600	5.9	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,1-Dichloroethene	75-35-4	1,100	430	0.059	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,2,3-Trichloropropane	96-18-4	0.095	11	0.00027	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,2-Dibromo-3-chloropropane	96-12-8	0.069	71	0.001	0.012 U	0.0095 U	0.0096 U	0.009 U	0.0096 U	0.009 U	0.0096 U
1,2-Dibromoethane (EDB)	106-93-4	0.17	0.62	0.00026	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,2-Dichloroethane	107-06-2	2.2	7.7	0.028	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,2-Dichloropropane	78-87-5	4.5	14	0.03	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
1,4-Dioxane	123-91-1	160	2,200	0.026	0.29 U R	0.24 U R	0.24 U R	0.23 U R	0.24 U R	0.22 U R	0.24 U R
2-Butanone (MEK)	78-93-3	190,000	56,000	29	0.0061 J	0.0014 J	0.019 U	0.0011 J	0.0034 J	0.018 U	0.0012 J
2-Hexanone	591-78-6	1,400	NS	NS	0.024 U	0.019 U	0.019 U	0.018 U	0.019 U	0.018 U	0.019 U
4-Methyl-2-pentanone (MIBK)	108-10-1	53,000	8,900	59	0.024 U	0.019 U	0.019 U	0.018 U	0.019 U	0.018 U	0.019 U
Acetone	67-64-1	630,000	56,000	22	0.043	0.014 J B	0.0027 J B	0.0075 J B	0.035	0.0074 J	0.012 J B
Acetonitrile	75-05-8	3,700	2,000	0.57	0.58 U L	0.49 U J	0.5 U	0.46 U	0.53 U	0.44 U	0.5 U
Acrolein	107-02-8	0.65	0.31	0.0002	0.12 U	0.095 U	0.096 U	0.09 U	0.096 U	0.09 U	0.096 U
Acrylonitrile	107-13-1	1.2	5.2	0.00016	0.12 U	0.095 U	0.096 U	0.09 U	0.096 U	0.09 U	0.096 U
Allyl chloride	107-05-1	3.4	NS	NS	0.058 U L	0.049 U J	0.05 U	0.046 U	0.053 U	0.044 U	0.05 U
Benzene	71-43-2	5.4	15	0.034	0.0059 U	0.0048 U	0.0048 U	0.00033 J	0.0048 U	0.0045 U	0.0048 U
Bromodichloromethane	75-27-4	1.4	24	0.0015	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Bromoform	75-25-2	220	3,100	0.064	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Bromomethane	74-83-9	32	13	0.042	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Carbon disulfide	75-15-0	3,700	470	8.3	0.0026 J	0.00089 J	0.0059	0.0032 J	0.0048 U	0.0045 U	0.0048 U
Carbon tetrachloride	56-23-5	1.2	5.3	0.061	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Chlorobenzene	108-90-7	1,400	310	1.3	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Chloroethane	75-00-3	61,000	65	0.021	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Chloroform	67-66-3	1.5	5.2	0.0011	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Chloromethane	74-87-3	500	160	1.3	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Chloroprene	126-99-8	36	12	0.12	0.058 U L	0.049 U J	0.05 U	0.046 U	0.053 U	0.044 U	0.05 U
cis-1,3-Dichloropropene	10061-01-5	NS	NS	NS	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Dibromochloromethane	124-48-1	3.3	680	0.018	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Dibromomethane	74-95-3	110	240	0.31	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Dichlorodifluoromethane	75-71-8	780	190	5.3	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Ethyl methacrylate	97-63-2	92,000	55	30	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Ethylbenzene	100-41-4	27	110	8.9	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Iodomethane	74-88-4	NS	NS	NS	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0014 J	0.0045 U	0.0048 U
Isobutyl alcohol	78-83-1	310,000	27,000	12	1.2 U R	0.98 U R	0.99 U R	0.93 U R	1.1 U R	0.87 U R	1 U R
Methacrylonitrile	126-98-7	18	8.8	0.0042	0.058 U L	0.049 U J	0.05 U	0.046 U	0.053 U	0.044 U	0.05 U
Methyl methacrylate	80-62-6	21,000	3,400	6.5	0.058 U L	0.049 U J	0.05 U	0.046 U	0.053 U	0.044 U	0.05 U
Methylene chloride	75-09-2	53	210	0.023	0.0036 J	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0028 J	0.0048 U
Propionitrile	107-12-0	NS	NS	NS	0.12 U L	0.098 U J	0.099 U	0.093 U	0.11 U	0.087 U	0.1 U
Styrene	100-42-5	36,000	630	4.1	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Tetrachloroethene	127-18-4	2.6	19	0.08	0.0059 U	0.0048 U	0.00066 J	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Toluene	108-88-3	45,000	260	10	0.0059 U	0.0048 U	0.0048 U	0.00057 J B	0.0048 U	0.0045 U	0.0048 U
trans-1,2-Dichloroethene	156-60-5	690	180	0.62	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
trans-1,3-Dichloropropene	10061-02-6	NS	NS	NS	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
trans-1,4-Dichloro-2-butene	110-57-6	0.035	NS	NS NS	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Trichloroethene	79-01-6	14	0.92	0.043	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Trichlorofluoromethane	75-69-4	3,400	950	22	0.0059 U	0.0048 U	0.0048 U	0.0045 U	0.0048 U	0.0045 U	0.0048 U
Vinyl acetate	108-05-4	4,100	1,400	1.8	0.012 U	0.0048 U	0.0048 U	0.0043 U	0.0048 U	0.0043 U	0.0048 U
Vinyl chloride	75-01-4	1.7	8.8	0.013	0.0059 U	0.0048 U	0.0038 U	0.0045 U	0.0030 U	0.0045 U	0.0048 U
Xylenes (total)	1330-20-7	2,700	100	120	0.012 U	0.0048 U	0.0048 U	0.0043 U	0.0048 U	0.0043 U	0.0048 U
Notes:	1330-20-7	2,700	100		Labatory Data Qualifie		0.0030 0	Data Validation Qualifi		J.003 U	0.0030 0

Notes:

- NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

			1					1		1	
Boring Location:			WVDEP 60CSR3	WVDEP 60CSR3	AOC5-01	AOC5-02	AOC5-03	AOC5-04	AOC5-05	AOC5-06	AOC5-02
Soil Sample ID:		EPA Industrial	Table 60-3B	Table 60-3B	AOC5-01-20.0	AOC5-02-20.0	AOC5-03-20.0	AOC5-04-21.0	AOC5-05-22.0	AOC5-06-20.0	AOC5-07-20.0
Laboratory Sample ID:		Soil Screening	Industrial Soil	Migration to	A9G100171007	A9G100171005	A9G100171004	A9G100171003	A9G100171009	A9G100171008	A9G100171006
Sample Date:		Level	De Minimis	Ground Water	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009
Sample Depth:		Dec 2009	Level	Soil De Minimis	20-20.5	20-20.5	20-20.5	21-21.5	22-22.5	20-20.5	20-20.5
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN		IIIg/ Ng	mg/Kg	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV
1,2,4,5-Tetrachlorobenzene	95-94-3	180	260	0.66	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
1,2,4-Trichlorobenzene	120-82-1	99	20,000	4.9	0.068 U	0.048 J	0.061 U	0.089	0.09	0.061 U	0.063 U
1,2-Dichlorobenzene	95-50-1	9,800	150	12	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
1,2-Diphenylhydrazine	122-66-7	2.2	31	0.0026	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
1,3,5-Trinitrobenzene	99-35-4	27,000	26,000	52	2.2 U	2 U	2 U	2 U	1.9 U	1.9 U	2 U
1,3-Dichlorobenzene	541-73-1	NS	130	12	0.068 U	0.033 J	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
1,3-Dinitrobenzene	99-65-0	62	88	0.037	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
1,4-Dichlorobenzene	106-46-7	12	45	2.2	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
1,4-Naphthoguinone	130-15-4	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
1-Naphthylamine	134-32-7	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
2,3,4,6-Tetrachlorophenol	58-90-2	18,000	26,000	92	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
2,4,5-Trichlorophenol	95-95-4	62,000	88,000	250	0.21 U	0.19 U	0.18 U	0.19 U	0.18 U	0.18 U	0.19 U
2,4,6-Trichlorophenol	88-06-2	160	2,200	0.12	0.21 U	0.19 U	0.18 U	0.19 U	0.18 U	0.18 U	0.19 U
2,4-Dichlorophenol	120-83-2	1,800	2,600	1.1	0.21 U	0.19 U	0.18 U	0.19 U	0.18 U	0.18 U	0.19 U
2,4-Dimethylphenol	105-67-9	12,000	18,000	9	0.21 U	0.19 U	0.18 U	0.19 U	0.18 U	0.18 U	0.19 U
2,4-Dinitrophenol	51-28-5	1,200	1,800	0.29	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
2,4-Dinitrotoluene	121-14-2	5.5	1,800	0.57	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
2,6-Dichlorophenol	87-65-0	NS	NS	NS	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
2,6-Dinitrotoluene	606-20-2	620	890	0.25	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
2-Acetylaminofluorene	53-96-3	0.45	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
2-Chloronaphthalene	91-58-7	82,000	27,000	32	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
2-Chlorophenol	95-57-8	5,100	240	0.61	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
2-Methylnaphthalene	91-57-6	4,100	NS NS	NS	0.0091 U	0.0085 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
2-Methylphenol	95-48-7	31,000	44,000	14	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
2-Naphthylamine	91-59-8	0.96	NS	NS	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
2-Nitroaniline	88-74-4	6,000	2,600	0.56	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
2-Nitrophenol	88-75-5	NS	NS	NS	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
2-Picoline	109-06-8	NS	NS NS	NS	0.45 U	0.42 U	0.001 U	0.41 U	0.4 U	0.4 U	0.42 U
2-sec-Butyl-4,6-dinitrophenol	88-85-7	620	880	0.033	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
3,3'-Dichlorobenzidine	91-94-1	3.8	55	0.0049	0.43 U	0.42 U	0.4 U	0.41 U	0.12 U	0.4 U	0.42 U
3,3'-Dimethoxybenzidine	119-90-4	120	1,800	0.3	0.45 U	0.42 U	0.12 U	0.41 U	0.12 U	0.4 U	0.42 U
3,3'-Dimethoxybenzidine 3,3'-Dimethylbenzidine	119-90-4	0.16	1,800	0.0089	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
3-Methylcholanthrene	56-49-5	0.16	NS	0.0089 NS	0.45 U	0.42 U	0.4 U	0.41 U	0.24 U	0.4 U	0.42 U
	_										
3-Methylphenol	108-39-4	31,000	44,000	39 NC	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
3-Nitroaniline	99-09-2	NS 62	NS NC	NS NS	0.27 U 0.21 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
4,6-Dinitro-2-methylphenol	534-52-1	62	NS NC	NS NS		0.19 U	0.18 U	0.19 U	0.18 U	0.18 U	0.19 U
4-Aminobiphenyl	92-67-1	0.082	NS NC	NS NC	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
4-Bromophenyl phenyl ether	101-55-3	NS C2.000	NS NC	NS NC	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
4-Chloro-3-methylphenol	59-50-7	62,000	NS 2500	NS 0.07	0.21 U	0.19 U	0.18 U	0.19 U	0.18 U	0.18 U	0.19 U
4-Chloroaniline	106-47-8	8.6	3500	0.97	0.21 U	0.19 U	0.18 U	0.19 U	0.18 U	0.18 U	0.19 U
4-Chlorophenyl phenyl ether	7005-72-3	NS 2400	NS 1100	NS 2.0	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
4-Methylphenol	106-44-5	3100	4400	3.9	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
4-Nitroaniline	100-01-6	86 NG	NS 7000	NS	0.27 U	0.25 U	0.25 U	0.25 U	0.24 U	0.24 U	0.25 U
4-Nitrophenol	100-02-7	NS NS	7000	1.7	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
4-Nitroquinoline-1-oxide	56-57-5	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water
- 4. *Italicized* values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:				WVDEP 60CSR3	AOC5-01	AOC5-02	AOC5-03	AOC5-04	AOC5-05	AOC5-06	AOC5-02
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC5-01-20.0	AOC5-02-20.0	AOC5-03-20.0	AOC5-04-21.0	AOC5-05-22.0	AOC5-06-20.0	AOC5-07-20.0
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G100171007	A9G100171005	A9G100171004	A9G100171003	A9G100171009	A9G100171008	A9G100171006
Sample Date:		Level	Industrial Soil	Ground Water	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009
Sample Depth :		Dec 2009	De Minimis	Soil De Minimis	20-20.5	20-20.5	20-20.5	21-21.5	22-22.5	20-20.5	20-20.5
Concentration Unit:		mg/Kg	Level		mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN	IIIg/ Ng	mg/Kg	Level	Result/RL LQ DV		Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV
5-Nitro-o-toluidine	99-55-8	52	750	mg/Kg 0.015	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
7,12-Dimethylbenz(a)anthracene	57-97-6	0.0062	NS	0.015 NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
	122-09-8	0.0062 NS	NS NS	NS NS	0.43 U	0.42 U	0.4 U	0.41 U	0.79 U	0.4 U	0.42 U
a,a-Dimethylphenethylamine	83-32-9	33,000	38,000	73	0.0091 U	0.0085 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
Acenaphthene Acenaphthylene	208-96-8	33,000 NS	44,000	91	0.0091 U	0.0085 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
Acetophenone	98-86-2	100,000	25,000	3.2	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
Aniline	62-53-3	300	4,300	0.14	0.45 U	0.13 U	0.4 U	0.079 J	0.023 J	0.4 U	0.42 U
Anthracene	120-12-7	170,000	390,000	1700	0.43 U	0.0085 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
Aramite	140-57-8	69	NS	NS	0.45 U	0.42 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.42 U
Benzidine	92-87-5	0.0075	0.11	0.000033	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
			29					0.02			0.0084 U
Benzo(a)pyrana	56-55-3 50-32-8	2.1 0.21	2.9	1.5 8.2	0.0091 U 0.0091 U	0.0085 U 0.0085 U	0.0082 U 0.0082 U	0.02	0.008 U	0.0081 U 0.0081 U	0.0084 U
Benzo(a)pyrene Benzo(b)fluoranthene	205-99-2	2.1	2.9	4.5	0.0091 U	0.0085 U	0.0082 U	0.036	0.008 U	0.0081 U	0.0084 U
Benzo(ghi)perylene	191-24-2	NS	23,000	120,000	0.0091 U	0.0085 U	0.0082 U	0.036	0.008 U	0.0081 U	0.0084 U
Benzo(k)fluoranthene	207-08-9	21	290	45	0.0091 U	0.0085 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
Benzyl alcohol	100-51-6	62,000	440,000	150	0.45 U	0.0083 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
bis(2-Chloro-1-methylethyl) ether	100-51-0	22	81	0.0018	0.43 U	0.42 U	0.4 U	0.41 U	0.12 U	0.4 U	0.42 U
bis(2-Chloroethoxy)methane	111-91-1	1,800	NS	0.0018 NS	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
	111-91-1	1.0	6	0.56	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
bis(2-Chloroethyl) ether bis(2-Ethylhexyl) phthalate	111-44-4	1.0	1,800	3,600	0.14 U	0.063 U	0.061 U	0.062 U	0.74	0.046 J B	0.13 U B
	85-68-7	910	180,000	17,000	0.035 J B	0.063 U	0.061 U	0.062 U	0.74 0.06 U	0.046 J B	0.026 J B
Butyl benzyl phthalate Chlorobenzilate	510-15-6	16	91	0.027	0.45 U	0.42 U	0.001 U	0.002 U	0.4 U	0.001 U	0.42 U
	218-01-9	210	2900	150	0.45 0	0.42 U	0.0082 U	0.022	0.008 U	0.0081 U	0.0084 U
Chrysene Diallate	2303-16-4	28	NS	NS	0.012 0.45 U	0.0083 U	0.0082 U	0.022 0.41 U	0.008 U	0.0081 U	0.0084 U
Dibenz(a,h)anthracene	53-70-3	0.21	2.9	1.4	0.45 U	0.42 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
Dibenzofuran	132-64-9	1,000	2,000	11	0.068 U	0.063 U	0.061 U	0.062 U	0.008 U	0.061 U	0.063 U
Diethyl phthalate	84-66-2	490,000	700,000	450	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
Dimethoate	60-51-5	120	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Dimethyl phthalate	131-11-3	NS	1,000,000	2,000	0.43 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
Di-n-butyl phthalate	84-74-2	62,000	88,000	5,000	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
Di-n-octyl phthalate	117-84-0	NS	NS	NS	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
Diphenylamine	122-39-4	15,000	22,000	25	0.14 U	0.13 U	0.001 U	0.12 U	0.12 U	0.12 U	0.13 U
Disulfoton	298-04-4	25	35	0.064	0.45 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
Ethyl methanesulfonate	62-50-0	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Famphur	52-85-7	NS	NS NS	NS	4.5 U	4.2 U	4 U	4.1 U	4 U	4 U	4.2 U
Fluoranthene	206-44-0	22,000	30,000	6,300	0.0091 U	0.0085 U	0.0082 U	0.028	0.008 U	0.0081 U	0.0084 U
Fluorene	86-73-7	22,000	33,000	78	0.0091 U	0.0085 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
Hexachlorobenzene	118-74-1	1.1	15	2.2	0.0091 U	0.0085 U	0.0082 U	0.0083 U	0.008 U	0.0081 U	0.0084 U
Hexachlorobutadiene	87-68-3	22	320	1.9	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
Hexachlorocyclopentadiene	77-47-4	3,700	5,200	400	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Hexachloroethane	67-72-1	120	880	0.36	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
Hexachloropropene	1888-71-7	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Indeno(1,2,3-cd)pyrene	193-39-5	2.1	29	13	0.43 U	0.0085 U	0.0082 U	0.013	0.4 U	0.0081 U	0.0084 U
Isodrin	465-73-6	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.013 0.41 U	0.4 U	0.4 U	0.42 U
Isophorone	78-59-1	1,800	26,000	0.42	0.43 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
Notes:	10-33-1	1,000	20,000		Lahatory Data Qualifi			Data Validation Qualific		0.001 0	0.003 0

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water
- 4. *Italicized* values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:			WVDEP 60CSR3	WVDEP 60CSR3	AOC5-01	AOC5-02	AOC5-03	AOC5-04	AOC5-05	AOC5-06	AOC5-02
Soil Sample ID:		EPA Industrial	Table 60-3B	Table 60-3B	AOC5-01-20.0	AOC5-02-20.0	AOC5-03-20.0	AOC5-04-21.0	AOC5-05-22.0	AOC5-06-20.0	AOC5-07-20.0
Laboratory Sample ID:		Soil Screening	Industrial Soil	Migration to	A9G100171007	A9G100171005	A9G100171004	A9G100171003	A9G100171009	A9G100171008	A9G100171006
Sample Date:		Level	De Minimis	Ground Water	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009	07/09/2009
Sample Depth:		Dec 2009	Level	Soil De Minimis	20-20.5	20-20.5	20-20.5	21-21.5	22-22.5	20-20.5	20-20.5
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN		mg/kg	mg/Kg	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV
Isosafrole	120-58-1	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Methapyrilene	91-80-5	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Methyl methanesulfonate	66-27-3	17	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Methyl parathion	298-00-0	150	220	0.085	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Naphthalene	91-20-3	18	190	0.32	0.0091 U	0.0085 U	0.0082 U	0.0083	0.008 U	0.0081 U	0.0084 U
Nitrobenzene	98-95-3	24	110	0.022	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
N-Nitrosodiethylamine	55-18-5	0.011	0.16	0.0000023	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
N-Nitrosodimethylamine	62-75-9	0.034	0.48	0.0000057	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
N-Nitrosodi-n-butylamine	924-16-3	0.40	0.62	0.000029	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
N-Nitrosodi-n-propylamine	621-64-7	0.25	3.5	0.000048	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
N-Nitrosodiphenylamine	86-30-6	350	5,000	0.76	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
N-Nitrosomethylethylamine	10595-95-6	0.078	1.1	0.000021	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
N-Nitrosomorpholine	59-89-2	0.26	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
N-Nitrosopiperidine	100-75-4	0.18	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
N-Nitrosopyrrolidine	930-55-2	0.82	12	0.00033	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
O,O,O-Triethyl phosphorothioate	126-68-1	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
o-Toluidine	95-53-4	9.6	100	0.0057	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Parathion	56-38-2	3,700	5,300	10	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
p-Dimethylaminoazobenzene	60-11-7	0.37	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Pentachlorobenzene	608-93-5	490	700	20	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
Pentachloroethane	76-01-7	19	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Pentachloronitrobenzene	82-68-8	6.6	95	0.083	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Pentachlorophenol	87-86-5	9	110	0.028	0.21 U	0.19 U	0.18 U	0.19 U	0.18 U	0.18 U	0.19 U
Phenacetin	62-44-2	780	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Phenanthrene	85-01-8	NS	410,000	1,500	0.028	0.0085 U	0.0098	0.02	0.008 U	0.0081 U	0.0084 U
Phenol	108-95-2	180,000	260,000	56	0.068 U	0.063 U	0.061 U	0.062 U	0.06 U	0.061 U	0.063 U
Phorate	298-02-2	120	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
p-Phenylene diamine	106-50-3	120,000	170,000	48	0.9 U	0.84 U	0.81 U	0.82 U	0.79 U	0.8 U	0.84 U
Pronamide	23950-58-5	46,000	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Pyrene	129-00-0	17,000	54,000	500	0.0091 U	0.0085 U	0.0082 U	0.026	0.008 U	0.0081 U	0.0084 U
Pyridine	110-86-1	1,000	880	0.19	0.14 U	0.13 U	0.12 U	0.12 U	0.12 U	0.12 U	0.13 U
Safrole	94-59-7	7.8	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Tetraethyldithiopyrophosphate	3689-24-5	310	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Thionazin	297-97-2	NS	NS	NS	0.45 U	0.42 U	0.4 U	0.41 U	0.4 U	0.4 U	0.42 U
Notes:			•		Labatory Data Qualifie	ns (I O)		Data Validation Qualific	ara (D)/)		

Notes

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

Table 22 AOC 5 Soil Sample Results for PCBs and Metals

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:	WVDEP 60CSR3	AOC5-01		AOC5-		AOC5-			AOC5-0		AOC5-05	AOC5-06	AOC5-02
Soil Sample ID:	Table 60-3B	AOC5-01-20.0		AOC5-02		AOC5-03			AOC5-04-		AOC5-05-22.0	AOC5-06-20.0	AOC5-07-20.0
Laboratory Sample ID:	Migration to	A9G100171007	7	A9G1001		A9G10017			A9G10017		A9G100171009	A9G100171008	A9G100171006
Sample Date:	Ground Water	07/09/2009		07/09/2		07/09/2			07/09/20		07/09/2009	07/09/2009	07/09/2009
Sample Depth:	Soil De Minimis	20-20.5		20-20		20-20			21-21.		22-22.5	20-20.5	20-20.5
Concentration Unit:	Level	mg/Kg		mg/k	-	mg/K	-		mg/K		mg/Kg	mg/Kg	mg/Kg
Chemical Name	mg/Kg	Result/RL LQ	DV	Result/RL	LQ DV	Result/RL	LQ	DV	Result/RL	LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV
Polychlorinated Biphenyls													
Total PCBs	0.9	0.045 U		0.042	<u> U</u>	0.038			0.041		0.065	0.04 U	0.16
Aroclor 1016	1.3	0.045 U		0.042	2 U	0.04	U		0.041	U	0.04 U	0.04 U	0.042 U
Aroclor 1221	0.0023	0.045 U		0.042	<u> 2</u> U	0.04	U		0.041	U	0.04 U	0.04 U	0.042 U
Aroclor 1232	0.0023	0.045 U		0.042	<u>2</u> U	0.04	U		0.041	U	0.04 U	0.04 U	0.042 U
Aroclor 1242	0.045	0.045 U		0.042	<u> U</u>	0.04	U		0.041	U	0.04 U	0.04 U	0.042 U
Aroclor 1248	0.059	0.045 U		0.042	2 U	0.038	J		0.041	U	0.065	0.04 U	<u>0.16</u>
Aroclor 1254	0.27	0.045 U		0.042	2 U	0.04	U		0.041	U	0.04 U	0.04 U	0.042 U
Aroclor 1260	0.39	0.045 U		0.042	2 U	0.04	U		0.041	U	0.04 U	0.04 U	0.042 U
Metals													
Antimony	5.4	0.054 J	L	0.079	J L	0.032	J L	_	0.14	J L	0.11 J L	0.14 J L	0.081 J L
Arsenic	5.8	18.2	L	2.7	L	2.3	L	_	2	L	3.2 L	3.5 L	2.9 L
Barium	1,600	508 B		115	В	59.1	В		522	В	595 B	97.9 B	125 B
Beryllium	63	0.45	L	0.92	L	0.32	L	_	1	L	0.67 L	0.84 L	0.99 L
Cadmium	7.5	0.012 J	L	0.16	L	0.058	J L	_	0.092	J L	0.074 J L	0.039 J L	0.16 L
Chromium	NS	5.5 B		15.6	В	6.3	В		17	В	11.9 B	15.1 B	15.5 B
Cobalt	660	2.7		13.2		2.4			13.5		14.8	12.2	12.7
Copper	1,000	4.1 B	L	19.4	B L	6.1	B L	_	20.1	B L	10.2 B L	14.2 B L	18.6 B L
Lead	270	6.4 B		13.9	В	5.8	В		18	В	12.3 B	14.2 B	14.1 B
Mercury	2.1	0.14 U		0.13	3 U	0.12	U		0.035	J	0.12 U	0.043 J	0.026 J
Nickel	130	3 B	L	21.4	B L	6.1	B L	_	23.7	B L	11.6 B L	19.4 B L	23.3 B L
Selenium	5.2	0.48 J		1.1		0.39	J		1.2		0.54 J	0.83	1.1
Silver	31	0.14 U	L	0.042	J L	0.12	UL		0.041	J L	0.12 U L	0.032 J L	0.042 J L
Thallium	2.8	0.039 J	L	0.14	L	0.056		L	0.15	L	0.091 J L	0.18 L	0.15 L
Tin	110,000		BL	2.1	JB BL	2.5	JB E	3L	2.9	JB BL	2.5 JB BL	2.7 JB BL	3 JB BL
Vanadium	730	10.5	L	18.8	L	7	L		20.7	L	17.8 L	22.1 L	19.7 L
Zinc	14,000	21.8 B		83.4	В	19.4	В		66.7	В	34.3 B	53.7 B	76.7 B

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
- G Elevated Reporting Limit due to matrix interference

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.

Table 23
AOC 6 Aboveground Storage Tanks Summary of Locations,
Analytical Parameters and Historical AST Contents

Sample Location	Analytical Parameter	Historical AST Contents
AOC6-01	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Formaldehyde, Caustic Soda
AOC6-02	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Formaldehyde, Caustic Soda
AOC6-03	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Sulfuric Acid
AOC6-04	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Aniline Tank
AOC6-05	Appendix IX VOCs, SVOCs, PCBs, Metals, pH and Ethylene Glycol	Ethylene Glycol, Ammonia, Chlorosulfonic Acid, Mixed Acid
AOC6-06	Appendix IX VOCs, SVOCs, PCBs, Metals, pH and Ethylene Glycol	Hydrochloric Acid, Aniline Oil, Ethylene Glycol, Ammonia, Chlorosulfonic Acid, Mixed Acid
AOC6-07	Appendix IX VOCs, SVOCs, PCBs, and Metals	Aniline Oil, Toluene, Xylene, Ethylbenzene
AOC6-08	Appendix IX VOCs, SVOCs, PCBs, and Metals	Aniline Oil, Toluene, Xylene, Ethylbenzene
AOC6-09	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Aniline Oil, Sulfuric Acid, Caustic Soda, Hydrochloric Acid
AOC6-10	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Aniline Oil, Sulfuric Acid, Caustic Soda, Hydrochloric Acid
AOC6-11	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Aniline Oil, Sulfuric Acid, Caustic Soda, Hydrochloric Acid
AOC6-12	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Aniline Oil, Hydrochloric Acid
AOC6-13	Appendix IX VOCs, SVOCs, PCBs, Metals and pH	Aniline Oil, Hydrochloric Acid
AOC6-14	Appendix IX VOCs, SVOCs, PCBs, Metals, and Total Petroleum Hydrocarbons	#2 Fuel Oil
AOC6-15	Appendix IX VOCs, SVOCs, PCBs, Metals, and Total Petroleum Hydrocarbons	#2 Fuel Oil
AOC6-16	Appendix IX VOCs, SVOCs, PCBs, Metals, and Total Petroleum Hydrocarbons	#2 Fuel Oil

Table 24 AOC 6 Soil Sample Results for Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

							BASE Huntington Works, H	0 , 0						
Boring Location:			WVDEP 60CSR3	WVDEP 60CSR3	AOC6-01	AOC6-02	AOC6-03	AOC6-04	AOC6-05	AOC6-06	AOC6-07	AOC6-08	AOC6-09	AOC6-10
Soil Sample ID:		EPA Industrial	Table 60-3B	Table 60-3B	AOC6-01-1.5	AOC6-02-1.5	AOC6-03-1.0	AOC6-04-1.5	AOC6-05-2.0	AOC6-06-5.0	AOC6-07-2.0	AOC6-08-6.5	AOC6-09-6.5	AOC6-10-2.5
Laboratory Sample ID:		Soil Screening	Industrial Soil	Migration to	A9G160162007	A9G160162005	A9G160162008	A9G160162004	A9G160162010	A9G160162006	A9G160162003	A9G160162002	A9G150150010	A9G150150009
Sample Date:		Level	De Minimis	Ground Water	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/14/2009	07/14/2009
Sample Depth:		Dec 2009	Level	Soil De Minimis	1.5-2	1.5-2	1-1.5	1.5-2	2-2.5	5-5.5	2-2.5	6.5-7	6.5-7	2.5-3
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN		ilig/ kg	mg/Kg	Result/RL LQ DV	Result/RL LQ	DV Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ D'	V Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV
1,1,1,2-Tetrachloroethane	630-20-6	9.3	71	0.0031	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,1,1-Trichloroethane	71-55-6	38,000	710	2.1	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,1,2,2-Tetrachloroethane	79-34-5	2.8	9	0.0004	0.0055 U	0.0056 U	0.0042 U	0.0067 U J	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,1,2-Trichloroethane	79-00-5	5.3	19	0.035	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,1-Dichloroethane	75-34-3	17	1,600	5.9	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,1-Dichloroethene	75-35-4	1,100	430	0.059	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,2,3-Trichloropropane	96-18-4	0.095	11	0.00027	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,2-Dibromo-3-chloropropane	96-12-8	0.069	71	0.001	0.011 U	0.011 U	0.0083 U	0.013 U J	0.011 U	0.11 U J	<i>570</i> U	0.11 U J	0.11 U	0.11 U
1,2-Dibromoethane (EDB)	106-93-4	0.17	0.62	0.00026	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,2-Dichloroethane	107-06-2	2.2	7.7	0.028	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,2-Dichloropropane	78-87-5	4.5	14	0.03	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
1,4-Dioxane	123-91-1	160	2,200	0.026	0.28 U R	0.28 U	R 0.21 U R	0.33 U R	0.27 U	2.9 U R	<i>14,000</i> U R	2.9 U R	2.8 U	2.7 U
2-Butanone (MEK)	78-93-3	190,000	56,000	29	0.0045 J	0.0018 J	0.0031 J	0.015 J	0.0036 J	0.23 U J	1,100 U	0.23 U J	0.23 U	0.22 U
2-Hexanone	591-78-6	1,400	NS	NS	0.022 U	0.022 U	0.017 U	0.027 U	0.021 U	0.23 U J	1,100 U	0.23 U J	0.23 U	0.22 U
4-Methyl-2-pentanone (MIBK)	108-10-1	53,000	8,900	59	0.022 U	0.022 U	0.017 U	0.027 U	0.021 U	0.23 U J	1,100 U	0.018 J J	0.23 U	0.22 U
Acetone	67-64-1	630,000	56,000	22	0.037	0.016 J	0.042	0.11	0.029	0.23 U J	1,100 U	0.18 JB BJ	0.11 JB	0.22 U
Acetonitrile	75-05-8	3,700	2,000	0.57	0.56 U	0.4 U	J 0.44 U	0.58 U J	0.49 U	0.57 U J	290 U	0.57 U J	0.56 U	0.54 U
Acrolein	107-02-8	0.65	0.31	0.0002	0.11 U	0.11 U	0.083 U	0.13 U	0.11 U	1.1 U J	5,700 U	1.1 U J	1.1 U	1.1 U
Acrylonitrile	107-13-1	1.2	5.2	0.00016	0.11 U	0.11 U	0.083 U	0.13 U	0.11 U	1.1 U J	5,700 U	1.1 U J	1.1 U	1.1 U
Allyl chloride	107-05-1	3.4	NS	NS	0.056 U	0.04 U	J 0.044 U	0.058 U J	0.049 U	0.057 U J	29 U	0.057 U J	0.056 U	0.054 U
Benzene	71-43-2	5.4	15	0.034	0.00023 J	0.0015 J	0.0042 U	0.0016 J	0.0053 U	0.017 J J	290 U	0.13 J	0.019 J	0.023 J
Bromodichloromethane	75-27-4	1.4	24	0.0015	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Bromoform	75-25-2	220	3,100	0.064	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Bromomethane	74-83-9	32	13	0.042	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Carbon disulfide	75-15-0	3,700	470	8.3	0.0017 J	0.0036 J	0.0011 J	0.029	0.00096 J	0.38 J	290 U	1.3 J	0.45	0.054 U
Carbon tetrachloride	56-23-5	1.2	5.3	0.061	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Chlorobenzene	108-90-7	1,400	310	1.3	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.0074 J J	0.056 U	0.02 J
Chloroethane	75-00-3	61,000	65	0.021	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.11 U J	570 U	0.11 U J	0.11 U	0.11 U
Chloroform	67-66-3	1.5	5.2	0.0011	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Chloromethane	74-87-3	500	160	1.3	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Chloroprene	126-99-8	36	12	0.12	0.056 U	0.04 U	J 0.044 U	0.058 U J	0.049 U	0.057 U J	29 U	0.057 U J	0.056 U	0.054 U
cis-1,3-Dichloropropene	10061-01-5	NS	NS	NS	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Dibromochloromethane	124-48-1	3.3	680	0.018	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Dibromomethane	74-95-3	110	240	0.31	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Dichlorodifluoromethane	75-71-8	780	190	5.3	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Ethyl methacrylate	97-63-2	92,000	55	30	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Ethylbenzene	100-41-4	27	110	8.9	0.0038 J	0.0056 U	0.0042 U	0.00075 J	0.0053 U	0.016 J J	<u>18,000</u>	0.43 J	0.009 J	0.73
Iodomethane	74-88-4	NS	NS	NS	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.00061 J	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Isobutyl alcohol	78-83-1	310,000	27,000	12	1.1 U R	0.8 U	R 0.89 U R	1.2 U R	0.97 U	1.1 U R	570 U R	1.1 U R	1.1 U	1.1 U
Methacrylonitrile	126-98-7	18	8.8	0.0042	0.056 U	0.04 U	J 0.044 U	0.058 U J	0.049 U	0.057 U J	29 U	0.057 U J	0.056 U	0.054 U
Methyl methacrylate	80-62-6	21,000	3,400	6.5	0.056 U	0.04 U		0.058 U J	0.049 U	0.057 U J	29 U	0.057 U J	0.056 U	0.054 U
Methylene chloride	75-09-2	53	210	0.023	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.23 U J	1,100 U	0.23 U J	0.23 U	0.22 U
Propionitrile	107-12-0	NS	NS	NS	0.11 U	0.08 U	J 0.089 U	0.12 U J	0.097 U	0.11 U J	57 U	0.11 U J	0.11 U	0.11 U
Styrene	100-42-5	36,000	630	4.1	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Tetrachloroethene	127-18-4	2.6	19	0.08	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Toluene	108-88-3	45,000	260	10	0.0055	0.0056 U	0.0042 U	0.0023 J B	0.0053 U	0.022 J JB	6,100	0.27 J	0.013 J	0.026 J
trans-1,2-Dichloroethene	156-60-5	690	180	0.62	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
trans-1,3-Dichloropropene	10061-02-6	NS	NS	NS	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
trans-1,4-Dichloro-2-butene	110-57-6	0.035	NS	NS	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Trichloroethene	79-01-6	14	0.92	0.043	0.0055 U	0.00073 J	0.0042 U	0.0067 U	0.0053 U	<u>0.07</u> J	290 U	0.057 U J	0.056 U	0.054 U
Trichlorofluoromethane	75-69-4	3,400	950	22	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Vinyl acetate	108-05-4	4,100	1,400	1.8	0.011 U	0.011 U	0.0083 U	0.013 U	0.011 U	0.11 U J	570 U	0.11 U J	0.11 U	0.11 U
Vinyl chloride	75-01-4	1.7	8.8	0.013	0.0055 U	0.0056 U	0.0042 U	0.0067 U	0.0053 U	0.057 U J	290 U	0.057 U J	0.056 U	0.054 U
Xylenes (total)	1330-20-7	2,700	100	120	0.0068 J B	0.0018 J		0.0016 J B	0.011 U	0.022 J JB		0.93 J	0.051 J	7
Notes:		· /			Labatory Data Qualifie				Data Validation Qualif			*	*	

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- Underlined values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. *Italicized* values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

Table 24 AOC 6 Soil Sample Results for Volatile Organic Compounds

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

						Former BAS	F Huntington Works, H	untington, west virgin	a		
Boring Location:			WVDEP 60CSR3	WVDEP 60CSR3	AOC6-11	AOC6-12	AOC6-13	AOC6-14	AOC6-15	AOC6-16	AOC6-03
Soil Sample ID:		EPA Industrial	Table 60-3B	Table 60-3B	AOC6-11-2.0	AOC6-12-8.0	AOC6-13-3.0	AOC6-14-2.0	AOC6-15-6.0	AOC6-16-2.0	AOC6-22-1.0
Laboratory Sample ID:		Soil Screening		Migration to	A9G150150007	A9G150150008	A9G150150006	A9G150161010	A9G150161011	A9G150161012	A9G160162009
Sample Date:		Level	Industrial Soil	Ground Water	07/14/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/13/2009	07/15/2009
Sample Depth:		Dec 2009	De Minimis	Soil De Minimis	2-2.5	8-8.5	3-3.5	2-2.5	6-6.5	2-2.5	1-1.5
Concentration Unit:		mg/Kg	Level	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN	J. J	mg/Kg	mg/Kg	Result/RL LQ DV		Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV		
1,1,1,2-Tetrachloroethane	630-20-6	9.3	71	0.0031	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
1,1,1-Trichloroethane	71-55-6	38,000	710	2.1	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
1,1,2,2-Tetrachloroethane	79-34-5	2.8	9	0.0004	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
1,1,2-Trichloroethane	79-00-5	5.3	19	0.035	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
	75-34-3	17	1,600	5.9		0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
1,1-Dichloroethane					0.0095 U						0.0057 U
1,1-Dichloroethene	75-35-4	1,100	430	0.059	0.0012 J	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	
1,2,3-Trichloropropane	96-18-4	0.095	11	0.00027	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
1,2-Dibromo-3-chloropropane	96-12-8	0.069	71	0.001	0.019 U	0.16 U	0.011 U	0.0093 U	0.01 U	0.01 U	0.011 U
1,2-Dibromoethane (EDB)	106-93-4	0.17	0.62	0.00026	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
1,2-Dichloroethane	107-06-2	2.2	7.7	0.028	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
1,2-Dichloropropane	78-87-5	4.5	14	0.03	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
1,4-Dioxane	123-91-1	160	2,200	0.026	0.48 U	4.1 U	0.27 U	0.23 U R	0.25 U R	0.26 U R	0.28 U R
2-Butanone (MEK)	78-93-3	190,000	56,000	29	0.0065 J	0.33 U	0.021 U	0.0056 J	0.0013 J	0.021 U	0.0059 J
2-Hexanone	591-78-6	1,400	NS	NS	0.038 U	0.33 U	0.021 U	0.019 U	0.02 U	0.021 U	0.023 U
4-Methyl-2-pentanone (MIBK)	108-10-1	53,000	8,900	59	0.038 U	0.33 U	0.021 U	0.019 U	0.02 U	0.021 U	0.023 U
Acetone	67-64-1	630,000	56,000	22	0.025 J	0.23 JB	0.021 U	0.06	0.0084 J	0.0059 J	0.059
Acetonitrile	75-05-8	3,700	2,000	0.57	0.98 U	0.82 U	0.58 U	0.47 U	0.48 U	0.5 U	0.58 U
Acrolein	107-02-8	0.65	0.31	0.0002	0.19 U	1.6 U	0.11 U	0.093 U	0.1 U	0.1 U	0.11 U
Acrylonitrile	107-13-1	1.2	5.2	0.00016	0.19 U	1.6 U	0.11 U	0.093 U	0.1 U	0.1 U	0.11 U
Allyl chloride	107-05-1	3.4	NS	NS	0.098 U	0.082 U	0.058 U	0.047 U	0.048 U	0.05 U	0.058 U
Benzene	71-43-2	5.4	15	0.034	0.11	0.68	0.0012 J	0.0047 U	0.0051 U	0.0051 U	0.00032 J
Bromodichloromethane	75-27-4	1.4	24	0.0015	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Bromoform	75-25-2	220	3,100	0.064	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Bromomethane	74-83-9	32	13	0.042	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Carbon disulfide	75-15-0	3,700	470	8.3	0.099	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0011 J
Carbon tetrachloride	56-23-5	1.2	5.3	0.061	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Chlorobenzene	108-90-7	1,400	310	1.3	0.0033 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Chloroethane	75-00-3	61,000	65	0.021	0.0095 U	0.16 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Chloroform	67-66-3	1.5	5.2	0.0011	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Chloromethane	74-87-3	500	160	1.3	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
	126-99-8	36	12	0.12	0.098 U	0.082 U	0.0034 U	0.0047 U	0.048 U	0.0051 U	0.0037 U
Chloroprene cis-1,3-Dichloropropene		NS	NS	NS	0.098 U	0.082 U	0.0054 U	0.047 U	0.048 U	0.0051 U	0.0057 U
	10061-01-5 124-48-1	3.3	680	0.018		0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Dibromochloromethane					0.0095 U						
Dibromomethane	74-95-3	110	240	0.31	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Dichlorodifluoromethane	75-71-8	780	190	5.3	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Ethyl methacrylate	97-63-2	92,000	55	30	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Ethylbenzene	100-41-4	27 NG	110	8.9	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Iodomethane	74-88-4	NS 240,000	NS 27.000	NS 12	0.0095 U	0.082 U	0.0054 U	0.0013 J	0.0051 U	0.0051 U	0.0057 U
Isobutyl alcohol	78-83-1	310,000	27,000	12	2 U	1.6 U	1.2 U	0.94 U R	0.96 U R	1 U R	1.2 U R
Methacrylonitrile	126-98-7	18	8.8	0.0042	0.098 U	0.082 U	0.058 U	0.047 U	0.048 U	0.05 U	0.058 U
Methyl methacrylate	80-62-6	21,000	3,400	6.5	0.098 U	0.082 U	0.058 U	0.047 U	0.048 U	0.05 U	0.058 U
Methylene chloride	75-09-2	53	210	0.023	0.0095 U	0.33 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Propionitrile	107-12-0	NS	NS	NS	0.2 U	0.16 U	0.12 U	0.094 U	0.096 U	0.1 U	0.12 U
Styrene	100-42-5	36,000	630	4.1	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Tetrachloroethene	127-18-4	2.6	19	0.08	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Toluene	108-88-3	45,000	260	10	0.021	0.12	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
trans-1,2-Dichloroethene	156-60-5	690	180	0.62	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
trans-1,3-Dichloropropene	10061-02-6	NS	NS	NS	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
trans-1,4-Dichloro-2-butene	110-57-6	0.035	NS	NS	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Trichloroethene	79-01-6	14	0.92	0.043	0.029	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Trichlorofluoromethane	75-69-4	3,400	950	22	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Vinyl acetate	108-05-4	4,100	1,400	1.8	0.019 U	0.16 U	0.011 U	0.0093 U	0.01 U	0.01 U	0.011 U
Vinyl chloride	75-01-4	1.7	8.8	0.013	0.0095 U	0.082 U	0.0054 U	0.0047 U	0.0051 U	0.0051 U	0.0057 U
Xylenes (total)	1330-20-7	2,700	100	120	0.019 U	0.16 U	0.011 U	0.0093 U	0.01 U	0.01 U	0.011 U
Notes:		-,, 55			Lahatory Data Qualifie		5.022 0		Data Validation Qualifi		3.022

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. *Italicized* values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:				WVDEP 60CSR3	AOC6-01	AOC6-02	AOC6-03	AOC6-04	AOC6-05	AOC6-06	AOC6-07	AOC6-08	AOC6-09
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC6-01-1.5	AOC6-02-1.5	AOC6-03-1.0	AOC6-04-1.5	AOC6-05-2.0	AOC6-06-5.0	AOC6-07-2.0	AOC6-08-6.5	AOC6-09-6.5
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G160162007	A9G160162005	A9G160162008	A9G160162004	A9G160162010	A9G160162006	A9G160162003	A9G160162002	A9G150150010
Sample Date:		Level	Industrial Soil	Ground Water	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/14/2009
Sample Depth:		Dec 2009	De Minimis	Soil De Minimis		1.5-2	1-1.5	1.5-2	2-2.5	5-5.5	2-2.5	6.5-7	6.5-7
Concentration Unit:		mg/Kg	Level	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN	1116/116	mg/Kg	mg/Kg	Result/RL LQ DV	Result/RL LQ DV		O. O	Result/RL LQ DV				
1,2,4,5-Tetrachlorobenzene	95-94-3	180	260	0.66	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	17 U	3.6 U	13 U
1,2,4-Trichlorobenzene	120-82-1	99	20,000	4.9	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
1,2-Dichlorobenzene	95-50-1	9,800	150	12	0.057 U	0.065 U	0.059 U	0.69 U J	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
1,2-Diphenylhydrazine	122-66-7	2.2	31	0.0026	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
1,3,5-Trinitrobenzene	99-35-4	27,000	26,000	52	1.8 U	2.1 U	1.9 U	22 U	1.7 U	2.1 U	260 U	57 U	210 U
1,3-Dichlorobenzene	541-73-1	NS	130	12	0.057 U	0.065 U	0.059 U	0.69 U J	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
1,3-Dinitrobenzene	99-65-0	62	88	0.037	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
1,4-Dichlorobenzene	106-46-7	12	45	2.2	0.057 U	0.065 U	0.059 U	0.69 U J	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
1,4-Naphthoquinone	130-15-4	NS	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
1-Naphthylamine	134-32-7	NS	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
2,3,4,6-Tetrachlorophenol	58-90-2	18,000	26,000	92	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	17 U	3.6 U	13 U
2,4,5-Trichlorophenol	95-95-4	62,000	88,000	250	0.17 U	0.2 U	0.12 U	2.1 U	0.11 U	0.2 U	25 U	5.3 U	20 U
2,4,6-Trichlorophenol	88-06-2	160	2,200	0.12	0.17 U	0.2 U	0.18 U	2.1 U	0.16 U	0.2 U	25 U	5.3 U	20 U
2,4-Dichlorophenol	120-83-2	1,800	2,600	1.1	0.17 U	0.2 U	0.18 U	2.1 U	0.16 U	0.2 U	25 U	5.3 U	20 U
2,4-Dimethylphenol	105-67-9	12,000	18,000	9	0.17 U	0.2 U	0.18 U	2.1 U	0.16 U	0.2 U	25 U	5.3 U	20 U
2,4-Dinitrophenol	51-28-5	1,200	1,800	0.29	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
2,4-Dinitrotoluene	121-14-2	5.5	1,800	0.57	0.23 U	0.26 U	0.23 U	2.7 U	0.22 U	0.27 U	33 U	7.1 U	27 U
2,6-Dichlorophenol	87-65-0	NS	NS	NS	0.23 U	0.26 U	0.23 U	2.7 U	0.22 U	0.27 U	33 U	7.1 U	27 U
2,6-Dinitrotoluene	606-20-2	620	890	0.25	0.23 U	0.26 U	0.23 U	2.7 U	0.22 U	0.27 U	33 U	7.1 U	27 U
2-Acetylaminofluorene	53-96-3	0.45	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
2-Chloronaphthalene	91-58-7	82,000	27,000	32	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
2-Chlorophenol	95-57-8	5,100	240	0.61	0.057 U	0.065 U	0.059 U	0.69 U J	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
2-Methylnaphthalene	91-57-6	4,100	NS NS	NS	0.018	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
2-Methylphenol	95-48-7	31,000	44,000	14	0.23 U	0.26 U	0.23 U	2.7 U J	0.22 U	0.27 U	33 U	7.1 U	27 U
2-Naphthylamine	91-59-8	0.96	NS	NS NS	0.23 U	0.048 J	0.23 U	2.7 U	0.22 U	0.28	33 U	7.1 U	27 U
2-Nitroaniline	88-74-4	6,000	2,600	0.56	0.23 U	0.26 U	0.23 U	2.7 U	0.22 U	0.27 U	33 U	7.1 U	27 U
2-Nitrophenol	88-75-5	NS	NS NS	NS	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
2-Picoline	109-06-8	NS	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U J	0.36 U	0.44 U	55 U	12 U	44 U
2-sec-Butyl-4,6-dinitrophenol	88-85-7	620	880	0.033	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
3,3'-Dichlorobenzidine	91-94-1	3.8	55	0.0049	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	17 U	3.6 U	13 U
3,3'-Dimethoxybenzidine	119-90-4	120	1,800	0.3	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
3,3'-Dimethylbenzidine	119-93-7	0.16	11	0.0089	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
3-Methylcholanthrene	56-49-5	0.078	NS	NS	0.23 U	0.26 U	0.23 U	2.7 U	0.22 U	0.27 U	33 U	7.1 U	27 U
3-Methylphenol	108-39-4	31,000	44,000	39	0.23 U	0.26 U	0.23 U	2.7 U J	0.22 U	0.27 U	33 U	7.1 U	27 U
3-Nitroaniline	99-09-2	NS	NS	NS	0.23 U	0.26 U	0.23 U	2.7 U	0.22 U	0.27 U	33 U	7.1 U	27 U
4,6-Dinitro-2-methylphenol	534-52-1	62	NS	NS	0.17 U	0.2 U	0.18 U	2.1 U	0.16 U	0.2 U	25 U	5.3 U	20 U
4-Aminobiphenyl	92-67-1	0.082	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
4-Bromophenyl phenyl ether	101-55-3	NS	NS	NS	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
4-Chloro-3-methylphenol	59-50-7	62,000	NS	NS	0.17 U	0.2 U	0.18 U	2.1 U	0.16 U	0.2 U	25 U	5.3 U	20 U
4-Chloroaniline	106-47-8	8.6	3500	0.97	0.17 U	0.2 U	0.18 U	2.1 U	0.16 U	0.2 U	25 U	5.3 U	20 U
4-Chlorophenyl phenyl ether	7005-72-3	NS	NS	NS	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
4-Methylphenol	106-44-5	3100	4400	3.9	0.23 U	0.26 U	0.23 U	2.7 U J	0.22 U	0.27 U	33 U	7.1 U	27 U
4-Nitroaniline	100-01-6	86	NS	NS	0.23 U	0.26 U	0.23 U	2.7 U	0.22 U	0.27 U	33 U	7.1 U	27 U
4-Nitrophenol	100-02-7	NS	7000	1.7	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
4-Nitroquinoline-1-oxide	56-57-5	NS	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
					Labatary Data Ovalifi		2.33 0	Data Validation Quali			35 0		

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:				WVDEP 60CSR3	AOC6-01	AOC6-02	AOC6-03	AOC6-04	AOC6-05	AOC6-06	AOC6-07	AOC6-08	AOC6-09
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC6-01-1.5	AOC6-02-1.5	AOC6-03-1.0	AOC6-04-1.5	AOC6-05-2.0	AOC6-06-5.0	AOC6-07-2.0	AOC6-08-6.5	AOC6-09-6.5
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G160162007	A9G160162005	A9G160162008	A9G160162004	A9G160162010	A9G160162006	A9G160162003	A9G160162002	A9G150150010
Sample Date:		Level	Industrial Soil	Ground Water	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/14/2009
Sample Depth:		Dec 2009	De Minimis	Soil De Minimis	1.5-2	1.5-2	1-1.5	1.5-2	2-2.5	5-5.5	2-2.5	6.5-7	6.5-7
Concentration Unit:		mg/Kg	Level	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN	1116/116	mg/Kg	mg/Kg	Result/RL LQ DV							Result/RL LQ D\	
5-Nitro-o-toluidine	99-55-8	52	750	0.015	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
7,12-Dimethylbenz(a)anthracene	57-97-6	0.0062	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
a,a-Dimethylphenethylamine	122-09-8	NS	NS	NS	0.76 U	0.86 U	0.77 U	9.1 U	0.71 U	0.89 U	110 U	24 U	89 U
Acenaphthene	83-32-9	33,000	38,000	73	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Acenaphthylene	208-96-8	NS	44,000	91	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Acetophenone	98-86-2	100,000	25,000	3.2	0.11 U	0.13 U	0.12 U	1.4 U J	0.11 U	0.13 U	17 U	3.6 U	13 U
Aniline	62-53-3	300	4,300	0.14	0.029 J	0.055 J	0.39 U	1.2 J J	0.36 U	0.37 J	32 J	34	85
Anthracene	120-12-7	170,000	390,000	1700	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Aramite	140-57-8	69	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Benzidine	92-87-5	0.0075	0.11	0.000033	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Benzo(a)anthracene	56-55-3	2.1	29	1.5	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Benzo(a)pyrene	50-32-8	0.21	2.9	8.2	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Benzo(b)fluoranthene	205-99-2	2.1	29	4.5	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Benzo(ghi)perylene	191-24-2	NS	23,000	120,000	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Benzo(k)fluoranthene	207-08-9	21	290	45	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Benzyl alcohol	100-51-6	62,000	440,000	150	0.38 U	0.43 U	0.39 U	4.5 U J	0.36 U	0.44 U	55 U	12 U	44 U
bis(2-Chloro-1-methylethyl) ether	108-60-1	22	81	0.0018	0.38 U	0.43 U	0.12 U	1.4 U	0.30 U	0.13 U	17 U	3.6 U	13 U
bis(2-Chloroethoxy)methane	111-91-1	1,800	NS	0.0018 NS	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	17 U	3.6 U	13 U
bis(2-Chloroethyl) ether	111-44-4	1.0	6	0.56	0.11 U	0.13 U	0.12 U	1.4 U J	0.11 U	0.13 U	17 U	3.6 U	13 U
bis(2-Ethylhexyl) phthalate	117-81-7	120	1,800	3,600	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
Butyl benzyl phthalate	85-68-7	910	180,000	17,000	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
Chlorobenzilate	510-15-6	16	91	0.027	0.38 U	0.43 U	0.039 U	4.5 U	0.034 U	0.067 U	55 U	1.8 U	44 U
	218-01-9	210	2900	150	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Chrysene Diallate	2303-16-4	28	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.009 U	55 U	12 U	44 U
Dibenz(a,h)anthracene	53-70-3	0.21	2.9	1.4	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Dibenzofuran	132-64-9	1,000	2,000	11	0.057 U	0.065 U	0.059 U	0.69 U	0.0072 U	0.067 U	8.3 U	1.8 U	6.7 U
Diethyl phthalate	84-66-2	490,000	700,000	450	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
Dimethoate	60-51-5	120	NS	NS NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.007 U	55 U	1.8 U	44 U
Dimethyl phthalate	131-11-3	NS	1,000,000	2,000	0.057 U	0.43 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
Di-n-butyl phthalate	84-74-2	62,000	88,000	5,000	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
Di-n-octyl phthalate	117-84-0	NS	NS	NS	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
Diphenylamine	122-39-4	15,000	22,000	25	0.037 U	0.13 U	0.12 U	1.1 J	0.034 U	1.2	47	6.8	13 U
Disulfoton	298-04-4	25	35	0.064	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
	62-50-0	NS	NS		0.38 U	0.43 U	0.39 U	4.5 U J	0.36 U	0.44 U	55 U	12 U	44 U
Ethyl methanesulfonate Famphur	52-85-7	NS NS	NS	NS NS	3.8 U	4.3 U	3.9 U	4.5 U	3.6 U	4.4 U	550 U	120 U	440 U
Fluoranthene	206-44-0	22,000	30,000	6,300	0.0077 U	0.0087 U	0.0078 U	0.32	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Fluorene	86-73-7	22,000	33,000	78	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Hexachlorobenzene	118-74-1	1.1	15	2.2	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Hexachlorobutadiene	87-68-3	22	320	1.9	0.057 U	0.065 U	0.059 U	0.69 U	0.0072 U	0.067 U	8.3 U		6.7 U
	77-47-4	3,700	5,200	400	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.067 U	55 U	1.8 U 12 U	44 U
Hexachlorocyclopentadiene Hexachloroethane	67-72-1	120	880	0.36	0.38 U	0.43 U	0.39 U	0.69 U	0.36 U	0.44 U	8.3 U	1.8 U	6.7 U
Hexachloropropene	1888-71-7	NS 2.1	NS 20	NS 12	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Indeno(1,2,3-cd)pyrene	193-39-5	2.1	29 NS	13 NC	0.0077 U	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Isodrin	465-73-6	NS 1.800	NS ac ooo	NS 0.42	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Isophorone	78-59-1	1,800	26,000	0.42	0.057 U	0.065 U	0.059 U	0.69 U	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

- · · · · · · · · · · · · · · · · · · ·		_	1	1					1				
Boring Location:			WVDEP 60CSR3	WVDEP 60CSR3	AOC6-01	AOC6-02	AOC6-03	AOC6-04	AOC6-05	AOC6-06	AOC6-07	AOC6-08	AOC6-09
Soil Sample ID:		EPA Industrial	Table 60-3B	Table 60-3B	AOC6-01-1.5	AOC6-02-1.5	AOC6-03-1.0	AOC6-04-1.5	AOC6-05-2.0	AOC6-06-5.0	AOC6-07-2.0	AOC6-08-6.5	AOC6-09-6.5
Laboratory Sample ID:		Soil Screening	Industrial Soil	Migration to	A9G160162007	A9G160162005	A9G160162008	A9G160162004	A9G160162010	A9G160162006	A9G160162003	A9G160162002	A9G150150010
Sample Date:		Level	De Minimis	Ground Water	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/14/2009
Sample Depth:		Dec 2009	Level	Soil De Minimis	1.5-2	1.5-2	1-1.5	1.5-2	2-2.5	5-5.5	2-2.5	6.5-7	6.5-7
Concentration Unit:		mg/Kg	mg/Kg	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN		1116/116	mg/Kg	Result/RL LQ DV	Result/RL LQ DV		Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV
Isosafrole	120-58-1	NS	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Methapyrilene	91-80-5	NS	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Methyl methanesulfonate	66-27-3	17	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U J	0.36 U	0.44 U	55 U	12 U	44 U
Methyl parathion	298-00-0	150	220	0.085	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Naphthalene	91-20-3	18	190	0.32	0.01	0.0087 U	0.0078 U	0.092 U	0.0072 U	0.009 U	<u>5.2</u>	0.24 U	0.89 U
Nitrobenzene	98-95-3	24	110	0.022	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	17 U	3.6 U	13 U
N-Nitrosodiethylamine	55-18-5	0.011	0.16	0.0000023	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	<i>17</i> U	<i>3.6</i> U	13 U
N-Nitrosodimethylamine	62-75-9	0.034	0.48	0.0000057	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	<i>17</i> U	3.6 U	13 U
N-Nitrosodi-n-butylamine	924-16-3	0.40	0.62	0.000029	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	<i>17</i> U	<i>3.6</i> U	13 U
N-Nitrosodi-n-propylamine	621-64-7	0.25	3.5	0.000048	0.057 U	0.065 U	0.059 U	0.69 U J	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
N-Nitrosodiphenylamine	86-30-6	350	5,000	0.76	0.057 U	0.065 U	0.059 U	<u>1.1</u> J	0.054 U	<u>1.2</u>	<u>47</u>	6.8	6.7 U
N-Nitrosomethylethylamine	10595-95-6	0.078	1.1	0.000021	0.11 U	0.13 U	0.12 U	1.4 U	0.11 U	0.13 U	<i>17</i> U	3.6 U	13 U
N-Nitrosomorpholine	59-89-2	0.26	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
N-Nitrosopiperidine	100-75-4	0.18	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
N-Nitrosopyrrolidine	930-55-2	0.82	12	0.00033	0.057 U	0.065 U	0.059 U	0.69 U J	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
O,O,O-Triethyl phosphorothioate	126-68-1	NS	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
o-Toluidine	95-53-4	9.6	100	0.0057	0.38 U	0.43 U	0.39 U	4.5 U J	0.36 U	0.44 U	55 U	12 U	44 U
Parathion	56-38-2	3,700	5,300	10	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
p-Dimethylaminoazobenzene	60-11-7	0.37	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Pentachlorobenzene	608-93-5	490	700	20	0.11 U	0.019 J	0.12 U	1.4 U	0.11 U	0.13 U	17 U	3.6 U	13 U
Pentachloroethane	76-01-7	19	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U J	0.36 U	0.44 U	55 U	12 U	44 U
Pentachloronitrobenzene	82-68-8	6.6	95	0.083	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Pentachlorophenol	87-86-5	9	110	0.028	0.17 U	0.2 U	0.18 U	2.1 U	0.16 U	0.2 U	25 U	5.3 U	20 U
Phenacetin	62-44-2	780	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Phenanthrene	85-01-8	NS	410,000	1,500	0.015	0.0087 U	0.0078 U	0.13	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Phenol	108-95-2	180,000	260,000	56	0.057 U	0.065 U	0.059 U	0.69 U J	0.054 U	0.067 U	8.3 U	1.8 U	6.7 U
Phorate	298-02-2	120	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
p-Phenylene diamine	106-50-3	120,000	170,000	48	0.76 U	0.86 U	0.77 U	9.1 U	0.71 U	0.89 U	110 U	24 U	89 U
Pronamide	23950-58-5	46,000	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Pyrene	129-00-0	17,000	54,000	500	0.0077 U	0.0087 U	0.0078 U	0.23	0.0072 U	0.009 U	1.1 U	0.24 U	0.89 U
Pyridine	110-86-1	1,000	880	0.19	0.11 U	0.13 U	0.12 U	1.4 U J	0.11 U	0.13 U	17 U	3.6 U	13 U
Safrole	94-59-7	7.8	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Tetraethyldithiopyrophosphate	3689-24-5	310	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Thionazin	297-97-2	NS	NS	NS	0.38 U	0.43 U	0.39 U	4.5 U	0.36 U	0.44 U	55 U	12 U	44 U
Notes:	•		-		Lahatory Data Qualifi	ors (LO)		Data Validation Quali	fiors (DV)				

Notes

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:				WVDEP 60CSR3	AOC6-10	AOC6-11	AOC6-12	AOC6-13	AOC6-14	AOC6-15	AOC6-16	AOC6-22
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC6-10-2.5	AOC6-11-2.0	AOC6-12-8.0	AOC6-13-3.0	AOC6-14-2.0	AOC6-15-6.0	AOC6-16-2.0	AOC6-22-1.0
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G150150009	A9G150150007	A9G150150008	A9G150150006	A9G150161010	A9G150161011	A9G150161012	A9G160162009
Sample Date:		Level	Industrial Soil	Ground Water	07/14/2009	07/14/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/13/2009	07/15/2009
Sample Depth:		Dec 2009	De Minimis	Soil De Minimis	2.5-3	2-2.5	8-8.5	3-3.5	2-2.5	6-6.5	2-2.5	1-1.5
Concentration Unit:		mg/Kg	Level	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN	6/6	mg/Kg	mg/Kg	Result/RL LQ DV				Result/RL LQ DV			Result/RL LQ DV
1,2,4,5-Tetrachlorobenzene	95-94-3	180	260	0.66	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
1,2,4-Trichlorobenzene	120-82-1	99	20,000	4.9	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.032 J	0.059 U
1,2-Dichlorobenzene	95-50-1	9,800	150	12	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U J	0.063 U	0.063 U	0.059 U
1,2-Diphenylhydrazine	122-66-7	2.2	31	0.0026	8.1 U	1.9 U	1.6 U	2.3	0.063 U	0.063 U	0.063 U	0.059 U
1,3,5-Trinitrobenzene	99-35-4	27,000	26,000	52	260 U	62 U	51 U	44 U	2 U	2 U	2 U	1.9 U
1,3-Dichlorobenzene	541-73-1	NS	130	12	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U J	0.063 U	0.063 U	0.059 U
1,3-Dinitrobenzene	99-65-0	62	88	0.037	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
1,4-Dichlorobenzene	106-46-7	12	45	2.2	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U J	0.063 U	0.063 U	0.059 U
1,4-Naphthoquinone	130-15-4	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
1-Naphthylamine	134-32-7	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
2,3,4,6-Tetrachlorophenol	58-90-2	18,000	26,000	92	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
2,4,5-Trichlorophenol	95-95-4	62,000	88,000	250	24 U	5.8 U	4.8 U	4.1 U	0.19 U	0.19 U	0.19 U	0.18 U
2,4,6-Trichlorophenol	88-06-2	160	2,200	0.12	24 U	5.8 U	4.8 U	4.1 U	0.19 U	0.19 U	0.19 U	0.18 U
2,4-Dichlorophenol	120-83-2	1,800	2,600	1.1	24 U	5.8 U	4.8 U	4.1 U	0.19 U	0.19 U	0.19 U	0.18 U
2,4-Dimethylphenol	105-67-9	12,000	18,000	9	24 U	5.8 U	4.8 U	4.1 U	0.19 U	0.19 U	0.19 U	0.18 U
2,4-Dinitrophenol	51-28-5	1,200	1,800	0.29	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
2,4-Dinitrotoluene	121-14-2	5.5	1,800	0.57	33 U	7.8 U	6.4 U	5.5 U	0.25 U	0.25 U	0.25 U	0.24 U
2,6-Dichlorophenol	87-65-0	NS	NS	NS	33 U	7.8 U	6.4 U	5.5 U	0.25 U	0.25 U	0.25 U	0.24 U
2,6-Dinitrotoluene	606-20-2	620	890	0.25	33 U	7.8 U	6.4 U	5.5 U	0.25 U	0.25 U	0.25 U	0.24 U
2-Acetylaminofluorene	53-96-3	0.45	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
2-Chloronaphthalene	91-58-7	82,000	27,000	32	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
2-Chlorophenol	95-57-8	5,100	240	0.61	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U J	0.063 U	0.063 U	0.059 U
2-Methylnaphthalene	91-57-6	4,100	NS	NS	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
2-Methylphenol	95-48-7	31,000	44,000	14	33 U	7.8 U	6.4 U	5.5 U	0.25 U J	0.25 U	0.25 U	0.24 U
2-Naphthylamine	91-59-8	0.96	NS	NS	33 U	7.8 U	6.4 U	5.5 U	0.25 U	0.25 U	0.25 U	0.24 U
2-Nitroaniline	88-74-4	6,000	2,600	0.56	33 U	7.8 U	6.4 U	5.5 U	0.25 U	0.25 U	0.25 U	0.24 U
2-Nitrophenol	88-75-5	NS	NS	NS	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
2-Picoline	109-06-8	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U J	0.41 U	0.42 U	0.39 U
2-sec-Butyl-4,6-dinitrophenol	88-85-7	620	880	0.033	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
3,3'-Dichlorobenzidine	91-94-1	3.8	55	0.0049	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
3,3'-Dimethoxybenzidine	119-90-4	120	1,800	0.3	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
3,3'-Dimethylbenzidine	119-93-7	0.16	11	0.0089	<i>54</i> U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
3-Methylcholanthrene	56-49-5	0.078	NS	NS	33 U	7.8 U	6.4 U	5.5 U	0.25 U	0.25 U J	0.25 U	0.24 U
3-Methylphenol	108-39-4	31,000	44,000	39	33 U	7.8 U	6.4 U	5.5 U	0.25 U J	0.25 U	0.25 U	0.24 U
3-Nitroaniline	99-09-2	NS	NS	NS	33 U	7.8 U	6.4 U	5.5 U	0.25 U	0.25 U	0.25 U	0.24 U
4,6-Dinitro-2-methylphenol	534-52-1	62	NS	NS	24 U	5.8 U	4.8 U	4.1 U	0.19 U	0.19 U	0.19 U	0.18 U
4-Aminobiphenyl	92-67-1	0.082	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
4-Bromophenyl phenyl ether	101-55-3	NS	NS	NS	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
4-Chloro-3-methylphenol	59-50-7	62,000	NS	NS	24 U	5.8 U	4.8 U	4.1 U	0.19 U	0.19 U	0.19 U	0.18 U
4-Chloroaniline	106-47-8	8.6	3500	0.97	24 U	5.8 U	4.8 U	4.1 U	0.19 U	0.19 U	0.19 U	0.18 U
4-Chlorophenyl phenyl ether	7005-72-3	NS	NS	NS	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
4-Methylphenol	106-44-5	3100	4400	3.9	33 U	7.8 U	6.4 U	5.5 U	0.25 U J	0.25 U	0.25 U	0.24 U
4-Nitroaniline	100-01-6	86	NS	NS	33 U	7.8 U	6.4 U	5.5 U	0.25 U	0.25 U	0.25 U	0.24 U
4-Nitrophenol	100-02-7	NS	7000	1.7	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
4-Nitroquinoline-1-oxide	56-57-5	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:				WVDEP 60CSR3	AOC6-10	AOC6-11	AOC6-12	AOC6-13	AOC6-14	AOC6-15	AOC6-16	AOC6-22
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC6-10-2.5	AOC6-11-2.0	AOC6-12-8.0	AOC6-13-3.0	AOC6-14-2.0	AOC6-15-6.0	AOC6-16-2.0	AOC6-22-1.0
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G150150009	A9G150150007	A9G150150008	A9G150150006	A9G150161010	A9G150161011	A9G150161012	A9G160162009
Sample Date:		Level	Industrial Soil	Ground Water	07/14/2009	07/14/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/13/2009	07/15/2009
Sample Depth:		Dec 2009	De Minimis	Soil De Minimis	2.5-3	2-2.5	8-8.5	3-3.5	2-2.5	6-6.5	2-2.5	1-1.5
Concentration Unit:		mg/Kg	Level	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN	6/ 1.6	mg/Kg	mg/Kg	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV		Result/RL LQ DV		Result/RL LQ DV	Result/RL LQ DV
5-Nitro-o-toluidine	99-55-8	52	750	0.015	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
7,12-Dimethylbenz(a)anthracene	57-97-6	0.0062	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U J	0.42 U	0.39 U
a,a-Dimethylphenethylamine	122-09-8	NS	NS	NS	110 U	26 U	21 U	18 U	0.83 U	0.83 U	0.84 U	0.78 U
Acenaphthene	83-32-9	33,000	38,000	73	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Acenaphthylene	208-96-8	NS	44,000	91	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Acetophenone	98-86-2	100,000	25,000	3.2	16 U	3.9 U	3.2 U	2.7 U	0.13 U J	0.13 U	0.13 U	0.12 U
Aniline	62-53-3	300	4,300	0.14	120	1.6 J	18	15	0.42 U J	0.41 U	0.42 U	0.39 U
Anthracene	120-12-7	170,000	390,000	1700	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Aramite	140-57-8	69	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Benzidine	92-87-5	0.0075	0.11	0.000033	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Benzo(a)anthracene	56-55-3	2.1	29	1.5	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Benzo(a)pyrene	50-32-8	0.21	2.9	8.2	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U J	0.0085 U	0.0079 U
Benzo(b)fluoranthene	205-99-2	2.1	29	4.5	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U J	0.0085 U	0.0079 U
Benzo(ghi)perylene	191-24-2	NS	23,000	120,000	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U J	0.0085 U	0.0079 U
Benzo(k)fluoranthene	207-08-9	21	290	45	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U J	0.0085 U	0.0079 U
Benzyl alcohol	100-51-6	62,000	440,000	150	54 U	13 U	11 U	9.1 U	0.42 U J	0.41 U	0.42 U	0.39 U
bis(2-Chloro-1-methylethyl) ether	108-60-1	22	81	0.0018	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
bis(2-Chloroethoxy)methane	111-91-1	1,800	NS	NS	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
bis(2-Chloroethyl) ether	111-44-4	1.0	6	0.56	16 U	3.9 U	3.2 U	2.7 U	0.13 U J	0.13 U	0.13 U	0.12 U
bis(2-Ethylhexyl) phthalate	117-81-7	120	1,800	3,600	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Butyl benzyl phthalate	85-68-7	910	180,000	17,000	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Chlorobenzilate	510-15-6	16	91	0.027	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Chrysene	218-01-9	210	2900	150	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Diallate	2303-16-4	28	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Dibenz(a,h)anthracene	53-70-3	0.21	2.9	1.4	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U J	0.0085 U	0.0079 U
Dibenzofuran	132-64-9	1,000	2,000	11	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Diethyl phthalate	84-66-2	490,000	700,000	450	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Dimethoate	60-51-5	120	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Dimethyl phthalate	131-11-3	NS	1,000,000	2,000	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Di-n-butyl phthalate	84-74-2	62,000	88,000	5,000	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Di-n-octyl phthalate	117-84-0	NS	NS	NS	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U J	0.063 U	0.059 U
Diphenylamine	122-39-4	15,000	22,000	25	16 U	44	2.8 J	1.4 J	0.13 U	0.13 U	0.13 U	0.12 U
Disulfoton	298-04-4	25	35	0.064	<i>54</i> U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Ethyl methanesulfonate	62-50-0	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U J	0.41 U	0.42 U	0.39 U
Famphur	52-85-7	NS	NS	NS	540 U	130 U	110 U	91 U	4.2 U	4.1 U	4.2 U	3.9 U
Fluoranthene	206-44-0	22,000	30,000	6,300	1.8	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Fluorene	86-73-7	22,000	33,000	78	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Hexachlorobenzene	118-74-1	1.1	15	2.2	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Hexachlorobutadiene	87-68-3	22	320	1.9	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Hexachlorocyclopentadiene	77-47-4	3,700	5,200	400	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Hexachloroethane	67-72-1	120	880	0.36	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Hexachloropropene	1888-71-7	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Indeno(1,2,3-cd)pyrene	193-39-5	2.1	29	13	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U J	0.0085 U	0.0079 U
Isodrin	465-73-6	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Isophorone	78-59-1	1,800	26,000	0.42	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U	0.063 U	0.063 U	0.059 U
Large reserve		_,555	,000	·- <u>-</u>	Labatami Data Ovalifi		0 0	Data Validation Quali		2.230 0	2.200	

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:				WVDEP 60CSR3	AOC6-10	AOC6-11	AOC6-12	AOC6-13	AOC6-14	AOC6-15	AOC6-16	AOC6-22
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC6-10-2.5	AOC6-11-2.0	AOC6-12-8.0	AOC6-13-3.0	AOC6-14-2.0	AOC6-15-6.0	AOC6-16-2.0	AOC6-22-1.0
Laboratory Sample ID:		Soil Screening	Table 60-3B		A9G150150009	A9G150150007	A9G150150008	A9G150150006	A9G150161010	A9G150161011	A9G150161012	A9G160162009
Sample Date:		Level	Industrial Soil	Migration to Ground Water	07/14/2009	07/14/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/13/2009	07/15/2009
Sample Date.		Dec 2009	De Minimis			2-2.5	8-8.5	3-3.5	2-2.5	6-6.5	2-2.5	1-1.5
		mg/Kg	Level	Soil De Minimis	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Concentration Unit: Chemical Name	CAS RN	IIIg/ Ng	mg/Kg	Level	Result/RL LQ DV	Result/RL LQ DV			Result/RL LQ DV		Result/RL LQ DV	Result/RL LQ DV
Isosafrole	120-58-1	NS	NS	mg/Kg NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
	91-80-5	NS NS	NS NS	NS NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Methapyrilene	66-27-3	17	NS NS	NS NS	54 U	13 U						
Methyl methanesulfonate							11 U	9.1 U	0.42 U J	0.41 U	0.42 U	0.39 U
Methyl parathion	298-00-0	150	220	0.085	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Naphthalene	91-20-3	18	190	0.32	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Nitrobenzene	98-95-3	24	110	0.022	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
N-Nitrosodiethylamine	55-18-5	0.011	0.16	0.0000023	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
N-Nitrosodimethylamine	62-75-9	0.034	0.48	0.0000057	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
N-Nitrosodi-n-butylamine	924-16-3	0.40	0.62	0.000029	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
N-Nitrosodi-n-propylamine	621-64-7	0.25	3.5	0.000048	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U J	0.063 U	0.063 U	0.059 U
N-Nitrosodiphenylamine	86-30-6	350	5,000	0.76	8.1 U	<u>44</u>	2.8	1.4	0.063 U J	0.063 U	0.063 U	0.059 U
N-Nitrosomethylethylamine	10595-95-6	0.078	1.1	0.000021	<i>16</i> U	3.9 U	3.2 U	2.7 U	0.13 U J	0.13 U	0.13 U	0.12 U
N-Nitrosomorpholine	59-89-2	0.26	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U J	0.41 U	0.42 U	0.39 U
N-Nitrosopiperidine	100-75-4	0.18	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
N-Nitrosopyrrolidine	930-55-2	0.82	12	0.00033	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U J	0.063 U	0.063 U	0.059 U
O,O,O-Triethyl phosphorothioate	126-68-1	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
o-Toluidine	95-53-4	9.6	100	0.0057	<u>13</u> J	13 U	<u>0.78</u> J	9.1 U	0.42 U J	0.41 U	0.42 U	0.39 U
Parathion	56-38-2	3,700	5,300	10	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
p-Dimethylaminoazobenzene	60-11-7	0.37	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Pentachlorobenzene	608-93-5	490	700	20	16 U	3.9 U	3.2 U	2.7 U	0.13 U	0.13 U	0.13 U	0.12 U
Pentachloroethane	76-01-7	19	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U J	0.41 U	0.42 U	0.39 U
Pentachloronitrobenzene	82-68-8	6.6	95	0.083	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Pentachlorophenol	87-86-5	9	110	0.028	24 U	5.8 U	4.8 U	4.1 U	0.19 U	0.19 U	0.19 U	0.18 U
Phenacetin	62-44-2	780	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Phenanthrene	85-01-8	NS	410,000	1,500	1.1 U	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Phenol	108-95-2	180,000	260,000	56	8.1 U	1.9 U	1.6 U	1.4 U	0.063 U J	0.063 U	0.063 U	0.059 U
Phorate	298-02-2	120	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
p-Phenylene diamine	106-50-3	120,000	170,000	48	110 U	26 U	21 U	18 U	0.83 U	0.83 U	0.84 U	0.78 U
Pronamide	23950-58-5	46,000	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Pyrene	129-00-0	17,000	54,000	500	1.5	0.26 U	0.21 U	0.18 U	0.0084 U	0.0084 U	0.0085 U	0.0079 U
Pyridine	110-86-1	1,000	880	0.19	16 U	3.9 U	3.2 U	2.7 U	0.13 U J	0.13 U	0.13 U	0.12 U
Safrole	94-59-7	7.8	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Tetraethyldithiopyrophosphate	3689-24-5	310	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Thionazin	297-97-2	NS	NS	NS	54 U	13 U	11 U	9.1 U	0.42 U	0.41 U	0.42 U	0.39 U
Notes:	•				Labatory Data Qualifi			Data Validation Quali				

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm.

AOC 6 Soil Sample Results for PCBs and Metals

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:		<u> </u>		WVDEP 60CSR3	AOC6-0	1	AOC6	-02	AOC6-03	AOC6-04	AOC6-05	AOC6-06	5	AOC6	-07	AOC6-08		AOC6-09
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC6-01-		AOC6-0	-	AOC6-03-1.0	AOC6-04-1.5	AOC6-05-2.0	AOC6-06-5		AOC6-0		AOC6-08-6		AOC6-09-6.5
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G16016		A9G1601		A9G160162008	A9G160162004	A9G160162010	A9G160162		A9G1601		A9G160162		A9G150150010
Sample Date:		Level	Industrial Soil	Ground Water	07/15/20		07/15/2		07/15/2009	07/15/2009	07/15/2009	07/15/200		07/15/		07/15/200		07/14/2009
Sample Depth:		Dec 2009	De Minimis	Soil De Minimis	1.5-2		1.5-		1-1.5	1.5-2	2-2.5	5-5.5		2-2		6.5-7		6.5-7
Concentration Unit:		mg/Kg	Level	Level	mg/Kg		mg/l		mg/Kg	mg/Kg	mg/Kg	mg/Kg		mg/		mg/Kg		mg/Kg
Chemical Name	CAS RN	G, G	mg/Kg	mg/Kg	0, 0			-	Result/RL Q DV			0. 0	DV	•	-		DV	• •
Polychlorinated Biphenyls				- Bi - B	•		,			, ,		·		,		,		,
Total PCBs	1336-36-3	NS	10	0.9	0.19 U	ı	0.043	U	0.039 U	0.23 U	0.036 U	0.044 U		8.9		0.047 U		0.044 U
Aroclor 1016	12674-11-2	21	50	1.3	0.19 U	ı	0.043	U	0.039 U	0.23 U	0.036 U	0.044 U		0.73	U	0.047 U		0.044 U
Aroclor 1221	11104-28-2	0.54	10	0.0023	0.19 U	ı	0.043	U	0.039 U	0.23 U	0.036 U	0.044 U		0.73	U	0.047 U		0.044 U
Aroclor 1232	11141-16-5	0.54	10	0.0023	0.19 U	ı	0.043	U	0.039 U	0.23 U	0.036 U	0.044 U		0.73	U	0.047 U		0.044 U
Aroclor 1242	53469-21-9	0.74	10	0.045	0.19 U	ı	0.043	U	0.039 U	0.23 U	0.036 U	0.044 U		0.73	U	0.047 U		0.044 U
Aroclor 1248	12672-29-6	0.74	10	0.059	0.19 U	ı	0.043	U	0.039 U	0.23 U	0.036 U	0.044 U		0.73	U	0.047 U		0.044 U
Aroclor 1254	11097-69-1	0.74	10	0.27	0.19 U	ı	0.043	U	0.039 U	0.23 U	0.036 U	0.044 U		<u>8.9</u>		0.047 U		0.044 U
Aroclor 1260	11096-82-5	0.74	10	0.39	0.19 U	ı	0.043	U	0.039 U	0.23 U	0.036 U	0.044 U		0.73	U	0.047 U		0.044 U
Metals																		
Antimony	7440-36-0	410	820	5.4	0.095 J	L	1.8	L	0.14 J L	<u>14.4</u> L	0.12 J L	0.16 J	L	<u>9.6</u>	JG L	4 JG	L	0.052 J L
Arsenic	7440-38-2	1.6	27	5.8	1.9 B	L	<u>10.8</u>	B L	<u>7.1</u> B L	<u>9.2</u> B L	<u>6.2</u> B L	1.3 B	L	<u>9.9</u>	B L	3 B	L	2.3 J
Barium	7440-39-3	190,000	290,000	1,600	30.1 B	,	<u>5,880</u>	В	167 B J	<u>7,430</u> B	39.7 B	180 B		<u>6,450</u>	В	133 B		219 B
Beryllium	7440-41-7	2,000	3,700	63	0.26		1.3		0.65	0.92	0.46	1.2		0.65		0.52		1.5
Cadmium	7440-43-9	800	1,000	7.5	0.031 J		0.021	J	0.033 J	0.36	0.029 J	0.044 J		2.7		0.24		0.034 J
Chromium	7440-47-3	NS	NS	NS	2.5 B	L	12.8	B L	13.4 B L	49.6 B L	7.5 B L	13.9 B	L	53.8	B L	19.2 B	L	12.3 B
Cobalt	7440-48-4	300	19,000	660	3.9		20.7		5.7	13.6	5.2	3.1		16.6		6.6		2.9
Copper	7440-50-8	41,000	82,000	1,000	3.2 B		47.6	В	11.9 B	371 B	8.2 B	15.5 B		210	В	72.1 B		16.6 B B
Lead	7439-92-1	800	1,000	270	3.7 B		58.3	В	10.6 B	<u>391</u> B	7.3 B	14.2 B		<u>394</u>	В	<u>449</u> B		11.5 B L
Mercury	7439-97-6	34	610	2.1	0.11 U	ı	0.24		0.12 U	0.16	0.11 U	0.04 J		0.098	J	0.14 U		0.025 J
Nickel	7440-02-0	20,000	41,000	130	9.4 B	L	74.8	B L	14.5 B L	80 B L	10.2 B L	12 B	L	<u>203</u>	B L	28.6 B	L	10.6 B
Selenium	7782-49-2	5,100	10,000	5.2	0.17 J	L	0.6	J L	0.43 J L	0.91 L	0.35 J L	0.72	L	0.8	J L	1.1	L	1.7
Silver	7440-22-4	5,100	10,000	31	0.11 U	1	0.16	K	0.12 U	0.13 J K	0.11 U	0.057 J	K	0.15	J K	0.12 J	K	0.057 J
Thallium	7440-28-0	NS	160	2.8	0.02 J	L	0.13	U L	0.096 J L	0.12 J L	0.043 J L	0.17 L		5.5	UG L	2.7 JG		0.16 B
Tin	7440-31-5	610,000	1,000,000	110,000	0.23 J	L	0.65	J L	0.39 J L	6.4 J L	0.25 J L	0.69 J	L	12.3	JG L	713 UC	ì	0.47 JB B
Vanadium	7440-62-2	72	2,000	730	2.9	L	17.8	L	20.5 L	27 L	12.8 L	16.1	L	223	L	21.7	L	14 L
Zinc	7440-66-6	310,000	610,000	14,000	17.4 B	L	58.3	B L	41.8 B L	318 J L	27 B L	39.5 B	L	1150	B L	43.5 B	L	25.2 B

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. Bolded values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
- G Elevated Reporting Limit due to matrix interference

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.

AOC 6 Soil Sample Results for PCBs and Metals

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:		1	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	WVDEP 60CSR3	AOC6-10	AOC6-11	AOC6-12	AOC6-13	AOC6-14	AOC6-15	AOC6-16	AOC6-03
Soil Sample ID:		EPA Industrial	WVDEP 60CSR3	Table 60-3B	AOC6-10-2.5	AOC6-11-2.0	AOC6-12-8.0	AOC6-13-3.0	AOC6-14-2.0	AOC6-15-6.0	AOC6-16-2.0	AOC6-22-1.0
Laboratory Sample ID:		Soil Screening	Table 60-3B	Migration to	A9G150150009	A9G150150007	A9G150150008	A9G150150006	A9G150161010	A9G150161011	A9G150161012	A9G160162009
Sample Date:		Level	Industrial Soil	Ground Water	07/14/2009	07/14/2009	07/14/2009	07/14/2009	07/13/2009	07/13/2009	07/13/2009	07/15/2009
Sample Depth (feet below ground surface	e):	Dec 2009	De Minimis	Soil De Minimis	2.5-3	2-2.5	8-8.5	3-3.5	2-2.5	6-6.5	2-2.5	1-1.5
Concentration Unit:	-,	mg/Kg	Level	Level	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
Chemical Name	CAS RN		mg/Kg	mg/Kg		0. 0	J. J.	Result/RL Q DV		0, 0		
Polychlorinated Biphenyls				8/8	, ,			, ,				
Total PCBs	1336-36-3	NS	10	0.9	0.091	0.064 U	0.053 U	0.06	0.042 U	0.041 U	0.042 U	0.039 U
Aroclor 1016	12674-11-2	21	50	1.3	0.043 U	0.064 U	0.053 U	0.045 U	0.042 U	0.041 U	0.042 U	0.039 U
Aroclor 1221	11104-28-2	0.54	10	0.0023	0.043 U	0.064 U	0.053 U	0.045 U	0.042 U	0.041 U	0.042 U	0.039 U
Aroclor 1232	11141-16-5	0.54	10	0.0023	0.043 U	0.064 U	0.053 U	0.045 U	0.042 U	0.041 U	0.042 U	0.039 U
Aroclor 1242	53469-21-9	0.74	10	0.045	0.052	0.064 U	0.053 U	0.06	0.042 U	0.041 U	0.042 U	0.039 U
Aroclor 1248	12672-29-6	0.74	10	0.059	0.043 U	0.064 U	0.053 U	0.045 U	0.042 U	0.041 U	0.042 U	0.039 U
Aroclor 1254	11097-69-1	0.74	10	0.27	0.039 J	0.064 U	0.053 U	0.045 U	0.042 U	0.041 U	0.042 U	0.039 U
Aroclor 1260	11096-82-5	0.74	10	0.39	0.043 U	0.064 U	0.053 U	0.045 U	0.042 U	0.041 U	0.042 U	0.039 U
Metals												
Antimony	7440-36-0	410	820	5.4	<u>6.2</u> L	0.49 L	0.26 J L	0.27 L	0.1 J L	0.081 J L	0.13 J L	0.19 J L
Arsenic	7440-38-2	1.6	27	5.8	<u>21.9</u> J	0.78 J J	5.8 J	<u>6.5</u> J	<u>6</u> J	4 J	5.8 J	<u>7</u> B L
Barium	7440-39-3	190,000	290,000	1,600	516 B	32.2 B	289 B	124 B	143 B	151 B	97.5 B	275 B J
Beryllium	7440-41-7	2,000	3,700	63	2.3	0.14 J	1.7	1.2	1.2	1.2	0.5	0.68
Cadmium	7440-43-9	800	1,000	7.5	1.1	1.6	0.46	0.042 J	0.058 J	0.14	0.018 J	0.041 J
Chromium	7440-47-3	NS	NS	NS	40.2 B	1.5 B	139 B	18.3 B	16.2 B	10.9 B	16.4 B	14.5 B L
Cobalt	7440-48-4	300	19,000	660	17.4	1	16.7	12.1	12.7	10.2	5.2	6.2
Copper	7440-50-8	41,000	82,000	1,000	304 B	27.7 B	71.8 B	26.1 B	14.4 B B	10 B B	22 B	14.6 B
Lead	7439-92-1	800	1,000	270	<u>353</u> B L	<u>291</u> B L	137 B L	29.4 B L	12.7 B L	12.1 B L	16.5 B L	14.4 B
Mercury	7439-97-6	34	610	2.1	0.022 J	0.19 U	0.14 J	0.043 J	0.023 J	0.13 U	0.13 U	0.019 J
Nickel	7440-02-0	20,000	41,000	130	65.2 B	33.8 B	108 B	22.1 B	18.7 B	14.5 B	13.6 B	16.5 B L
Selenium	7782-49-2	5,100	10,000	5.2	2.5	0.97 U	2.1	1.5	1.7	2	0.68 K	0.49 J L
Silver	7440-22-4	5,100	10,000	31	0.15	0.19 U	0.11 J	0.025 J	0.13 U	0.032 J	0.13 U	0.023 J K
Thallium	7440-28-0	NS	160	2.8	0.66 B	0.044 JB L	0.3 B	0.19 B	0.17 B	0.13 B	0.16 B	0.11 J L
Tin	7440-31-5	610,000	1,000,000	110,000	22.5 B	6.2 JB	7.2 JB	0.86 JB B	0.57 JB B	0.41 JB B	0.59 JB B	0.49 J L
Vanadium	7440-62-2	72	2,000	730	38 L	1.1	39 L	20.1 L	21.8 L	15.4 L	23.2	21.4 L
Zinc	7440-66-6	310,000	610,000	14,000	286 B	119 B	171 B	55.9 B	70.9 B	38.5 B	51.2 B	43.7 B L

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Labatory Data Qualifiers (LQ)

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
- G Elevated Reporting Limit due to matrix interference

- B Not detected substantially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.
- L Analyte is present. Reported value may be biased low. Actual value is expected to be higher.

Table 27 AOC 6 Soil Sample Results for Total Petroleum Hydrocarbons

RCRA Facility Investigation Phase II
Former BASF Huntington Works, Huntington, West Virginia

Boring Location: Soil Sample ID: Laboratory Sample ID: Sample Date: Sample Depth: Concentration Unit: Chemical Name	EPA Industrial Soil Screening Level Dec 2009 mg/kg	WVDEP 60CSR3 Industrial Soil De Minimis Level mg/kg	WVDEP 60CSR3 Migration to Ground Water Soil De Minimis Level mg/kg	AOC6-14 AOC6-14-2.0 A9G150161010 07/13/2009 2-2.5 mg/kg Result/RL LQ DV	AOC6-15 AOC6-15-6.0 A9G150161011 07/13/2009 6-6.5 mg/kg Result/RL LQ DV	AOC6-16 AOC6-16-2.0 A9G150161012 07/13/2009 2-2.5 mg/kg Result/RL LQ DV
TPH (as Diesel Range Organics)	NS	8,300	170	13 U	<u>180</u>	13 U

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. Bolded values exceed the WVDEP 60CSR3 Draft Supplemental Guidance on TPH for De Minimis Levels in Soil and Groundwater
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 WVDEP 60CSR3 Draft Supplemental Guidance on TPH for De Minimis Levels in Soil and Groundwater
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Laboratory Data Qualifiers (LQ)

- U Target analyte not detecte above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level

Table 28 AOC 6 Soil Sample Results for Ethylene Glycol

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location: Soil Sample ID: Laboratory Sample ID: Sample Date: Sample Depth: Concentration Unit: Chemical Name	CAS RN	EPA Industrial Soil Screening Level Dec 2009 mg/Kg	WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level mg/Kg	WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level mg/Kg	AOC6-05 AOC6-05-2.0 RSG0648-04 07/15/2009 2-2.5 mg/Kg Result/RL LQ DV	AOC6-06 AOC6-06-5.0 RSG0648-03 07/15/2009 5-5.5 mg/Kg Result/RL LQ DV
Ethylene Glycol	107-21-1	1,200,000	1,000,000	300	5.2 U	6.6 U

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. Bolded values exceed the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Migration to Ground Water Soil De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Industrial Soil De Minimis Level

Laboratory Data Qualifiers (LQ)

- U Target analyte not detecte above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level

Table 29

AOC 6 Soil Sample Results for pH RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Boring Location:	AOC6-01	AOC6-02	AOC6-03	AOC6-04	AOC6-05	AOC6-06	AOC6-09	AOC6-10	AOC6-11	AOC6-12	AOC6-13
Soil Sample ID:	AOC6-01-1.5	AOC6-02-1.5	AOC6-03-1.0	AOC6-04-1.5	AOC6-05-2.0	AOC6-06-5.0	AOC6-09-6.5	AOC6-10-2.5	AOC6-11-2.0	AOC6-12-8.0	AOC6-13-3.0
Sample Date:	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/15/2009	07/14/2009	07/14/2009	07/14/2009	07/14/2009	07/14/2009
Sample Depth:	1.5-2	1.5-2	1-1.5	1.5-2	2-2.5	5-5.5	6.5-7	2.5-3	2-2.5	8-8.5	3-3.5
pH Value (std unit)	8.29	7.27	4.79	6.98	4.26	8.00	7.65	8.31	6.85	3.94	4.91
Temperature (deg C)	25.0	24.7	28.8	24.6	28.4	24.2	25.3	25.3	24.1	24.6	23.9

Notes:

- 1. pH analysis of soil was completed in the field
- 2. Analysis of soil sample for pH was completed immediately after collection of the sample

Table 30 Monitoring Well Field Sampling Data for July 2009

RCRA Facility Investigation Phase II
Former BASF Huntington Works, Huntington, West Virginia

Monitor Well ID	TMW-1D	TMW-12D	TMW-9D	TMW-2D	TMW-4D	TMW-5D
Ground Water Sample ID:	TMW-1D-072309	TMW-12D-072209	TMW-9D-072209	TMW-2D-072309	TMW-4D-072309	TMW-5D-072409
Laboratory Sample ID:	A9G240125002	A9G230196003	A9G230196001	A9G240125003	A9G240125005	A9G250133003
Sample Date:	07/23/2009	07/22/2009	07/22/2009	07/23/2009	07/23/2009	07/24/2009
Top of Casing Elevations (ft MSL)	548.23	545.79	548.48	549.46	550.42	557.97
Measured Depth to Ground Water (ft)	24.66	22.23	25.00	25.12	26.27	34.14
Groundwater Elevation (ft MSL)	523.57	523.56	523.48	524.34	524.15	523.83
Purge Method	Low Flow	Low Flow	Low Flow	Low Flow	Low Flow	Low Flow
Sampling Method	Low Flow	Low Flow	Low Flow	Low Flow	Low Flow	Low Flow
Field Measurements						
pH (std unit)	6.25	6.58	5.92	6.76	7.21	6.39
Temperature (deg C)	20.07	20.57	21.84	17.43	18.69	19.19
Dissolved Oxygen (mg/L)	0.00	0.00	0.26	3.05	0.00	0.00
Conductivity (umhos/cm)	546	666	666	417	643	400
Redox Potential (mV)	1	-190	-190	-125	-149	32
Turbidity (NTU)	132	27.0	40.1	137	6.24	39.9

Monitor Well ID	TMW-6D	TMW-7D	TMW-8D	TMW-4S	TMW-11S
Ground Water Sample ID:	TMW-6D-072409	TMW-7D-072409	TMW-8D-072409	TMW-4S-072309	TMW-11S-072309
Laboratory Sample ID:	A9G250133002	A9G250133005	A9G250133001	A9G240125004	A9G240125007
Sample Date:	07/24/2009	07/24/2009	07/24/2009	07/23/2009	07/23/2009
Top of Casing Elevations (ft MSL)	549.70	550.69	557.79	550.35	554.99
Measured Depth to Ground Water (ft)	25.78	27.00	33.87	26.22	30.86
Groundwater Elevation (ft MSL)	523.92	523.69	523.92	524.13	524.13
Purge Method	Low Flow				
Sampling Method	Low Flow				
Field Measurements					
pH (std unit)	6.20	6.30	6.75	6.70	6.76
Temperature (deg C)	17.75	19.51	18.43	19.96	18.75
Dissolved Oxygen (mg/L)	0.00	0.00	0.00	8.25	0.00
Conductivity (umhos/cm)	540	393	670	1001	973
Redox Potential (mV)	158	-2	-69	-103	-152
Turbidity (NTU)	0.00	27.2	3.12	22.7	2.58

Notes

- 1. Monitoring wells were sampled by Potesta Associates of Charleston, WV
- 2. Wells were samplied using EPA SOP for low flow purging and sampling
- 3. Duplicate sample TMW-10 was collected from TMW-4D
- 4. Dissolved Oxygen data is suspect due to possible meter malfunction

Table 31 Ground Water Results for Volatile Organic Compounds July 2009

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

						Former BASE Huntingt	ion works, namington,	West Virginia					
Monitor Well ID		WVDEP 60CSR3	TMW-1D	TMW-2D	TMW-4D	TMW-5D	TMW-6D	TMW-7D	TMW-8D	TMW-9D	TMW-12D	TMW-4S	TMW-11S
Ground Water Sample ID:		Table 60-3B	TMW-1D-072309	TMW-2D-072309	TMW-4D-072309	TMW-5D-072409	TMW-6D-072409	TMW-7D-072	409 TMW-8D-072409	TMW-9D-072209	TMW-12D-072209	TMW-4S-072309	TMW-11S-072309
Laboratory Sample ID:		Ground Water	A9G240125002	A9G240125003	A9G240125005	A9G250133003	A9G250133002	A9G2501330	005 A9G250133001	A9G230196001	A9G230196003	A9G240125004	A9G240125007
Sample Date:		De Minimis	07/23/2009	07/23/2009	07/23/2009	07/24/2009	07/24/2009	07/24/2009	9 07/24/2009	07/22/2009	07/22/2009	07/23/2009	07/23/2009
Concentration Unit:		Level	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	CAS RN	ug/L	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL L	Q DV Result/RL LQ DV	V Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV	Result/RL LQ DV
Tetrachloroethene	127-18-4	5	1.4 U	1 U	1 U	40 U	1 U	0.46 J	1 U	1 U	2.9	330 U	140 U
Trichloroethene	79-01-6	5	43	1 U	1 U	10	1 U	40	1 U	3.2	11	330 U	140 U
cis-1,2-Dichloroethene	156-59-2	70	21	1 U	1 U	2.5	1 U	9.4	1 U	1 U	28	330 U	140 U
trans-1,2-Dichloroethene	156-60-5	100	32	1 U	1 U	1 U	1 U	0.38 J	1 U	1 U	30	330 U	140 U
Vinyl chloride	75-01-4	2	1.4	1 U	1 U	<i>50</i> U	1 U	1.4 U	1 U	1 U	3.2	330 U	140 U
Ethylbenzene	100-41-4	700	1.4 U	1 U	1 U	1 U	1 U	1.4 U	1 U	1 U	1 U	7,400	4,000
Toluene	108-88-3	1,000	1.4 U	1 U	1 U	2 U	1 U	1.4 U	1 U	1 U	1 U	420 B	170 B
Xylenes (total)	1330-20-7	10,000	2.9 U	2 U	2 U	1 U	2 U	2.9 U	2 U	2 U	2 U	19,000	11,000
1,1,1-Trichloroethane	71-55-6	200	1.4 U	1 U	1 U	5 U	1 U	1.4 U	1 U	1 U	1 U	330 U	140 U
1,1-Dichloroethene	75-35-4	7	0.3 J	1 U	1 U	0.2 J	1 U	1.4 U	1 U	1 U	0.38 J	330 U	140 U
1,1-Dichloroethane	75-34-3	910	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
1,1,2,2-Tetrachloroethane	79-34-5	0.055	2.9	1 U	1 U	0.2 U	1 U	1.4 U		0.63 J	2	330 U	140 U
1,1,2-Trichloroethane	79-00-5	5	0.86 J	1 U	1 U	0.2 U	1 U	1.4 U		1 U	0.74 J	330 U	140 U
1,2-Dichloroethane	107-06-2	5	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
1,4-Dioxane	123-91-1	6.1	72 U R	50 U R	50 U R	2 U R	50 U R	72 U		50 U R	50 U R	17,000 U R	7,100 U R
Acetone	67-64-1	5,500	5.3 JB B	2.3 J B	2.4 J B	0.2 U	10 U	14 U		12	2.4 J	490 J B	1400 U
Chloroform	67-66-3	0.17	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	0.19 J B	330 U	140 U
1,1,1,2-Tetrachloroethane	630-20-6	0.43	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
1,2,3-Trichloropropane	96-18-4	0.034	1.4 U	1 U	1 U	0.2 U	1 U	1.4 U		1 U	1 U	330 U	140 U
1,2-Dibromo-3-chloropropane	96-12-8	0.2	2.9 U	2 U	2 U	0.2 U	2 U	2.9 U	2 U	2 U	2 U	670 U	290 U
1,2-Dibromoethane (EDB)	106-93-4	0.05	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
1,2-Dichloropropane	78-87-5	5	1.4 U	1 U	1 U	5 U	1 U	1.4 U		1 U	1 U	330 U	140 U
2-Butanone (MEK)	78-93-3	7,000	14 U	10 U	10 U	0.2 U	10 U	14 U		10 U	10 U	3,300 U	1400 U
2-Hexanone	591-78-6	NS	14 U	10 U	10 U	2 B	10 U	14 U		10 U	10 U	3,300 U	1400 U
4-Methyl-2-pentanone (MIBK)	108-10-1	6,300	14 U	10 U	10 U	5 U	10 U	14 U	10 U	10 U	10 U	3,300 U	1400 U
Acetonitrile	75-05-8	120	29 U R	20 U R	20 U R	1 U	20 U	29 U		20 U	20 U	6,700 U R	2,900 U R
Acrolein	107-02-8	0.042	29 U R	20 U R	20 U R	20 U	20 U	29 U		20 U	20 U	6,700 U R	2,900 U R
Acrylonitrile	107-13-1	0.039	29 U	20 U	20 U	2 U	20 U	29 U	20 U	20 U	20 U	6,700 U	2,900 U
Allyl chloride	107-05-1	NS	2.9 U	2 U	2 U	2 U	2 U	2.9 U		2 U	2 U	670 U	290 U
Benzene	71-43-2	5	1.4 U	1 U	1 U	10 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Bromodichloromethane	75-27-4	0.18	1.4 U	1 U	1 U	50 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Bromoform	75-25-2	8.5	1.4 U	1 U	1 U	0.2 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Bromomethane	74-83-9	8.7	1.4 U	1 U	1 U	0.2 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Carbon disulfide	75-15-0	1,000	1.4 U	1 U	1 U	2 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Carbon tetrachloride	56-23-5	5	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Chlorobenzene	108-90-7	100	1.4 U	1 U	1 U	2 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Chloroethane	75-00-3	3.9	1.4 U	1 U	1 U	5 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Chloromethane	74-87-3	190	1.4 U	1 U	1 U	5 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Chloroprene	126-99-8	14	2.9 U	2 U	2 U	2 U	2 U	2.9 U		2 U	2 U	670 U	290 U
cis-1,3-Dichloropropene	10061-01-5	NS	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Dibromochloromethane	124-48-1	0.8	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Dibromomethane	74-95-3	61	1.4 U	1 U	1 U	2 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Dichlorodifluoromethane	75-71-8	390	1.4 U	1 U	1 U	5 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Ethyl methacrylate	97-63-2	550	1.4 U	1 U	1 U	10 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Iodomethane	74-88-4	NS	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Isobutyl alcohol	78-83-1	1,800	72 U R	50 U R	50 U R	1 U R	50 U R	72 U		50 U R	50 U R	<i>17,000</i> U R	<i>7,100</i> U R
Methacrylonitrile	126-98-7	1	2.9 U	2 U	2 U	1 U	2 U	2.9 U		2 U	2 U	670 U	290 U
Methyl methacrylate	80-62-6	1,400	2.9 U	2 U	2 U	0.2 U	2 U	2.9 U		2 U	2 U	670 U	290 U
Methylene chloride	75-09-2	5	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Propionitrile	107-12-0	NS	5.7 U R	4 U R	4 U R	4 U	4 U	5.7 U		4 U	4 U	1300 U R	570 U R
Styrene	100-42-5	100	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
trans-1,3-Dichloropropene	10061-02-6	NS	1.4 U	1 U	1 U	1 U	1 U	1.4 U		1 U	1 U	330 U	140 U
trans-1,4-Dichloro-2-butene	110-57-6	NS	1.4 U	1 U	1 U	2 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Trichlorofluoromethane	75-69-4	1,300	1.4 U	1 U	1 U	2 U	1 U	1.4 U		1 U	1 U	330 U	140 U
Vinyl acetate	108-05-4	410	2.9 U	2 U	2 U	5 U	2 U	2.9 U		2 U	2 U	670 U	290 U
Notes:	100 00 4	-110	2.5			Laboratory Data Qualit		2.5 0	20	Data Validation Qualif		0,00	255 0

Notes

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substaintially above the level reported in the laboratory or field blanks
- R Unreliable result; data is rejected or unusable. Analyte may or may not be present in the sample. Supporting data is necessary to confirm result

Table 32 Ground Water Results for Semi-Volatile Organic Compounds July 2009

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Monitor Well ID		WVDEP 60CSR3	TMW-1D	TMW-2D	TMW-4D	TMW-5D	TMW-6D	TMW-7D	TMW-8D	TMW-9D	TMW-12D	TMW-4S	TMW-11S
Ground Water Sample ID:		Table 60-3B	TMW-1D-072309	TMW-2D-072309	TMW-4D-072309	TMW-5D-072409	TMW-6D-072409	TMW-7D-072409	TMW-8D-072409	TMW-9D-072209	TMW-12D-072209	TMW-4S-072309	TMW-11S-072309
Laboratory Sample ID:		Ground Water	A9G240125002	A9G240125003	A9G240125005	A9G250133003	A9G250133002	A9G250133005	A9G250133001	A9G230196001	A9G230196003	A9G240125004	A9G240125007
Sample Date:		De Minimis	07/23/2009	07/23/2009	07/23/2009	07/24/2009	07/24/2009	07/24/2009	07/24/2009	07/22/2009	07/22/2009	07/23/2009	07/23/2009
Concentration Unit:		Level	ug/L										
Chemical Name	CAS RN	ug/L	Result/RL LQ DV										
1,2,4,5-Tetrachlorobenzene	95-94-3	11	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
1,2,4-Trichlorobenzene	120-82-1	70	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
1,2-Dichlorobenzene	95-50-1	600	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
1,2-Diphenylhydrazine	122-66-7	0.084	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
1,3,5-Trinitrobenzene	99-35-4	1,100	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
1,3-Dichlorobenzene	541-73-1	600	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
1,3-Dinitrobenzene	99-65-0	3.7	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
1,4-Dichlorobenzene	106-46-7	75	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
1,4-Naphthoquinone	130-15-4	NS	50 U	330 U	200 U								
1-Naphthylamine	134-32-7	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
2,3,4,6-Tetrachlorophenol	58-90-2	1,100	10 U	67 U	40 U								
2,4,5-Trichlorophenol	95-95-4	3,700	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
2,4,6-Trichlorophenol	88-06-2	6.1	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
2,4-Dichlorophenol	120-83-2	110	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
2,4-Dimethylphenol	105-67-9	730	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	130	38
2,4-Dinitrophenol	51-28-5	73	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
2,4-Dinitrotoluene	121-14-2	73	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
2,6-Dichlorophenol	87-65-0	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
2,6-Dinitrotoluene	606-20-2	37	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
2-Acetylaminofluorene	53-96-3	NS	10 U	67 U	40 U								
2-Chloronaphthalene	91-58-7	490	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
2-Chlorophenol	95-57-8	30	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
2-Methylnaphthalene	91-57-6	NS	0.2 U	1.3 U	0.8 U								
2-Methylphenol	95-48-7	1,800	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
2-Naphthylamine	91-59-8	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	7.3 J	5.1 J
2-Nitroaniline	88-74-4	110	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
2-Nitrophenol	88-75-5	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
2-Picoline	109-06-8	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
2-sec-Butyl-4,6-dinitrophenol	88-85-7	7	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
3,3'-Dichlorobenzidine	91-94-1	0.15	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
3,3'-Dimethoxybenzidine	119-90-4	4.8	10 U	<i>10</i> U	10 U	10 U	10 U	<i>67</i> U	40 U				
3,3'-Dimethylbenzidine	119-93-7	0.029	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
3-Methylcholanthrene	56-49-5	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
3-Methylphenol	108-39-4	1,800	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	7	4 U
3-Nitroaniline	99-09-2	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
4,6-Dinitro-2-methylphenol	534-52-1	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
4-Aminobiphenyl	92-67-1	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
4-Bromophenyl phenyl ether	101-55-3	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
4-Chloro-3-methylphenol	59-50-7	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
4-Chloroaniline	106-47-8	150	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	8.6 J	3.9 J
4-Chlorophenyl phenyl ether	7005-72-3	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
4-Methylphenol	106-44-5	180	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	7	4 U
4-Nitroaniline	100-01-6	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
4-Nitrophenol	100-02-7	290	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
4-Nitroquinoline-1-oxide	56-57-5	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
5-Nitro-o-toluidine	99-55-8	2	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
7,12-Dimethylbenz(a)anthracene	57-97-6	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
a,a-Dimethylphenethylamine	122-09-8	NS	50 U	330 U	200 U								

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

B - Not detected substaintially above the level reported in the laboratory or field blanks

Table 32 Ground Water Results for Semi-Volatile Organic Compounds July 2009

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

WVDEP 60CSR3 TMW-1D TMW-2D TMW-4D TMW-5D TMW-6D TMW-7D TMW-8D TMW-9D TMW-12D TMW-4S TMW-11S Monitor Well ID TMW-1D-072309 TMW-2D-072309 TMW-8D-072409 TMW-4S-072309 Ground Water Sample ID: Table 60-3B TMW-4D-072309 TMW-5D-072409 TMW-6D-072409 TMW-7D-072409 TMW-9D-072209 TMW-12D-072209 TMW-11S-072309 Laboratory Sample ID: A9G240125002 A9G240125003 A9G240125005 A9G250133003 A9G250133002 A9G250133005 A9G250133001 A9G230196001 A9G230196003 A9G240125004 A9G240125007 Ground Water Sample Date: De Minimis 07/23/2009 07/23/2009 07/23/2009 07/24/2009 07/24/2009 07/24/2009 07/24/2009 07/22/2009 07/22/2009 07/23/2009 07/23/2009 Concentration Unit: Level ug/L CAS RN Chemical Name Result/RL LQ DV ug/L 83-32-9 370 0.2 U 1.3 U 0.8 U Acenaphthene 0.2 U 0.2 U 208-96-8 370 0.2 U 0.2 U 0.2 U 0.8 U 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 1.3 U Acenaphthylene 0.2 U 610 Acetophenone 98-86-2 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 49 14 Aniline 62-53-3 12 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 24 44 120-12-7 1800 0.2 U 1.3 U 0.8 U Anthracene 140-57-8 5 U 5 U Aramite NS 5 U 5 U 5 U 5 U 5 U 5 U 5 U 33 U 20 U 92-87-5 0.00029 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 33 U 20 U Benzidine 56-55-3 0.092 0.2 U 1.3 U 0.8 U Benzo(a)anthracene 50-32-8 0.2 U 1.3 U 0.2 0.2 U 0.8 U Benzo(a)pyrene 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 1.3 U Benzo(b)fluoranthene 205-99-2 0.092 0.2 U 0.2 U 0.2 U 0.8 U 0.2 U 0.2 U 0.2 U Benzo(ghi)perylene 191-24-2 1100 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 1.3 U 0.8 U 207-08-9 0.92 0.2 U 1.3 U 0.8 U Benzo(k)fluoranthene 100-51-6 18000 5 U 5 U 5 U 5 U 5 U 5 U 33 U Benzyl alcohol 5 U 5 U 5 U 20 U is(2-Chloro-1-methylethyl) ether 108-60-1 0.27 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U ois(2-Chloroethoxy)methane 111-91-1 NS 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U 111-44-4 80 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U ois(2-Chloroethyl) ether 1 U 1 U 1 U 117-81-7 6 2.9 3.6 2.2 2.9 В В 1.2 JB B 1.4 JB 4.4 В В 1.8 JB I 1.6 JB B 6.7 8 U ois(2-Ethylhexyl) phthalate В IB Butyl benzyl phthalate 85-68-7 7,300 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U 510-15-6 0.25 2 U 2 U 2 U 2 U 2 U 2 U 2 U 2 U 2 U 13 U 8 U Chlorobenzilate Chrysene 218-01-9 9.2 0.2 U 1.3 U 0.8 U Diallate 2303-16-4 NS 10 U 67 U 40 U Dibenz(a,h)anthracene 53-70-3 0.0092 0.2 U 1.3 U 0.8 U 132-64-9 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U Dibenzofuran 37 1 U 1 U 1 U 1 U 1 U 1 1 U 84-66-2 29,000 1 U 1 U 0.61 1 U 1 U 6.7 U 4 U Diethyl phthalate 2 U 2 U 2 U 2 U 2 U 2 U 2 U 2 U 2 U 13 U Dimethoate 60-51-5 NS 8 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U Dimethyl phthalate 131-11-3 370,000 4 U Di-n-butyl phthalate 84-74-2 3,700 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U 1 U 1 U 1 U 6.7 U 4 U Di-n-octyl phthalate 117-84-0 NS 1 U 1 U 1 U 1 U 1 U 1 U 122-39-4 910 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 160 88 Diphenylamine 298-04-4 2 U 2 U 2 U 2 U Disulfoton 1.5 2 U 2 U 2 U 2 U 2 U 13 U 8 U 62-50-0 NS 2 U 2 U 2 U 2 U 2 U 2 U 13 U Ethyl methanesulfonate 2 U 2 U 2 U 8 U 52-85-7 NS 10 U 67 U 40 U Famphur Fluoranthene 206-44-0 1,500 0.2 U 1.3 U 0.8 U Fluorene 86-73-7 240 0.2 U 1.3 U 0.8 U 118-74-1 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 1.3 U 0.8 U Hexachlorobenzene 0.2 U 0.2 U 0.2 U 87-68-3 0.86 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U Hexachlorobutadiene 77-47-4 50 10 U 67 U 40 U Hexachlorocyclopentadiene 4.8 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 67-72-1 4 U Hexachloroethane 5 U 5 U 5 U 5 U 5 U 1888-71-7 NS 5 U 5 U 5 U 5 U 33 U 20 U Hexachloropropene 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 1.3 U 193-39-5 0.092 0.2 U 0.2 U 0.2 U 0.2 U 0.8 U ndeno(1,2,3-cd)pyrene 2 U 2 U sodrin 465-73-6 NS 2 U 2 U 2 U 2 U 2 U 2 U 2 U 13 U 8 U 78-59-1 71 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U sophorone sosafrole 120-58-1 NS 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 5 U 33 U 20 U Methapyr<u>ilene</u> 91-80-5 NS 2 U 2 U 2 U 2 U 2 U 2 U 2 U 2 U 2 U 13 U 8 U 66-27-3 NS 2 U 2 U 2 U 2 U 13 U 8 U Methyl methanesulfonate 2 U 2 U 2 U 2 U 2 U 298-00-0 Methyl parathion 9.1 2 U 2 U 2 U 2 U 2 U 2 U 2 U 2 U 2 U 13 U 8 U 0.2 U 0.2 U 0.2 U 0.8 U Naphthalene 91-20-3 6.2 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 0.2 U 1.3 U 98-95-3 Nitrobenzene 3.4 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 1 U 6.7 U 4 U

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 3. Underlined values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

B - Not detected substaintially above the level reported in the laboratory or field blanks

Table 32 Ground Water Results for Semi-Volatile Organic Compounds July 2009

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Monitor Well ID		WVDEP 60CSR3	TMW-1D	TMW-2D	TMW-4D	TMW-5D	TMW-6D	TMW-7D	TMW-8D	TMW-9D	TMW-12D	TMW-4S	TMW-11S
Ground Water Sample ID:		Table 60-3B	TMW-1D-072309	TMW-2D-072309	TMW-4D-072309	TMW-5D-072409	TMW-6D-072409	TMW-7D-072409	TMW-8D-072409	TMW-9D-072209	TMW-12D-072209	TMW-4S-072309	TMW-11S-072309
Laboratory Sample ID:		Ground Water	A9G240125002	A9G240125003	A9G240125005	A9G250133003	A9G250133002	A9G250133005	A9G250133001	A9G230196001	A9G230196003	A9G240125004	A9G240125007
Sample Date:		De Minimis	07/23/2009	07/23/2009	07/23/2009	07/24/2009	07/24/2009	07/24/2009	07/24/2009	07/22/2009	07/22/2009	07/23/2009	07/23/2009
Concentration Unit:		Level	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L
Chemical Name	CAS RN	ug/L	Result/RL LQ DV	O,	Result/RL LQ DV								
N-Nitrosodiethylamine	55-18-5	0.00045	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
N-Nitrosodimethylamine	62-75-9	0.0013	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
N-Nitrosodi-n-butylamine	924-16-3	0.002	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	<i>8</i> U
N-Nitrosodi-n-propylamine	621-64-7	0.0096	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
N-Nitrosodiphenylamine	86-30-6	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	160	88
N-Nitrosomethylethylamine	10595-95-6	0.0031	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	<i>8</i> U
N-Nitrosomorpholine	59-89-2	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
N-Nitrosopiperidine	100-75-4	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
N-Nitrosopyrrolidine	930-55-2	0.032	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	<i>8</i> U
O,O,O-Triethyl phosphorothioate	126-68-1	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
o-Toluidine	95-53-4	0.28	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	<i>8</i> U
Parathion	56-38-2	220	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
p-Dimethylaminoazobenzene	60-11-7	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
Pentachlorobenzene	608-93-5	29	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
Pentachloroethane	76-01-7	NS	20 U	20 U	20 U	20 U	20 U	130 U	80 U				
Pentachloronitrobenzene	82-68-8	0.26	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	<i>8</i> U
Pentachlorophenol	87-86-5	1	5 U	5 U	5 U	5 U	5 U	<i>5</i> U	5 U	5 U	5 U	33 U	<i>20</i> U
Phenacetin	62-44-2	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
Phenanthrene	85-01-8	1,800	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.3 U	0.8 U				
Phenol	108-95-2	11,000	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	6.7 U	4 U
Phorate	298-02-2	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
p-Phenylene diamine	106-50-3	6,900	40 U	40 U	40 U	40 U	40 U	270 U	160 U				
Pronamide	23950-58-5	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
Pyrene	129-00-0	180	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1.3 U	0.8 U				
Pyridine	110-86-1	37	1 U	1 U	1 U	0.63 JB B	1.2 B B	1.5 B B	0.72 JB B	1 U	1 U	6.7 U	4 U
Safrole	94-59-7	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U
Tetraethyldithiopyrophosphate	3689-24-5	NS	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	33 U	20 U
Thionazin	297-97-2	NS	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	13 U	8 U

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

Data Validation Qualifiers

B - Not detected substaintially above the level reported in the laboratory or field blanks

Table 33 Ground Water Results for Metals July 2009

RCRA Facility Investigation Phase II

Former BASF Huntington Works, Huntington, West Virginia

Monitor Well ID		WVDEP 60CSR3	TMW-1D	TMW-2D	TMW-4D	TMW-5D	TMW-6D	TMW-7D	TMW-8D	TMW-9D	TMW-12D	TMW-4S	TMW-11S
Ground Water Sample	ID:	Table 60-3B	TMW-1D-072309	TMW-2D-072309	TMW-4D-072309	TMW-5D-072409	TMW-6D-072409	TMW-7D-072409	TMW-8D-072409	TMW-9D-072209	TMW-12D-072209	TMW-4S-072309	TMW-11S-072309
Laboratory Sample ID:		Ground Water	A9G240125002	A9G240125003	A9G240125005	A9G250133003	A9G250133002	A9G250133005	A9G250133001	A9G230196001	A9G230196003	A9G240125004	A9G240125007
Sample Date:		De Minimis	07/23/2009	07/23/2009	07/23/2009	07/24/2009	07/24/2009	07/24/2009	07/24/2009	07/22/2009	07/22/2009	07/23/2009	07/23/2009
Concentration Unit:		Level	ug/L										
Chemical Name	CAS RN	ug/L	Result/RL LQ DV										
Antimony	7440-36-0	6	2 U	2 U	2 U	2 U	2 U	2 U	2 U	0.25 J	0.21 J B	2 U	2 U
Arsenic	7440-38-2	10	3.6 J	38.6	12.6	1 J	5 U	0.69 J	1.7 J	0.7 J	1.8 J	12.2	20.9
Barium	7440-39-3	2,000	50.8 B	352 B	67.9 B	60.9 B	64.6 B	118 B	62.3 B	24.4 B	55.1 B	714 B	662 BJ
Beryllium	7440-41-7	4	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Cadmium	7440-43-9	5	0.76 J	1 U	1 U	0.16 J	1 U	1 U	0.15 J	0.97 J	1 U	1 U	1 U
Chromium	7440-47-3	NS	3.3 B	2 U	2 U	1.1 J	2 U	0.84 J	2 U	1.6 J	0.98 J	2 U	2 U
Cobalt	7440-48-4	730	10.3	1	1.9	5.5	3.4	1.8	6.2	12.8	4	0.71 J	2.3
Copper	7440-50-8	1,500	9.3 B	0.77 JB B	1.7 JB B	1.5 JB B	0.49 JB B	1.2 JB B	1.7 JB B	2.8 B K	2.1 B BK	2.2 B B	0.32 JB B
Lead	7439-92-1	15	3.9	0.86 J	1.2	0.75 J	0.34 J	0.6 J	0.48 J	1.9	0.69 J	0.24 J	1 U
Mercury	7439-97-6	NS	0.2 U	0.2 U	0.2 U	50 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	7440-02-0	100	13.2 B	2.2 B K	2.5 B KB	5.6 B	2.6 B K	2.9 B KB	4 B K	25.7 B	5.2 B	1.3 JB KB	0.88 JB KB
Selenium	7782-49-2	50	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Silver	7440-22-4	180	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Thallium	7440-28-0	2	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Tin	7440-31-5	22,000	0.31 J	50 U	50 U	50 U	0.57 J	50 U	50 U	0.75 J	0.57 J	0.71 J	50 U
Vanadium	7440-62-2	37	4.4 J	0.45 J	0.98 J	1.1 J	20 U	1.1 J	20 U	1.8 J	0.96 J	20 U	20 U
Zinc	7440-66-6	11,000	22.9 B KB	50.5 B	5.3 JB KB	7.6 JB KB	3.4 JB KB	3.8 JB KB	3.1 JB KB	36.3 B K	9.8 JB BK	5 JB KB	3.7 JB KB

Notes:

- 1. NS denotes No Standard for the Chemical
- 2. **Bolded** values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 3. <u>Underlined</u> values exceed the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level
- 4. Italicized values denotes the Report Limit was above the WVDEP 60CSR3 Table 60-3B Ground Water De Minimis Level

Laboratory Data Qualifiers

- U Target analyte not detected above listed Reporting Limit
- J Estimated result. Result is less than Reporting Limit
- B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

- B Not detected substaintially above the level reported in the laboratory or field blanks
- J Analyte is present. Reported value may not be accurate or precise.
- K Analyte is present. Reported value may be biased high. Actual value is expected to be lower.

Table 34 Ground Water Results for Natural Attenuation Parameters July 2009

RCRA Facility Investigation Phase II
Former BASF Huntington Works, Huntington, West Virginia

Monitor Well ID		TMW-1D		TMW-12[)	TMW-9D	1	TMW-2D		TMW-4D		TMW-5D	,
Ground Water Sample ID:		TMW-1D-072	309	TMW-12D-07	2209	TMW-9D-072	2209	TMW-2D-072	309	TMW-4D-072	309	TMW-5D-072	2409
Laboratory Sample ID:		A9G2401250	002	A9G230196	003	A9G230196	001	A9G2401250	003	A9G2401250	05	A9G2501330	003
Sample Date:		07/23/200	9	07/22/200	9	07/22/200	9	07/23/200	9	07/23/2009	9	07/24/200)9
Concentration Unit:		ug/L		ug/L		ug/L		ug/L		ug/L		ug/L	
Chemical Name	CAS RN	Result/RL	LQ	Result/RL	LQ	Result/RL	LQ	Result/RL	LQ	Result/RL	LQ	Result/RL	LQ
Dissolved Gases (ug/L)													
Ethene	9002-88-4	0.50) U	0.72		0.5	0 U	0.50	U	0.50) U	0.50	0 U
Ethane	none	0.50) U	0.72		0.5	0 U	0.50) U	0.50) U	0.50	0 U
Methane	74-82-8	33		91		0.65		5.9		0.71		2.8	8
(mg/L)													
Chloride	16887-00-6	46.3		50.2	J	27.6	J	39.0		34.2		35.8	
Nitrate as N	14797-55-8	0.10	U (0.1	0 U	0.40		0.10	U	0.10) U	0.10	0 U
Sulfate	14808-79-8	84.8		93.5	J	266		44.6		77.3		18.1	

Monitor Well ID		TMW-7D		TMW-6	D	TMW-8D		TMW-4S		TMW-115	S
Ground Water Sample ID:		TMW-7D-072	409	TMW-6D-07	2409	TMW-8D-072	2409	TMW-4S-0723	309	TMW-11S-07	2309
Laboratory Sample ID:		A9G2501330	005	A9G250133	3002	A9G2501330	001	A9G2401250	04	A9G240125	007
Sample Date:		07/24/200	9	07/24/20	09	07/24/200	19	07/23/2009	9	07/23/200)9
Concentration Unit:		ug/L		ug/L		ug/L		ug/L		ug/L	
Chemical Name	CAS RN	Result/RL	LQ	Result/RL	LQ	Result/RL	LQ	Result/RL	LQ	Result/RL	LQ
Dissolved Gases (ug/L)											
Ethene	9002-88-4	0.50	U	0.5	50 U	0.50	U	0.50	U	1.	.0 U
Ethane	none	0.50	U (0.5	50 U	0.50	U	0.50	U	1.	.0 U
Methane	74-82-8	0.50	U	0.30	J	2.2		1,000		720	
(mg/L)											
Chloride	16887-00-6	1.0	U	96.0		82.	8	68.9		30.7	
Nitrate as N	14797-55-8	0.10) U	1.0		0.10	O U	0.10	U	0.1	.0 U
Sulfate	14808-79-8	1.0) U	42.8		50.4		69.9		118	

Notes:

- 1. U Target analyte not detected above listed Reporting Limit
- 2. J Estimated result. Result is less than Reporting Limit
- 3. B Method blank contamination. The associated method blank contains the target analyte at a reportable level.
- 4. Data validation was not completed for Dissolved Gases and Anions analytical results.

TABLE 35 Chlorinated Volatile Organic Compounds Data Trends for Ground Water at TMW-1D, TMW-5D and TMW-7D

RCRA Facility Investigation Phase II
Former BASF Huntington Works Facility, Huntington, West Virginia

Monitor Well ID		TMV	V-1D			TMV	V-5D			TMV	V-7D	
Sample Date	8/27/2002	02/23/03	2/28/2005	7/23/2009	8/27/2002	02/23/03	2/28/2005	7/23/2009	8/27/2002	02/23/03	2/28/2005	7/23/2009
Volatile Organic												
Trichloroethene	141	100	67	43	11.4	19	20	10	31.7	66	71	40
cis-1,2 dichloroethene	23.2	32	22	21	3.3	3.8	6.9	2.5	11	15	19	9.4
vinyl chloride	2.8	2.2	3.6	1.4	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2 tetrachloroethane	17.8	12	5.2	2.9	ND	ND	ND	ND	ND	ND	ND	ND

Note:

1. ND - Non detect, compound was not detected in the sample above the minimum detection limit

TABLE 36
Aromatic Volatile Organic Compounds Data Trends for Ground Water at TMW-4S and TMW-11S

RCRA Facility Investigation Phase II

Former BASF Huntington Works Facility, Huntington, West Virginia

Monitor Well ID	TMW-4S				TMW-11S	
Sample Date	August 2002	February 2003	March 2005	July 2009	March 2005	July 2009
Volatile Organic						
Benzene	107	ND	18	ND*	85	ND*
Toluene	11,700	8,200	120	420	4,400	170
Ethylbenzene	39,000	29,000	2,600	7,400	12,000	4,000
Xylenes	128,100	110,000	5,600	11,000	42,000	19,000
Aniline	118	1200	13	24	19	44

Note:

- 1. ND Non detect, compound was not detected in the sample above the minimum detection limit
- 2. * Denotes elevated detection limit.

ATTACHMENTS

Attachment A: Soil Boring Logs

Attachment B: BASF Corporation December 7, 1999 Commitment Letter

Attachment C: Monitoring Well Logs

Attachment D: Slug Test Data

Attachment E: Potentiometric Contours for Ground Water 2002, 2003 and 2005

Attachment F: Soil Drill Cuttings and Purge Water Disposal Manifest

Attachment G: July 2009 Ground Water Sampling Report

Attachment H: Data Validation Report (bound separately)

Attachment I: Environmental Resource Associates Performance Evaluation Results

for Sample AOC2-22-10.0



ATTACHMENT A
Soil Boring Logs





Boring No.:

AOC1-01

Date:

6-18-02

4

Project Name:

BASF Huntington Project Location: Huntington, WV

ELM Inspector:

L.Coman

Boring Method:

Direct Push

Project No.:

99184

Total Boring Depth (ft): Depth to Groundwater (ft): Sampler Type:

4' Macrocore

Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)
	77.5		Lt Br m-f SAND, trace f Gravel, trace Silt; very compact Br m-f SAND, trace f Gravel, trace Silt; concrete fragments Br Clayey SILT, trace m-f Sand, trace f Gravel; moist, blue staining, piece of paper	- 4		8 2.8 0 0 0
Notes:			Abbreviat f - fine m - med c - coars Bl - Bla Br - Bro	ium Gy se Gr ck Lt -	- Orang - Gray - Green · Light - Dark	



Boring No.:

AOC1-02

Date:

6-18-02

Project Name:

BASF Huntington Project Location: Huntington, WV

ELM Inspector:

L.Coman

Boring Method:

Direct Push

Project No.:

Total Boring Depth (ft):

4

Sampler Type:

4' Macrocore

99184

Depth to Groundwater (ft):

Blow	ery	Soil		Depth	<u>o</u>	PID
Counts	% Recovery	Туре	Soil Description/Observations	ft (0.1)	Sample	(ppm)
or Rate	Re	Symbol		20 (0.1)	Sa	(PP)
	100		Dk Br c-m-f SAND, trace Silt, trace f Gravel; many			8
			roots, dry Gy Br c-m-f SAND, trace Silt, trace m-f Gravel; dry Or Tan Silty CLAY, little m-f Sand; dense	<u> </u>		0
			Or Tan Silty CLAY, little m-f Sand; dense			0
						0
				_		0
				4		0
				_		
				8		
				12		
	:					
				_		
				— 16 —		l
				_		
				_		
Notes:			Abbreviation	Legend:	L	<u> </u>
			f - fine	-	- Orang	e
			m - medium		- Gray	
			c - coarse		Green	
			Bl - Black	Lt -	Light	
			Br - Brown		- Dark	



Boring No.:

AOC1-03

Date:

6/18/02

Project Name:

BASF Huntington Project Location: Huntington, WV

ELM Inspector:

L. Coman

Boring Method:

Direct Push

Total Boring Depth (ft):

Sampler Type:

4' Macrocore

Project No.: 99184 Depth to Groundwater (ft):

Blow	7:	Soil				4.	
Counts	% over	Туре	Soil Description/Observations		Depth	nple	PID
or Rate	% Recovery	Symbol			ft (0.1)	Sample	(ppm)
	100	.,	Dk Br c-m-f SAND, little Silt, m-f Gravel; n	nany			8
			roots Gy Br m. f. Gravel, little m. f. Sand, trace Silt	/_			0
			Gy Br m-f Gravel, little m-f Sand, trace Silt Or Tan Clayey SILT, trace f Sand dense; fev	v roots			0
			on top				0
							0
			Or m-f SAND, some silt; loamy				0
					_ 4 _		0
				:			
					_		
					8		
					_ _		
					12		
					12		
					_		
					16		
					_ =		
Nister			Т	A11	,		
Notes:	to commi	a collected (ACC		Abbreviation I f - fine		0	
Duplica	ie sampi	e collected (AOC	\(\frac{1-00-1}{2}\)	m - medium		Orang	
				m - medium c - coarse	-	- Gray - Green	
				Bl - Black		Green Light	
				Br - Brown		Light - Dark	
				וואטוט - ים	DK	- Daik	



Boring No.:

AOC1-04

Date:

6/18/02

Project Name:

BASF Huntington Project Location: Huntington, WV

ELM Inspector:

L. Coman

Boring Method:

Direct Push

Project No.:

99184

Total Boring Depth (ft):

4 Sampler Type:

4' Macrocore

Depth to Groundwater (ft):

Blow	<u></u>	Soil			Donth	(a)	PID
Counts	% Recovery	Туре	Soil Description/Observations		Depth	Sample	1 1
or Rate	Rec	Symbol			ft (0.1)	Saı	(ppm)
	95		Br Gy c-m-f SAND, little cm-f Gravel; many r top soil Yellow Or Tan; Silty CLAY, little m-f Sand; to c-m-f Gravel	oots;			8
			top soil Yellow Or Tan: Silty CLAY little m-f Sand: ti	race			0
			c-m-f Gravel	idoo			0
					<u> </u>		0
							0
							0
					- 4 −		0
					<u> </u>		
					_		
					12		
					_		
					_		
					<u> </u>		
Notes:			IA	bbreviation 1	Legend:	L	
				f - fine	•	- Orang	e l
				m - medium		- Gray	
				c - coarse		- Green	
			1	Bl - Black		Light	
			i de la companya de	Br - Brown		- Dark	



Boring No.:

AOC3-01

Date:

6/19/02

Project Name:

BASF Huntington Project Location: Huntington, WV

ELM Inspector:

L. Coman

Boring Method:

Direct Push

Project No.:

99184

Total Boring Depth (ft):

4 Sampler Type: 4' Macrocore

Depth to Groundwater (ft):

Blow	% Recovery	Soil	Sail Desemination /Oh-amenti-ma	•	Depth	ole	PID
Counts	%55	Type	Soil Description/Observations		ft (0.1)	Sample	(ppm)
or Rate	<u>⊬</u> 95	Symbol	BI Gy ASPHALT			7	8
			Bl Br c-m-f SAND, little c-m-f Gravel, trace dense, few pieces of Asphalt Or Br m-f SAND, some Clayey Silt; dense	Silt;			0
			Or Br m-f SAND, some Clavey Silt: dense		_		0
					<u> </u>		0
					_		0
			Or Br c-m-f SAND, little Silt				0
					- 4		
					_ 8 _	:	
					-		
					10		
					12		
					-		
					<u> </u>		
					_		
					<u> </u>		
					<u> </u>		
					_		
Notes:				Abbreviation		1	1
				f - fine		Orang	e
				m - medium	•	- Gray	
				c - coarse		Green	
				Bl - Black		Light	
				Br - Brown	DK	- Dark	



Boring No.:

AOC3-02

Date:

6/19/02

Project Name:

BASF Huntington Project Location: Huntington, WV

ELM Inspector:

L. Coman

Boring Method:

Direct Push

Project No.:

99184

Total Boring Depth (ft):

4

Sampler Type:

4' Macrocore

Depth to Groundwater (ft):

Blow	Ţ.	Soil			Denti	97	DIE
Counts	% Recovery	Туре	Soil Description/Observations		Depth ft (0.1)	Sample	PID
or Rate	Rec	Symbol			II (0.1)	Saı	(ppm)
	90		Gry BI ASPHALT				8
			Br Bl c-m-f SAND, little m-f Gravel trace Spieces of asphalt	ilt;	<u> </u>		0
			Or Br m-f SAND, little Clayey Silt; compac	ted dry			0
							0
			Or Br m-f SAND, little Silt; Gr staining on b	oottom	_		0
							0
					4		
					<u> </u>		
					8		
					<u> </u>		
					_		
					12		
					<u> </u>		
					16		
					F -		
					L _		
Notes:				Abbreviation	Legend:		
				f - fine	Or -	Orang	e
				m - medium	Gy Gy	- Gray	
				c - coarse	Gr -	Green	
				Bl - Black	Lt -	Light	
				Br - Brown	Dk ·	- Dark	



Boring No.:

AOC3-03

Date:

6/19/02

4

Project Name:

BASF Huntington

ELM Inspector:

L. Coman

Direct Pus

Project Location: Huntington, WV

Total Boring Depth (ft):

Boring Method: Sampler Type:

4' Macrocore

Project No.:

99184

Depth to Groundwater (ft): Drilling Contractor: Subsurface, Inc.

Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations		Depth ft (0.1)	Sample	PID (ppm)
of Rate	90	Symbol	BI Gy ASPHALT				8 0
			Br Bl c-m-f SAND, trace f Gravel, trace Silt compacted, few pieces of crushed red brick Or Br c-m-f SAND, little Silt compacted	;			0 0 0
					_ 4 _		o l
					_ 8 _		
					12 		
7.74					_		
					16		
Notes:				Abbreviation I	egend:		
	te sample	e collected (AOC	23-08-2.0)	f - fine		Orang	e
	•	•	,	m - medium		- Gray	
			·	c - coarse	Gr -	Green	
				Bl - Black		Light	
				Br - Brown	Dk ·	- Dark	



Boring No.:

AOC3-04

Date:

6/19/02

Project Name:

BASF Huntington Project Location: Huntington, WV

ELM Inspector:

L. Coman

Boring Method:

Direct Push

Project No.:

99184

Total Boring Depth (ft):

Sampler Type:

4' Macrocore

Depth to Groundwater (ft):

Blow	>	Soil				[1
Counts	% Recovery	Туре	Soil Description/Observations		Depth	Sample	PID
or Rate	%039		Son Description observations		ft (0.1)	Sam	(ppm)
Of Kate	<u>~</u> 77	Symbol	Gy BI ASPHALT			<i>V</i> ₁	l -0
	,,		Bl c-m-f SAND, little m-f Gravel, trace Silt				8
					_		5.3
			Magenta Clayey SILT, trace c-m-f Sand, trace Gravel; moist; Gr metallic crystals at 2.2	e f	<u> </u>		Ö
			Graver, moist, or metanic crystals at 2.2				0
					├ -		0
					L 4 _		.8
					•		
					<u> </u>		
					<u> </u>		
					8 —		
					_		
					12		
					_		
					<u> </u>		
					<u> </u>		
					<u> </u>		
Notes:	······································		<u> A</u>	bbreviation	Legend:		
				f - fine	Or -	Orang	e
				m - medium	Gy	- Gray	
				c - coarse	Gr -	Green	
				Bl - Black	Lt -	Light	
				Br - Brown		- Dark	



Boring No.:

AOC3-05

Date:

6-19-02

Project Name:

BASF Huntington

ELM Inspector:

L. Coman

Boring Method: Direct Push

Project Location: Huntington, WV

Total Boring Depth (ft):

Sampler Type:

Macrocore

Project No.:

99184

Depth to Groundwater (ft):

		·				
Blow	ery	Soil		Depth	e	PID
Counts	% % %	Type	Soil Description/Observations	ft (0.1)	npl	
or Rate	% Recovery	Symbol		11 (0.1)	Sample	(ppm)
	82	-	Gy BI ASPHALT			0 8.5
			Gy Dk c-m-f SAND, little c-m-f Gravel, trace Silt; Asphalt base; Asphalt oder Magenta c-m-f SAND, little Clayey Silt compacted; concrete 1.7, yellow crystals 2.4 - 2.6			
			Asphalt base; Asphalt oder	T -		0 2.1
			Magenta c-m-f SAND, little Clayey Silt compacted;			0
			concrete 1.7, yellow crystals 2.4 - 2.0			0
			Purple (violet) c-m-f SAND, some Silt; dry			0 11.5
						11.5
				 		
				-		
				<u> </u>		
				_		
				_		
				12		
				12		
				_		
				16		
				10		
NI.4			1,,,			
Notes:			Abbreviation			l
			f - fine		Orange	•
			m - medium	Gy -	- Gray	
			c - coarse	Gr -	Green	
			BI - Black		Light	
			Br - Brown		- Dark	
			DI BIOWII	DK	*** 17	
						İ



Boring No.:

AOC3-06

Date:

6/19/02

Project Name:

BASF Huntington

ELM Inspector:

L Coman

Boring Method:

Direct Push

Project Location: Huntington, WV Project No.:

99184

Total Boring Depth (ft):

Sampler Type:

4' Macrocore

Drilling Contractor: Subsurface, Inc. Depth to Groundwater (ft):

Blow	ery	Soil		Depth	<u>e</u>	PID	1
Counts	% Recovery	Type	Soil Description/Observations	ft (0.1)	Sample	(ppm)	
or Rate	40	Symbol	TAC-CONODERE		Š		
	40		Lt Gy CONCRETE Or Br c-f SAND, trace m-f Gravel trace Silt: bright			8	
			Or Br c-f SAND, trace m-f Gravel trace Silt; bright blue & deep indigo blue staining	_		0	l
]	l
							l
				-			l
				4 —			
							ŀ
				<u> </u>			
				_ 8 _			
							l
							l
				_			l
				-			
				_ 12 _			
				<u> </u>			
				<u> </u>			
				16			
				<u> </u>			
				<u> </u>			İ
Notes:			A LL	a Logar de			-
INUIES.			Abbreviation f - fine		Orang	ا م	
			m - mediu		- Grang	~	
			c - coarse	•	Green		
			Bl - Black		Light		
			Br - Brown		- Dark		



Boring No.:

AOC3-07

Date:

6/19/02

Project Name:

BASF Huntington Project Location: Huntington, WV

ELM Inspector:

L. Coman

Boring Method:

Direct Push

Project No.:

99184

Total Boring Depth (ft):

4 Sampler Type: 4' Macrocore

Depth to Groundwater (ft):

Counts or Rate Soll Description/Observations Fit (0.1) Gy c-m-f GRAVEL, some c-m-f Sand, trace Silt Dk Gy c-m-f SAND, little c-m-f Gravel little trace Silt Light Gy & Tan c-m-f SAND, some c-m-f Gravel	PID opm) 0 109 8.6 10.2 2.8
Gy c-m-f GRAVEL, some c-m-f Sand, trace Silt Dk Gy c-m-f SAND, little c-m-f Gravel little trace Silt Light Gy & Tan c-m-f SAND, some c-m-f Gravel Dk Br c-m-f SAND, some c-m-f Gravel — 4 — — 8 —	0 0 109 8.6 10.2
Gy c-m-f GRAVEL, some c-m-f Sand, trace Silt Dk Gy c-m-f SAND, little c-m-f Gravel little trace Silt Light Gy & Tan c-m-f SAND, some c-m-f Gravel Dk Br c-m-f SAND, some c-m-f Gravel — 4 — — 8 —	0 0 109 8.6 10.2
Dk Gy c-m-f SAND, little c-m-f Gravel little trace Silt Light Gy & Tan c-m-f SAND, some c-m-f Gravel Dk Br c-m-f SAND, some c-m-f Gravel — 4 — — 8 — — 8 —	109 8.6 10.2
Silt Light Gy & Tan c-m-f SAND, some c-m-f Gravel Dk Br c-m-f SAND, some c-m-f Gravel — 4 — — 8 —	8.6 10.2
Dk Br c-m-f SAND, some c-m-f Gravel — 4 — — — 8 — — — — — — — — — — — — — — — —	10.2
Dk Br c-m-f SAND, some c-m-f Gravel — 4 — — — 8 — — — — — — — — — — — — — — — —	
	2.0
Notes: Abbreviation Legend:	
f - fine Or - Orange	
m - medium Gy - Gray	
c - coarse Gr - Green	
Bl - Black Lt - Light	
Br - Brown Dk - Dark	

Boring No.:

AOC8-01

Date:

6/18/02

Project Name:

BASF Huntington ELM Inspector: L. Coman 4

Boring Method:

Direct Push

Project Location: Huntington, WV

Total Boring Depth (ft):

Sampler Type:

Macrocore

Project No.:

99184 Depth to Groundwater (ft):

Blow	žry	Soil			Depth	υ	PID
Counts	% Recovery	Туре	Soil Description/Observations		ft (0.1)	Sample	(ppm)
or Rate	Re	Symbol			10 (0.1)	Sa	(2211)
	80		Gy c-m-f GRAVEL, little c-m-f Sand, trace Dk Br and Gy c-m-f SAND, some Silt, trace Gravel; bottom 0.4 large pieces of concrete	Silt			8
			Gravel; bottom 0.4 large pieces of concrete	and			0
			vellow brick				0
			Dk Br and Bl m-f SAND, some Silt, trace c- Gravel; coal dust and pieces of coal	-m-1			0
			Light Br Silty CLAY; dense		<u> </u>		0
			Sitty CLAT, dense				0
					<u> </u>		
					_		
ļ.							
					<u> </u>		
					12		
					12		
					16		
					<u> </u>		
Notes:	J			Abbreviation	Legend:		
Duplicat	te sample	e collected (AOC	C8-03)	f - fine	Or -	· Orang	e
				m - medium	Gy	- Gray	
				c - coarse	Gr -	Green	
				Bl - Black	Lt -	Light	
				Br - Brown	Dk	- Dark	

Boring No.:

AOC8-02

Date:

6/18/02

Project Name:

BASF Huntington

ELM Inspector:

L. Coman

4

Boring Method:

Direct Push

Project Location: Huntington, WV

Total Boring Depth (ft):

Sampler Type:

4' Macrocore

Project No.:

99184

Depth to Groundwater (ft):

Drilling Contractor: Subsurface, Inc.

% Recovery Soil Blow Sample Depth PID Soil Description/Observations Counts Type ft (0.1) (ppm) or Rate Symbol Gy c-m-f GRAVEL, some c-m-f Sand, trace Silt 8 BI SILT, some c-m-f Sand; pieces of coal: primarily 0 coal dust 0 0 Or Tan Silty CLAY; very dense mottled colors 0 Dk Br and Bl c-m-f SAND, little Silt, trace fine 0 Gravel; many pieces of coal fragments
Or Tan Silty CLAY, trace m-f Sand, trace fine Gravel; slightly dense 12 16 Notes: Abbreviation Legend: f - fine Or - Orange Gy - Gray m - medium c - coarse Gr - Green BI - Black Lt - Light Br - Brown Dk - Dark



PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/13/09
PROJECT NUMBER 099184	DATE COMPLETED 7/13/09
LOCATION _ 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563635.391 E521557.876
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC2-01-7.0 collected 7/13/09 at 12:00 for App IX VOC	s, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0	0	RE		EN		υ	GRAVEL (dry) (FILL)	8-
0								4.0
40.2					- 1 -		Brown, Black f-c SAND, GRAVEL (moist) (FILL)	1.0
0					- 2 -		Black, Dark Gray SILT, some f-c sand (dry)	1.6
0		3.5	MC				Black, Dark Gray CLAY, some f-c sand (moist)	2.4
0			1		- 3 -			
							No Recovery	3.5
					- 4 -	-		
•					5			5.0
0							Black f-c SAND, trace gravel (saturated)	
0					- 6 -			
0								7.0
0				X	- 7 -		Gray CLAY (moist) (soft)	7.0
0		3	MC 2		- 8 -		No Decovery	8.0
							No Recovery	
					- 9 -	_		
								10.0
				1	—10—		Bottom of borehole at 10.0 feet.	10.0





Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/13/09
PROJECT NUMBER 099184	DATE COMPLETED 7/13/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563521.502 E521557.154
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC2-02-7.0 collected 7/13/09 at 11:40 for App IX VOC	s, SVOCs, PCBs & Metals

PID (ppm) BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
38 0 156	1.5	MC 1		- 1 - - 2 - - 3 -		Purple, Blue stained silty CLAY, some f-c sand (wet) Gray silty CLAY (dry) No Recovery	_1.0
9 15 24.8 18 0 1.2 0	3.7	MC 2		- 5 - - 6 - - 7 - - 8 -		Black, Blue stained silty CLAY (moist) Gray, Brown mottled CLAY, Purple staining (moist)	
				 10		Bottom of borehole at 10.0 feet.	





Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/13/09
PROJECT NUMBER 099184	DATE COMPLETED 7/13/09
LOCATION _ 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563508.859 E521616.797
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	


REMARKS Sample AOC2-03-8.0 collected 7/13/09 at 10:40 for App IX VOCs, SVOCs, PCBs & Metals. Duplicate sample AOC2-21-8.0 collected ENV SAMPLE RECOVERY (feet) PID (ppm) BLOW COUNTS GRAPHIC LOG CONTACT DEPTH DEPTH (ft. BGS) CORE LITHOLOGIC DESCRIPTION 0 ASPHALT 0.5 GRAVEL (dry) (FILL) 0 8.0 Black, Blue stained SILT, some f-c sand, some gravel (dry) 0 1.4 Gray SAND, some clay (moist) 0 1.8 No Recovery 2 ELM BORING LOG - LOG A EWINNO1.GDT - 5/14/10 09:36 - G:\99184-BASF_WV\BORING LOGS\GINT\RFI_PHASEII_BORINGLOGS-JULY2009.GPJ 1.8 MC 3 5.0 5 Blue, Blue stained SAND, trace gravel (wet) 0 6.0 6 30 Blue, Blue stained silty CLAY, trace f-m sand (moist) (soft) 9999 4.5 MC 8 8.1 0 Light Gray CLAY (moist) (soft) 0 30 9.5 No Recovery 10.0 Bottom of borehole at 10.0 feet.



BORING AOC2-04

PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/13/09
PROJECT NUMBER 099184	DATE COMPLETED 7/13/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563393.124 E521538.709
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	





REMARKS Sample AOC2-05-9.5 collected 7/14/09 at 8:25 for App IX VOCs, SVOCs, PCBs & Metals

ELM BORING LOG - LOG A EWNN01.GDT - 5/14/10 09:36 - G:\099184-BASF_WV/BORING LOGS\GINT\RFI_PHASEII_BORINGLOGS-JULY2009.GPJ

PROJECT NAME Former BASF Huntington Works Facility DATE STARTED 7/14/09 PROJECT NUMBER 099184 **DATE COMPLETED** 7/14/09 **GPS COORDINATES** N1563334.296 E521524.892 LOCATION 5th Avenue & 24th Street Huntington West Virginia DRILLING METHOD Direct Push DEPTH TO WATER (ft BGS) Not Encountered BOREHOLE DIAMETER 2-inch DRILLING CONTRACTOR Subsurface, Inc. SAMPLING METHOD Macrocore / Split Spoon LOGGED BY Brad Mescavage

PAGE 1 OF 1

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0					- 1 -		ASPHALT Brown f-c SAND, some gravel (dry) (FILL) Brown CLAY (dry)	0.5 0.7
0		2.6	MC 1		- 2 -		Gray, Black stained CLAY (dry) No Recovery	2.4 2.6
0 0					- 3 -			
0					— 5 —		Gray, Black stained CLAY (moist)	5.0
0					- 6 - - 7 -			
0 0		5	MC 2		- 8 -			
0 0					- 9 -		Gray, Brown mottled silty CLAY (dry)	8.7
				M	—10—		Bottom of borehole at 10.0 feet.	10.0



BORING AOC2-06 PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/14/09
PROJECT NUMBER 099184	DATE COMPLETED 7/14/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563363.983 E521521.516
DRILLING METHOD _ Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample ACC2-06-9 5 collected 7/14/09 at 8:10 for App IX VCCs	s SVOCs PCRs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT			
0 0 0 0 0 0		4.2	MC 1		- 1 -		ASPHALT SAND, GRAVEL, red brick fragments (dry) (FILL) Gray, Brown, Black stained CLAY, trace gravel (dry) Red, Black stained clayey SILT, some f-m sand (wet)	_0.5			
0 0								- 4 - 5		Gray, Black stained CLAY (moist) No Recovery Gray, Black stained CLAY (moist)	3.8 4.2 5.0
		5	MC 2		- 6 -			7.9			
0 0 0				X	- 8 -		Gray, Gray-Brown, Brown mottled CLAY (dry)	10.0			
							Bottom of borehole at 10.0 feet.				

BORING AOC2-07 PAGE 1 OF 1



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility

PROJECT NUMBER 099184

DATE COMPLETED 7/13/09

LOCATION 5th Avenue & 24th Street Huntington West Virginia

DEPTH TO WATER (ft BGS) Not Encountered

BOREHOLE DIAMETER 2-inch

DRILLING CONTRACTOR Subsurface, Inc.

SAMPLING METHOD Macrocore / Split Spoon

LOGGED BY Brad Mescavage

REMARKS Sample AOC2-07-9.0 collected 7/13/09 at 9:15 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT				
0							ASPHALT	0.5				
0							CONCRETE	1.0				
0					- 1 -		Gray CLAY (dry)	1.5				
0							Brown CLAY (dry)					
0									- 2 -			
0		4	MC 1									
0					- 3 -		Brown silty CLAY (dry)	3.0				
0												
0					- 4 -		No Recovery	4.0				
0												
0					— 5 —		Brown silty CLAY, trace f-m sand (dry) (soft)	5.0				
0												
0					- 6 -							
0												
0					- 7 -							
0		5	MC					7.7				
			2		- 8 -		Brown silty CLAY, some f-m sand (moist) (soft)					
0								8.5				
0					- 9 -		Brown, Gray f-c SAND, trace gravel (wet) Gray silty CLAY (moist) (soft)	8.9				
0				M	J		City only OLM (Moles) (Soll)					
0					10			10.				
					—10—		Bottom of borehole at 10.0 feet.					

BORING AOC2-08 PAGE 1 OF 1



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED _ 7/13/09
PROJECT NUMBER 099184	DATE COMPLETED 7/13/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563280.465 E521701.036
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

REMARKS Sample AOC2-08-8.0 collected 7/13/09 at 10:00 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT						
0							ASPHALT	0.5						
0							CONCRETE	1.0						
0							- 1 -		Brown silty CLAY (dry) (soft)					
0		3.5	MC 1	-	- 2 -									
0				-	- 3 -		No Recovery	3.5						
				-	- 4 -									
0						— 5 —		Brown, Red stained silty CLAY, trace gravel (moist) (soft)	5.0					
0										-	- 6 -			7.0
0		3.5	MC 2	-	- 7 -		Brown f-c SAND, some gravel (wet) Brown silty CLAY (wet) Brown f-c SAND, some gravel (wet)	7.3 7.7 8.0						
0				X	- 8 -		Brown silty CLAY, trace gravel (dry) No Recovery	8.5						
				_	- 9 -									
					 10		Bottom of borehole at 10.0 feet.	10.						



PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/14/09
PROJECT NUMBER 099184	DATE COMPLETED 7/14/09
LOCATION _ 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563304.522 E521523.333
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC2-09-9.5 collected 7/14/09 at 8:40 for App IX VOCs	s, SVOCs, PCBs & Metals


PID (ppm) BLOW COUNTS	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0 0 0	2	MC 1		- 1 - - 2 - - 3 -		ASPHALT GRAVEL (dry) Black stained silty CLAY, trace f-m sand (moist) Brown, Brown f-c SAND, trace gravel, red brick fragments (dry) (FILL) No Recovery	0.5 0.8 1.1 2.0
	5	MC 2		- 5 - - 6 - - 7 - - 8 -		Black stained f-c SAND, some clay (wet) Gray, Black stained gravely CLAY (moist) Gray, Black stained CLAY (moist) Gray, Brown mottled silty CLAY (dry) Bottom of borehole at 10.0 feet.	5.0 5.8 6.3 9.3



BORING AOC2-10 PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/10/09
PROJECT NUMBER 099184	DATE COMPLETED 7/10/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563352.753 E521413.844
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC2-10-10.0 collected 7/10/09 at 15:00 for App IX VO	Cs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
OGS-JULY2009.GPJ		3.1	MC 1		- 1 - - 2 - - 3 -		ASPHALT, GRAVEL (dry) Brown f-c SAND (dry) No Recovery	3.1
5/14/10 09:36 - G:\099184-BASF_WV\BORING LOGS\GINT\RFI_PHASEII_BORINGLOGS-JULY2009.GPJ		4.1	MC 2		- 5 - - 6 - - 7 - - 8 -		Brown f-c SAND (moist at 5.5') Red stained f-c SAND, trace gravel (moist) No Recovery	9.1
ELM BORING LOG - LOG A EWNN01.GDT - 5/14/10 09:36 - G:\99184-B		3.1	MC 3		10 - 11 - - 12 - - 13 - - 14 -		Red stained f-c SAND, trace gravel (moist) No Recovery	13.1
ELM BORING					—15—		Bottom of borehole at 15.0 feet.	10.0



BORING AOC2-11 PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/10/09
PROJECT NUMBER 099184	DATE COMPLETED 7/10/09
LOCATION _ 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563081.293 E521444.711
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC2-11-6.5 collected 7/10/09 at 13:55 for App IX VOC	s, SVOCs, PCBs & Metals

PID (ppm) BLOW COUNTS	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
	4.3	MC 1		- 1 -		ASPHALT GRAVEL (dry) Black, Brown CLAY, some f-c sand, trace gravel (dry) (FILL) Brown, Gray silty CLAY, trace gravel (dry) Brown f-c SAND, some silt (dry) No Recovery	0.5 1.0 1.9 4.0 4.3
	2.3	MC 2		- 5 - 6 - 7 - 8 - 9 10 10		Gray CLAY (moist) (soft) Brown silty CLAY, some f-c sand, trace gravel (dry) Brown f-c SAND (dry) No Recovery Bottom of borehole at 10.0 feet.	5.0 5.5 6.5 7.3





Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/10/09
PROJECT NUMBER 099184	DATE COMPLETED 7/10/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563032.417 E521472.589
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	

LOGGED BY Brad Mescavage

REMARKS Sample AOC2-12-9.0 collected 7/10/09 at 13:30 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0							ASPHALT	0.5
0						M.	GRAVEL	0.5 0.7
					- 1 -		Brown, Tan, Gray mottled CLAY (dry)	
0					•			
0								
					- 2 -			
0					_			
0		3.7	MC					
			1		- 3 -			
0					Ü			
0								3.7
					- 4 -		No Recovery	
0	,				— 5 —		Brown, Tan, Gray mottled CLAY (dry)	5.0
0					- 6 -			
								6.5
0							Brown silty CLAY (dry) (soft)	
0					- 7 -			
0		4.5	MC 2					
0					- 8 -			8.2
							Brown silty SAND (moist)	
0						لنبيبا	Brown silty CLAY, some f-m sand (moist) (soft)	8.7
0					- 9 -		DIOWIT SILLY OLAT , SOTTIC ITHI SAHU (HIDIST) (SOIL)	
-				M				9.5
0							No Recovery	
					—10 <i>—</i>		Bottom of borehole at 10.0 feet.	10.
							BOLLOTTI OI DOTETTOLE AL 10.0 TEEL.	



BORING AOC2-13

PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/10/09
PROJECT NUMBER 099184	DATE COMPLETED 7/10/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1563019.341 E521559.091
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

REMARKS Sample AOC2-13-7.0 collected 7/10/09 at 11:15 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0							ASPHALT	
0								0.8
0					- 1 -		Brown f-c SAND, GRAVEL (dry) (FILL)	1.2
0							Brown CLAY, (dry) (firm)	
Ū					- 2 -			
0					2		Brown f-c SAND, some silt and clay (dry)	2.2
0		3.7	MC 1				Brown silty CLAY (dry)	2.7
0					- 3 -		BIOWITSHLY CLAT (dry)	
0								3.7
					- 4 -		No Recovery	J.,
					·			
								5.0
0				1	— 5 —		Brown CLAY, some f-c sand (moist) (soft)	
0								
0					- 6 -			
0					_			
0				M	- 7 -			
0		4.8	MC 2					
0			_		- 8 -			
0								
0					0			
0					- 9 -			
0								9.8
				+	—10—		No Recovery Bottom of borehole at 10.0 feet.	10.
							25.25.11 61 501011010 41 10.0 1001.	



PROJ LOCA DRILLI BORE SAMI LOGO	IECT NU ATION LING MI EHOLE I PLING M GED BY	JMBER 5th A ETHOD DIAMET METHOI Bra		9184 & 24 rect l 2-ii Macro	th Stree Push nch ocore / s	eet Huntin	DATE STARTED	
PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
GS-JULY2009.GPJ		0	MC 1		- 1 - - 2 - - 3 -		ASPHALT No Recovery	0.8
BASF_WVBORING LOGS/GINT/RFI_PHASEII_BORINGLO		4.7	MC 2		- 5 - - 6 - - 7 - - 8 -		CONCRETE, GRAVEL (dry) (FILL) Brown f-c SAND (dry) Brown clayey SILT (moist) Brown silty CLAY (moist) (soft)	5.0 5.7 6.6 8.4
ELM BORING LOG - LOG A EWNNO1.GDT - 5/14/10 09:37 - G:\09184-BASF_WV\BORING LOGS\GINT\RFI_PHASEII_BORINGLOGS\JULY2009.GPJ		2.7	MC 3		10 - 11 - - 12 - - 13 -		No Recovery Brown f-c SAND (moist) Brown silty CLAY (moist) (soft) No Recovery	10.0
.M BORING LOG - LOG A EWN						-	Bottom of borehole at 15.0 feet.	



LOGGED BY Brad Mescavage

BORING AOC2-15

PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility

PROJECT NUMBER 099184

DATE COMPLETED 7/10/09

LOCATION 5th Avenue & 24th Street Huntington West Virginia

DRILLING METHOD Direct Push

DEPTH TO WATER (ft BGS) Not Encountered

BOREHOLE DIAMETER 2-inch

SAMPLING METHOD Macrocore / Split Spoon

REMARKS Sample AOC2-15-11.0 collected 7/10/09 at 10:00 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm) BLOW COUNTS	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0 0 0	1.6	MC 1		- 1 - - 2 - - 3 -		ASPHALT GRAVEL (dry) Black f-c SAND (dry) (FILL) No Recovery	0.4 0.9 1.6
0 0 0	1.1	MC 2	_	- 4 5 6 7 8 -		Brown, Gray CLAY (moist) (soft) Black f-c SAND (moist) (FILL) No Recovery	5.0 5.8 6.1
0 0 0 0 0 0	2.7	MC 3	X	10 - 11 - - 12 - - 13 -		Orange-Brown, Brown, Gray CLAY (moist) (soft) Brown, Gray, Gray-Brown mottled silty CLAY (dry) Brown silty CLAY (dry) Brown f-c SAND (dry) No Recovery	10.0 10.6 11.8 12.3 12.7

BORING AOC2-16 PAGE 1 OF 1



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/10/09
PROJECT NUMBER 099184	DATE COMPLETED 7/10/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562743.589 E521411.997
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

REMARKS Sample AOC2-16-10.0 collected 7/10/09 at 8:55 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0 0					- 1 -		TOP SOIL, Grass, Root layer Brown SILT, some f-c sand, trace gravel (dry)	0.5
.Y2009.GPJ o o		2.6	MC 1		- 2 -		No Recovery	2.6
EII_BORINGLOGS-JUL					- 4 - 5 - 6 -		Gray, Black CLAY (moist) (soft)	5.0
5/14/10 09:37 - G:09184-BASF_WV/BORING LOGS/GINT/RFI_PHASEII_BORINGLOGS-JUL/72009.GFJ		3.5	MC 2		- 7 -		Light Gray, Brown CLAY (moist) (soft) Gray silty CLAY (dry) (firm)	6.8
1184-BASF_WV/BORIN					- 9 - 10		No Recovery Gray-Brown, Gray CLAY (moist) (soft)	8.5
. 0		4.5	MC 3		- 11 - - 12 - - 13 -		Brown, Orange-Brown, Gray mottled silty CLAY (dry)	11.0
ELM BORING LOG - LOG A EWNN01.GDT				_	- 14 - 15		Brown, Orange-Brown mottled clayey SILT (dry) (soft) No Recovery Bottom of borehole at 15.0 feet.	14.3 14.5 15.0



BORING AOC2-17 PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562643.75 E521391.452
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC2-17-11 0 collected 7/9/09 at 17:10 for App IX VOC	s SVOCs PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0						7/1/2. 1/1/	TOP SOIL, Grass, Root layer	0.3
0					- 1 -		Brown, Gray silty CLAY, trace f-c sand (moist)	1.3
							No Recovery	
					- 2 -			
		1.3	MC					
			1		- 3 -			
					- 4 -			
0				┨	— 5 —		Brown f-c SAND (wet)	5.0
0								5.8
0					- 6 -		Gray, Gray-Brown CLAY, some silt (moist)	6.1
U							Black, Gray f-c SAND (wet)	6.3 6.5
					- 7 -	-	Black, Orange-Brown mottled CLAY (dry) No Recovery	
		1.5	MC				•	
		1.5	2		- 8 -			
					Ü			
					0			
					- 9 -			
								10.0
0				1	—10—		Brown f-c SAND (wet)	10.0
0								
0				M	- 11 -			
0								11.8
0					- 12 -		Gray, Gray-Brown silty CLAY (wet) (soft)	
0		3.2	МС					
0			3		- 13 -			13.2
U							No Recovery	10.2
					- 14 -			
					1-7			
								15.0
				1	—15 <i>—</i>		Bottom of borehole at 15.0 feet.	15.0

BORING AOC2-18 PAGE 1 OF 1

Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562577.397 E521375.349
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC2-18-11.0 collected 7/9/09 at 16:20 for App IX VOC	Ss. SVOCs. PCBs & Metals. Refusal at 13 ft.

TOP SOIL, Grass, Root layer Red-Brown SILT, trace clay, trace f-m sand (dry)	
Br SILT, s f-c sand, s clay (dry) CONCRETE (dry) (FILL) Brown CLAY, some sand, some silt (moist) No Recovery	0.5 1.0 2.0 2.2 2.5
Brown CLAY, some sand, some silt, trace gravel (moist) - 6	5.0 7.2
20.2 0 74.5 0 100 126 Description: Black, Purple staining f-c SAND, some silt (saturated) 11 - 12 - No Recovery No Recovery Bottom of borehole at 13.0 feet.	10.0

BORING AOC2-19 PAGE 1 OF 1



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562596.278 E521303.575
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	

LOGGED BY Brad Mescavage

REMARKS Sample AOC2-19-10.0 collected 7/9/09 at 15:30 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0							CONCRETE Black SILT, some f-c sand, trace gravel (dry) (FILL)	0.5
0					- 1 -		Brown f-c SAND, some silt (dry)	1.0
0							2.5 6 5, 4.2, 656 5.K (a.),	1.8
0					- 2 -		Brown, Back stained SILT, some f-c sand, some clay (dry)	
0		4.5	MC 1					
0			'		- 3 -			
0								
0					- 4 -		Green-Brown, Gray CLAY (dry)	4.2 4.5
					_		No Recovery	5.0
0				1 [— 5 —		Brown, Gray, Gray-Brown silty CLAY, some f-c sand (dry)	
0					- 6 -			6.0
0					U		CONCRETE Brown, Red-Brown, Gray mottled silty CLAY, trace f-m sand (moist) (soft)	6.3
0					- 7 -		Brown, Ned-Brown, Gray Hiotacd Sitty OEAT, trace 1-111 Sand (1105t) (50ft)	
0		3	MC					
0		Ü	2		- 8 -		No Recovery	8.0
							NO Recovery	
					- 9 -			
					—10—			10.0
0	-			X	_ 10		Black CLAY (moist) (soft)	
0					- 11 -		Green-Brown, Gray CLAY (moist)	10.8
0								11.5
0					- 12 -		Gray, Orange-Brown mottled silty CLAY (dry) (firm)	
0		2.6	MC					12.6
0		0	3		- 13 -		No Recovery	
0								
-					- 14 -			
				┨┤┞	—15 —		Bottom of borehole at 15.0 feet.	15.0

BORING AOC5-01 PAGE 1 OF 1



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562830.688 E521344.156
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.

SAMPLING METHOD Macrocore / Split Spoon

LOGGED BY Brad Mescavage

REMARKS Sample AOC5-01-20.0 collected 7/9/09 at 11:30 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0					- 1 -		Concerete and gravel (dry) Brown, Black GRAVEL, SAND and Gray CLAY (wet) (FILL)	0.6
0		1.5	MC 1		- 2 - - 3 -		No Recovery	1.6
0					- 4 - 5		Black GRAVEL, sand and clay (saturated)	5.0
0					- 6 -			6.2
0		2.5	MC 2		- 7 - - 8 -		Back CLAY (saturated) (soft) Brown, Orange-Brown, Gray mottled silty CLAY (dry) No Recovery	
0 0					- 9 - 10 - 11 -		Gray, Gray-Brown silty CLAY, some f-m sand (moist)	10.
0		2.5	MC 3		- 12 - - 13 -		No Recovery	12.
0	_				- 14 - 15		Gray SILT, some f-c sand (wet) (soft)	15.
0 0					- 16 - - 17 -			17.
0 0 0 0		3	MC 4		- 18 - - 19 -		Gray SILT, some f-c sand, some clay (moist) No Recovery	18.
0 0 0	-			X	-20-		Gray SILT, some sand, some clay (wet)	20. 20.
0 0 0		1.5	MC 5		- 21 - - 22 - - 23 -		Orange-Brown, Gray f-c SAND (wet) No Recovery	21.
					- 24 - 25	1		25.

BORING AOC5-02

PAGE 1 OF 1

مرش کرکر	
THE EIM GROUP	,

Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562854.866 E521376.92
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMDLING METHOD Macrocore / Split Speep	

LOGGED BY Brad Mescavage

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
		2.5	MC 1				GRAVEL	0.5
					- 1 -		Brown silty CLAY, some f-c sand, some gravel (dry) (FILL)	1.4
					- 2 -		Black GRAVEL, slag fragments (dry) (FILL) Gray, Gray-Brown silty CLAY, trace gravel (moist)	1.6
					- 3 -		No Recovery	2.7
					- 3 -		No Newvery	
					- 4 -			
]	— 5 —			5.0
		5 3.5	MC 2				Gray silty CLAY, trace f-m sand (moist)	
					- 6 -			
					- 7 -		No Recovery	7.0
					- 8 -		To receive	
					Ü			
					- 9 -			
				┦ ∤	 10	//////	Gray-Brown, Oanger-Brown mottled Black stained CLAY (moist) (soft)	10.
					_ 11 _			10.
					- 11 -		Orange-Brown, Gray mottled CLAY (dry) (firm)	
					- 12 -			
					- 13 -			
								14.
					- 14 -		Gray, Orange-Brown, Brown mottled silty CLAY (dry) (firm)	
				1	—15—		Orange-Brown, Gray, Brown, Black stained CLAY (moist) (soft)	15.
					- 16 -		orango Bromi, Gray, Bromi, Brasil Galinea GE II (mole) (con)	
0								
0					- 17 -			17.
0					- 18 -		Gray, Green-Brown silty CLAY, trace f-m sand (moist) (soft)	18.
U					10 -		No Recovery	
					- 19 -			
0 0 0 0 0 0		3.5	MC 5	H	-20-		Orange-Brown, Brown, Gray mottled CLAY, some silt (moist) (soft)	20.
					- 21 -			21.
							Green-Brown, Gray silty SAND (moist) (soft)	21.
					- 22 -		Gray silty CLAY (moist) (soft)	22.
					- 23 -		Gray, Brown, Orange-Brown f-c SAND (moist)	23.
					- 24 -	• • • •	No Recovery	
								25.
	•			1	-25-		Bottom of borehole at 25.0 feet.	

BORING AOC5-03



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562841.478 E521382.889
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

REMARKS Sample AOC5-03-20.0 collected 7/9/09 at 10:05 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0 0 0		2.5	MC 1		- 1 - - 2 - - 3 -		Gray CLAY, some gravel, some f-c sand (dry) (FILL) Brown, Gray CLAY, some f-c sand (moist) (soft) Brown, Gray-Brown silty CLAY, some f-c sand (moist) (soft) No Recovery	1.0
0 0 0 0		2.5	MC 2		- 5 - - 6 - - 7 - - 8 - - 9 -		Brown, Green-Brown CLAY (moist) (soft) Black stained CLAY (moist) (soft) No Recovery	5.0 6.6 7.4
0 0 0 0		2.5	MC 3		10 - 11 - - 12 - - 13 - - 14 -		Green-Brown, Black stained CLAY, trace f-c sand (moist) (soft) Brown, Green-Brown, Gray, Black CLAY, some gravel (wet) No Recovery	10.0 11.1 12.3
0 0 0 0 0 0		2.5	MC 4		15 - 16 - - 17 - - 18 - - 19 -		Green-Brown, Gray, Black stained CLAY (moist) (soft) Brown, Orange-Brown mottled CLAY, some silt (moist) No Recovery	15.0 17.4 17.8
0		2.5	MC 5		20 - 21 - - 22 - - 23 - - 24 -		Orange-Brown, Tan, Brown f-c SAND (moist) No Recovery	22.6
					25		Bottom of borehole at 25.0 feet.	25.0

BORING AOC5-04

PAGE 1 OF 1

THE EIM GROUP

Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562816.141 E521377.991
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	

LOGGED BY Brad Mescavage

REMARKS Sample AOC5-04-21.0 collected 7/9/09 at 9:30 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0							GRAVEL (dry) (FILL)	0.5
0					- 1 -		Brown f-c SAND, little Silt, trace gravel (dry)	
0					2	*******	OONODETE (1.) (FILL)	1.8
0		3	MC		- 2 -		CONCRETE (dry) (FILL) Brown, Gray-Brown CLAY (moist) (soft)	1.9
0			1		- 3 -		Brown, Black f-c SAND, slag fragments (dry) (FILL)	— <i>—</i> — 2.9
					- 4 -		No Recovery	3.0
					4			
0				+	— 5 —		Brown, Gray-Brown CLAY (moist) (soft)	5.0 5.5
0					- 6 -		Brown f-c SAND, trace gravel (dry)	6.0
					0		No Recovery	
					- 7 -			
		1	MC 2		- 8 -			
			_					
					- 9 -			
					—10 <i>—</i>			10.0
0							Brown, Gray-Brown, Orange-Brown mottled CLAY, trace f-m SAND (moist) (soft)	11.0
0					- 11 -		Brown CLAY, trace f-m sand (moist) (soft)	
0					- 12 -		Black stained CLAY (moist) (soft)	11.8 12.0
0		3	МС				Brown f-c SAND (dry)	12.2
-			3		- 13 -		Brown, Orange-Brown, Gray mottled CLAY (dry) (firm)	12.8
					- 14 -	.	Gray silty CLAY (moist) (soft)	
0				1	 15		Brown, Orange-Brown, Black mottled CLAY (moist) (soft)	
0					- 16 -			16.5
0					4-		Brown f-c SAND, trace gravel (dry)	16.5 16.7
0		3.5	MC		- 17 -		Gray silty CLAY, trace f-m sand (dry to moist)	
0		3.5	MC 4		- 18 -			18.5
Ü					40		No Recovery	16.5
					- 19 -			
0				$\mid \mid$	-20-	/////	Gray, Brown, Orange-Brown mottled CLAY, sand lens at bottom (moist) (soft)	20.0
0					21		Gray, Brown, Grange-Brown motified GEAT, Saint Ichs at Bottom (most) (301)	
0					- 21 -		Orange-Brown, mottled gray CLAY, some f-c sand (moist to dry)	21.3
0					- 22 -			22.2
0		3	MC		- 23 -		Orange-Brown f-c SAND (dry)	23.0
0			5		23 -		No Recovery	
0					- 24 -			
					25			25.0
							Bottom of borehole at 25.0 feet.	

BORING AOC5-05 PAGE 1 OF 1

(D)
THE CITT GROUP

ELM BORING LOG - LOG A EWNN01.GDT - 5/14/10 09:37 - G:090184-BASF_WV/BORING LOGS/GINT/RFI_PHASEII_BORINGLOGS-JULY2009.GPJ

Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562688.781 E521267.574
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

REMARKS Sample AOC5-05-22.0 collected 7/9/09 at 14:40 and AOC2-20-9.5 collected at 14:25 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0 0 0 0 0 0		4	MC 1		- 1 - - 2 - - 3 - - 4 -		ASPHALT Black, Brown SAND, GRAVEL (dry) (FILL) Brown silty CLAY, some f-c sand, trace gravel (dry) Gray silty CLAY, trace f-m sand (moist) No Recovery Gray silty CLAY, some f-c sand (moist)	0.4 0.6 3.0 4.1 5.0
0 0		1.5	MC 2		- 6 - - 7 - - 8 - - 9 -		Gray silty CLAY (moist)	7.0
0 0 0 0 0 0 0 0		2.5	MC 3		- 11 - - 12 - - 13 - - 14 -		Gray, Gray-Brown silty CLAY, some f-c sand (wet) Brown, Black f-c SAND, terracotta fragments (FILL) Gray, Gray-Brown silty CLAY (dry) No Recovery	11.6 11.8 12.5
0		1	MC 4		15 - 16 - - 17 - - 18 - - 19 -		Gray, Gray-Brown silty CLAY (dry) No Recovery	15.0
0 0 0 0 0		3	MC 5	×	20 - 21 - - 22 - - 23 -		Gray silty CLAY (saturated) Gray silty CLAY, some gravel, some sand (saturated) Orange-Brown silty SAND (dry)	20.0 21.2 22.0 23.3
0					- 24 - 25		No Recovery Bottom of borehole at 25.0 feet.	25.0

BORING AOC5-06

PAGE 1 OF 1

20
~~ <u>~</u> <u>~</u> ~
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
THE CIT I GROUP

Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/9/09
PROJECT NUMBER 099184	DATE COMPLETED 7/9/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1562726.567 E521261.252
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

**REMARKS** Sample AOC5-06-20.0 collected 7/9/09 at 12:45 for App IX VOCs, SVOCs, PCBs & Metals

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0							CONCRETE, GRAVEL, SAND (dry) (FILL)	0.6
0					- 1 -		Brown SAND, some gravel (dry) (FILL)	1.6
0					- 2 -		Black f-c SAND, trace gravel (dry)	2.3
0		2.5	MC 1	-	- 3 -	*****	No Recovery	2.3
				-	- 4 -			5.0
0				1	— 5 —		Gray, Gray-Brown SILT, some f-c sand, some clay (mosit) (soft)	5.0
0					- 6 -		Brown CLAY, trace silt (moist) (soft)	5.7
0					Ü			7.0
0					- 7 -		Gray silty CLAY (moist) (soft)	7.4
0		2.5	MC 2		- 8 -		No Recovery	
0			_	-	- 9 -			
					<del></del> 10			10
0							Gray silty CLAY (moist) (soft)	
0				li	- 11 -			11.
0					- 12 -		Gray silty CLAY (moist) (firm)	
0		5	MC		40		Gray, Orange-Brown mottled clayey SILT (dry) (firm)	12.
0			3		- 13 -		Gray, Grange Brown modeca diayey Gren (ary) (iiim)	
0					- 14 -			
0					—15—			15.
0					10		Brown, tan, Orange-Brown silty CLAY (moist) (soft)	
0					- 16 -			16.
0					- 17 -		Brown, Gray, Red-Brown mottled silty CLAY, trace f-m sand (dry)	
0		4.5	МС					
0			4		- 18 -			
0					- 19 -			40
0							No Recovery	19. 20.
0				M	—20 <i>—</i>		Brown, Orange-Brown, Gray mottled silty CLAY, trace f-m sand (dry)	
0					- 21 -		Brown SAND, some silt, trace clay (dry)	21. 21.
0					- 22 -		Orange-Brown f-m SAND (dry)	
0		3	MC		ZZ =		Brown, Tan f-c SAND (dry)	
0			5		- 23 -		No Recovery	23.
0					- 24 -		<b>/</b>	
0								25.
				┪╏	-25-		Bottom of borehole at 25.0 feet.	25.



#### **BORING AOC6-01**

PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility
PROJECT NUMBER 099184


DATE COMPLETED 7/15/09

LOCATION 5th Avenue & 24th Street Huntington West Virginia
DRILLING METHOD Direct Push
DIRECT PUSh
DIRECT PUSH
DIRECT PUSH
DIRECT PUSH
DIRECT PUSH
DIRECT PUSH
DEPTH TO WATER (ft BGS) Not Encountered

DRILLING CONTRACTOR Subsurface, Inc.

SAMPLING METHOD Macrocore / Split Spoon
LOGGED BY Brad Mescavage

REMARKS Sample AOC6-01-1.5 collected 7/15/09 at 11: 20 for App IX VOCs, SVOCs, PCBs, Metals & pH (field analysis)







Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/15/09
PROJECT NUMBER 099184	DATE COMPLETED 7/15/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1563663.211 E521566.172
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC6-02-1.5 collected 7/15/09 at 10:50 for App IX VOC	cs, SVOCs, PCBs, Metals & pH (field analysis)

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0							GRAVEL	0.4
0							Brown f-c SAND, trace gravel (dry) (FILL)	0.8
0					- 1 -		Brown SILT (dry) Brown f-c SAND, some silt, trace gravel (dry)	1.1
0								
0				M	- 2 -			
0								
0		3	MC 1				Gray, Black, Blue staining SILT, some f-c sand (dry)	2.7
					- 3 -		No Recovery	3.0
					- 4 -			
								-
				1	— 5 —		Bottom of borehole at 5.0 feet.	5.0



# BORING AOC6-03 PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/15/09
PROJECT NUMBER 099184	DATE COMPLETED 7/15/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1563660.467 E521481.351
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0					_ 1 _		GRAVEL Black, Brown f-m SAND (dry)  Brown silty CLAY (dry)	0.3
0 0				X	- 2 -			2.4
0		3.5	MC 1		- 3 -		Brown f-m SAND, some silt (dry)  No Recovery	3.4
					- 4 - 5 <del></del>		Bottom of borehole at 5.0 feet.	5.0



DRILI BORE SAME LOGG	LING MI EHOLE PLING N GED BY	5th A ETHOD DIAME METHOI Bra	Dir TER _ D _ M  d Mesc	& 24 ect I 2-in lacro cava C6-0	4th Stre Push nch ocore / s ge 4-1.5 c	Split Spo	DATE COMPLETED 7/15/09  Ington West Virginia GPS COORDINATES N1563642.086 E521556.27  DEPTH TO WATER (ft BGS) Not Encountered  DRILLING CONTRACTOR Subsurface, Inc.  Principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle of the principle o	
PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0. GPJ				X	- 1 -		SAND, GRAVEL, CONCRETE (dry) (FILL)  Gray, Black, Green-Brown CLAY, some f-c sand (dry)  Green-Brown, Black silty CLAY (moist)	0.9
PHASEII_BORINGLOGS-JULY2009		4	MC 1		- 3 -		Brown CLAY (dry)  Green-Brown, Black silty CLAY, trace f-c sand (moist)  Black f-c SAND, some gravel (moist)  No Recovery	2.8 3.2 3.4 3.9
ELM BORING LOG - LOG A EWNN01.GDT - 5/14/10 09:38 - G:\99184-BASF_WV/BORING LOGS\GINT\RFI_PHASEII_BORINGLOGS-JUL/72009.GPJ					- 5 -		Bottom of borehole at 5.0 feet.	5.0



PROJECT N LOCATION DRILLING M BOREHOLE SAMPLING I LOGGED BY	UMBER _ _5th Aver ETHOD _ DIAMETER METHOD / _Brad N	099184 nue & 24 Direct R _ 2-i Macro Mescava	4 4th Stre Push nch ocore / 3	DEPTH TO WATER	7/15/09   S
PID (ppm) BLOW COUNTS	RECOVERY (feet)	CORE ENV SAMPLE	DEPTH (ff. BGS)	PAPHC LOGIC I	DESCRIPTION EX
PHASEII_BORINGLOGS-JULY2009.GPJ	4	MC 1	- 1 - - 2 - - 3 -	Brown clayey SILT (dry)  Brown f-c SAND (dry)  Brown silty f-c SAND (dry)  No Recovery	
ELM BORING LOG - LOG A EWNN01.GDT - 5/14/10 09:38 - G:\09184-BASF_WY/BORING LOGS\GINT\RFI_PHASEII_BORINGLOGS-JULY2009.GPJ			5	Bottom of borehole	at 5.0 feet.





Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/15/09
PROJECT NUMBER 099184	DATE COMPLETED 7/15/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1563595.842 E521525.634
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

REMARKS Sample AOC6-06-5.0 collected 7/15/09 at 9:50 for App IX VOCs, SVOCs, PCBs, Metals, Ethylene Glycol & pH (field analysis)

White GRAVEL, f-c sand (dry) (FILL)  White, Green stained SILT, some f-c sand (dry) Brown, Black stained silty CLAY, trace f-c sand (dry)  No Recovery  No Recovery  Black CLAY (moist)  Dark Green CLAY (moist)  Black CLAY (moist)		
0 0 White, Green stained SILT, some f-c sand (dry) Brown, Black stained silty CLAY, trace f-c sand (dry)	CORE ENV SAMPLE (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS) (ft. BGS)	CONTACT
Black CLAY (moist)  5  Black CLAY (moist)  75.5  Dark Green CLAY (moist)  Black CLAY (moist)	White, Green stained SILT, some f-c sand (dry)  Brown, Black stained silty CLAY, trace f-c sand (dry)  No Recovery  - 3 -	1.3 1.5 2.2
Brown, Gray CLAY (moist)  2.8 MC 2 - 8 - No Recovery  No Recovery  Bottom of borehole at 10.0 feet.	Black CLAY (moist)  - 6  Dark Green CLAY (moist)  - 7  Black CLAY (moist)  Brown, Gray CLAY (moist)  No Recovery  - 9  - 10	5.0 6.3 7.0 7.8



# BORING AOC6-07 PAGE 1 OF 1

PRODRI	DJECT NI CATION ILLING M REHOLE MPLING I GGED BY	JMBER 5th A ETHOD DIAME METHOI	099 Nvenue Dir TER _ D _ M ad Meso	9184 & 24 ect l 2-ii lacro	4 4th Stree Push nch ocore /	et Hunt Split Sp	DATE STARTED 7/15/09  DATE COMPLETED 7/15/09  ington West Virginia GPS COORDINATES N1563550.767 E521460.328  DEPTH TO WATER (ft BGS) Not Encountered  DRILLING CONTRACTOR Subsurface, Inc.  7/15/09 at 9:30 for App IX VOCs, SVOCs, PCBs & Metals	
(maa) Old		RECOVERY (feet)	CORE	ENV SAMPLE		GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
19.	2	RE		EN		• • • • • • • • • • • • • • • • • • •	GRAVEL Black SILT, trace gravel (dry)	0.4
372 115	2				- 1 -		Black, Red stained clayey SILT, trace f-c sand (wet)	1.5
RING LOGS/GINT/RFI_PHASEII_BORINGLOGS-JULY2009.GPJ	9	3	MC 1	X	- 3 -		No Recovery	2.7
FI_PHASEII_BORING					- 4 -			
ELM BORING LOG - LOG A EWNN01.GDT - 5/14/10 09:38 - G:09184-BASF_WVBORING LOGS\GINT\RF					5		Bottom of borehole at 5.0 feet.	5.0

## BORING AOC6-08 PAGE 1 OF 1



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED _ 7/15/09
PROJECT NUMBER 099184	DATE COMPLETED 7/15/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1563525.82 E521504.334
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	

LOGGED BY Brad Mescavage

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0							ASPHALT, GRAVEL (dry)	
16.5								0.7
70.0					- 1 -		Brown f-c SAND, some gravel (dry)	1.0
79.6							Black, Dark Gray GRAVEL, some f-c sand (wet)	
55.8								
74.2					- 2 -	. 6.4		2.1
							Black SILT (dry)	2.4
		2.5	MC 1				No Recovery	
					- 3 -			
					- 4 -			
								5.0
14.4	•			1	— 5 —		Black SILT (wet)	
52.1						H + H	Black SILT, trace gravel (wet) (soft)	5.5
					0		Black CILT, trace graver (web) (cont)	
59.6					- 6 -			
92.9						H+H	Black SILT, some f-c sand, some clay (wet)	6.5
				M	- 7 -		, , ,	
92.3					,			
60.2		4	MC 2					7.7
			2		- 8 -		Dark Gray silty CLAY (wet)	
44.8								
41.7								8.7
0					- 9 -		Gray, Brown mottled CLAY (moist) (soft)	9.0
J							No Recovery	
				4 }	—10 <i>—</i>		Bottom of borehole at 10.0 feet.	10.
							Bottom of Botonoic at 10.0 feet.	

## BORING AOC6-09 PAGE 1 OF 1



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED7/14/09
PROJECT NUMBER 099184	DATE COMPLETED 7/14/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1563323.366 E521400.125
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

REMARKS Sample AOC6-09-6.5 collected 7/14/09 at 11:50 for App IX VOCs, SVOCs, PCBs, Metals & pH (field analysis)

PID (ppm) BLOW COUNTS	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0 0 0	2.5	MC 1		- 1 -		ASPHALT Brown f-c SAND (dry)  Gray silty CLAY (wet) Brown, Black silty f-c SAND (moist)  No Recovery	0.3 1.3 1.6 2.4
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3.5	MC 2		- 5 - - 6 - - 7 - - 8 -		Brown silty f-c SAND, trace gravel (saturated)  Black f-c SAND, some gravel (wet)  Black stained, Gray CLAY (moist)  Gray CLAY (moist)  No Recovery	5.0 5.4 5.8 7.2 8.5
				IU- <del></del>		Bottom of borehole at 10.0 feet.	



#### **BORING AOC6-10**

PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility
PROJECT NUMBER 099184

LOCATION 5th Avenue & 24th Street Huntington West Virginia
DRILLING METHOD Direct Push
BOREHOLE DIAMETER 2-inch
SAMPLING METHOD Macrocore / Split Spoon
LOGGED BY Brad Mescavage

DATE STARTED 7/14/09


DATE COMPLETED 7/14/09

DATE COMPLETED 1/14/09

DATE COMPLETED 7/14/09

DATE COMPLETED 7/14/

REMA			ole AOC			ollected '	7/14/09 at 11:50 for App IX VOCs, SVOCs, PCBs, Metals & pH (field analysis)	
PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ff. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0						36	ASPHALT  GRAVEL	0.5
0 0					- 1 -		Black SILT, Blue stained SILT (dry)	1.3
					- 2 -		Black f-c SAND, some silt (wet)	2.1
7.9		3.5	MC 1	X	- 3 -		Brown, Gray CLAY, some f-c sand (moist) (soft)	3.4
ELM BORING LOG - LOG A EWINNOTGD I - 5/14/10 09:38 - G:09184-BASF_WV/BORING LOGS/GIN TRF1_PTASEII_BORINGLOGS-JULY2009.GFJ 7 0					- 4 -		No Recovery	3.4
NATI PHAS					_			5.0
					— 5 —		Bottom of borehole at 5.0 feet.	
الاس الاس الاس الاس الاس الاس الاس الاس								
. G. 155 1.01								
00.60.01/41/								
G-109:100IN								
LOG A Ev								
BORING LO								
ELMB								



# BORING AOC6-11 PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/14/09
PROJECT NUMBER 099184	DATE COMPLETED 7/14/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1563243.824 E521407.172
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC6-11-2.0 collected 7/14/09 at 9:55 for App IX VOCs	, SVOCs, PCBs, Metals & pH (field analysis)
	· · · · · · · · · · · · · · · · · · ·


PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0							ASPHALT	0.5
0							Black SAND, GRAVEL (dry) (FILL)	0.5
0					- 1 -	××××_	Brown f-c SAND, some silt, trace gravel (dry)	1.0
0							Gray, Black stained silty CLAY (moist)	1.5
0					- 2 -			
0		3.3	МС	M				
			1		- 3 -		Black f-c SAND, some silt (moist)	2.9
0							No Recovery	3.3
					- 4 -			
					— 5 —		Bottom of borehole at 5.0 feet.	5.0



**BORING AOC6-12** 

PROJECT NAME Former BASF Huntington Works Facility DATE STARTED 7/14/09 PROJECT NUMBER 099184 DATE COMPLETED 7/14/09 **GPS COORDINATES** N1563289.5 E521430.854 **LOCATION** 5th Avenue & 24th Street Huntington West Virginia DRILLING METHOD Direct Push DEPTH TO WATER (ft BGS) Not Encountered **BOREHOLE DIAMETER** 2-inch DRILLING CONTRACTOR Subsurface, Inc. SAMPLING METHOD Macrocore / Split Spoon LOGGED BY Brad Mescavage

REMARKS Sample AOC6-12-8.0 collected 7/14/09 at 10:35 for App IX VOCs, SVOCs, PCBs, Metals & pH (field analysis)





BORING AOC6-13
PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED7/14/09
PROJECT NUMBER 099184	DATE COMPLETED 7/14/09
LOCATION _ 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1563247.002 E521451.83
DRILLING METHODDirect Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	

Sample AOC6-13-3.0 collected 7/14/09 at 9:20 for App IX VOCs, SVOCs, PCBs, Metals & pH (field analysis)

PID (ppm) BLOW COUNTS	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0 0				- 1 -		ASPHALT  GRAVEL, CONCRETE (dry) (FILL)  Black stained SAND, some silt, trace clay (moist)	0.5 1.5 1.8
0 0	4	MC 1		- 2 -		SAND, GRAVEL, red brick fragments (dry) (FILL)  Brown CLAY (dry)	2.8
0			X	- 4 -		Black stained SILT, some f-c sand (wet)  No Recovery	3.3
				— 5 —		Bottom of borehole at 5.0 feet.	5.0

## BORING AOC6-14 PAGE 1 OF 1



Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED7/13/09
PROJECT NUMBER 099184	DATE COMPLETED 7/13/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1562856.322 E521246.668
DRILLING METHODDirect Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	

LOGGED BY Brad Mescavage

REMARKS Sample AOC6-14-2.0 collected 7/13/09 at 14:04 for App IX VOCs, SVOCs, PCBs, Metals & TPH

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0						<u> </u>	TOP SOIL, Grass, Root layer	0.3
0							Brown f-c SAND, some silt (dry)	0.6
							Black f-c SAND, some gravel (dry)	1.0
0					- 1 -		Brown f-c SAND (dry)	7
0							Brown clayey SILT, trace f-m sand (dry)	1.
					- 2 -			2.0
0				M	_		Brown silty CLAY (dry)	
0		2.8	MC					
			1		- 3 -		No Recovery	2.
0 0				_	- 4 -		Brown silty CLAY (dry)	5.
0 0 0		4.1	MC 2		- 7 -		Brown CLAY, some f-c sand (moist)	6.9
								8.
0						······	Brown f-c SAND (dry)	8.8
					- 9 -	<i>\\\\\\</i>	Gray CLAY (dry) No Recovery	9.
					—10—		Bottom of borehole at 10.0 feet.	10
							DOLLOTT OF DOLCTIONS OF 10.0 IEEE.	



## BORING AOC6-15 PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/13/09
PROJECT NUMBER 099184	DATE COMPLETED 7/13/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	GPS COORDINATES N1562779.569 E521261.844
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC6-15-6.0 collected 7/13/09 at 14:40 for App IX VOC	Cs, SVOCs, PCBs, Metals & TPH


PID (ppm) BLOW COUNTS	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT
0 0 0 0	2	MC 1		- 1 -		GRAVEL, SAND (dry) (FILL)  Brown f-m SAND, some clay and silt (dry)  No Recovery	1.8
0 0 0 0 0 0 0	4.5	MC 2		- 5 - - 6 - - 7 - - 8 -		GRAVEL, SAND (dry) (FILL)  Gray, Br CLAY (moist)  Gray f-m SAND, some clay, (moist)  Brown f-m SAND, some clay (moist)  Gray silty CLAY (moist)	5.0 5.5 6.0 7.0 8.0



#### **BORING AOC6-16**

PAGE 1 OF 1

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/13/09
PROJECT NUMBER 099184	DATE COMPLETED 7/13/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	<b>GPS COORDINATES</b> N1562749.137 E521213.408
DRILLING METHOD Direct Push	DEPTH TO WATER (ft BGS) Not Encountered
BOREHOLE DIAMETER 2-inch	DRILLING CONTRACTOR Subsurface, Inc.
SAMPLING METHOD Macrocore / Split Spoon	
LOGGED BY Brad Mescavage	
REMARKS Sample AOC6-16-2.0 collected 7/13/09 at 15:45 for App IX VOC	s, SVOCs, PCBs, Metals & TPH



#### ATTACHMENT B

**BASF Corporation December 7, 1999 Commitment Letter** 



**BASF** Corporation

BASF

GAL-ENVIRONA

CERTIFIED MAIL #Z319 532 129
RETURN RECEIPT REQUESTED

December 7, 1999

Robert E. Greaves, Chief General Operations Branch U.S. E.P.A., Region III 1650 Arch Street Philadelphia, PA 19103-2029

Re:

BASE Corporation, Huntington, WV

Letter of Commitment - Facility Lead Corrective Action Agreement

Dear Mr. Greaves:

This will serve to document BASF Corporation's commitment on behalf of its Huntington, WV facility to participate in Region III's Facility Lead Corrective Action Program in accordance with the Agreement originally sent to John Bymes on September 23, 1999.

During an earlier discussion between BASF's in house counsel, Nancy Lake Martin, and Denls Zielinski, BASF was granted additional time in which to submit its initial Work Plan which will include a Quality Assurance Project Plan and Community Relations Plan. BASF proposes to submit this Workplan no later than June 29, 2000. BASF has retained a consultant and Workplan development efforts have already begun. BASF should be in a position to discuss current conditions, based on a review of site records and discussions with employees, sometime in late March or early April 2000, prior to submission of the Workplan. The first meaningful opportunity to discuss Environmental Indicator goals would be upon completion of the initial Site Characterization activities. BASF currently projects that field activities would commence in approximately March, 2001. The results of the initial Site Characterization activities will also focus any additional data cosection efforts which may be necessary and will allow BASF to evaluate the possible need for interim measures.

BASE designates Myron Schmidt, the site's Environmental Manager, to serve as the Facility Project Coordinator. Mr. Schmidt can be reached at (304) 528-2316.

if you have any questions regarding any of the points raised in BASF's commitment letter, please give Myron or me a call.

Very truly yours,

Johnson Pursoo General Manager

CC:

Nancy Lake Martin Joe McKeon

¹For unknown reasons, the September 23 letter was returned to EPA. Denis Zielinski resent the letter and agreement which were received on October 19, 1999.

# ATTACHMENT C Monitoring Well Logs





Well No.:

TMW-1D

Date:

6/25/02

Permit Number:

WV00226-0022-02

Project Name:

BASF

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Project Location: Huntington, WV Project No.:

99184

Total Well Depth (ft):

53.5

Sampler Type:

Straight Augering

Depth to Groundwater (ft): 40

Drilling Contractor: Triad

Blow	<u> </u>	Soil				<u> </u>	•
Counts	% Recovery	Туре	Soil Description/Observations	Depth	Sample	PID	Commission
or Rate	Sec.	Symbol	Son Beservations	ft (0.1)	Sam	(ppm)	Completion
of Rate		Syllibol	ASPHALT/ROADSTONE				
			No lithology described	[F ]			
			. <b>9</b>				京海 京温
			No lithology described	十 5 🖠		0	
				Ŀ∃			
				F , 7			
			No lithology described	10		0	= =
				F =			
		-	Br Silty CLAY; damp, no odor, pliable,	15		0	
			sticky				
1							
		-	Br Silty CLAY; damp, no odor, pliable,	<u> </u>		0	
			sticky				
			Gy-Br Silty CLAY, trace f Sand; damp, no	F , 7			
			odor, pliable, sticky Gy-Br Silty CLAY, trace f Sand; no odor	25		0	
			Gy-Bi Sitty CLA1, trace I Saild, no odor				
		-	De Cile CLAV	30 -		0	
			Br Silty CLAY, trace f Sand; occasional cobbles, no odor	F 1			
			coores, no odor			ŀ	
		-	Br f-m SAND, some Silt; no odor, wet,	35 —		0	
			occasional cobbles	F 7		1	
				F . 7			
			Br f-m SAND, some Silt; few cobbles, no	<del> </del>		0	
			odor, wet to saturated	F = 1			
		-	Day CCAND City C	45		0	
			Br m-f SAND, some Silt; few cobbles, no odor, saturated, whipped-loamy				
			odor, saturated, winpped-loanry			į.	
			Br m-f SAND, trace Silt; no odor, saturated,	50		0	
			few cobbles	F 7			
				F _ = =		-	
			Br m-f SAND, trace Silt; no odor, saturated	55		0	
			Br f-m SAND, trace Silt; no odor, saturated	<b>†</b> ‡			
						0	
Notes:				Abbreviation	1 Leger	<u>1d:</u>	
No samples co			2 A MCI	f - fine		Or - Oran	nge
Top of casing			s it MSL. with trace/some cobbles. Not just fine sand as with	m - medium		Gy - Gra	y
other locations	5.	inore sirty	with trace some coopies. Not just line sand as with	c - coarse		Gr - Gree	en
10' Screen - 53				Bl - Black		Lt - Ligh	t
Well kept risin	ıg up du		g sand.	Br - Brown		Dk - Dar	
Flush mount s	urface						
	······································						



Well No.:

TMW-2D

Date:

6/21/02

Permit Number:

WV00226-0017-02

Project Name:

**BASF** 

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Project Location: Huntington, WV

Total Well Depth (ft):

38.5

Sampler Type:

Straight Augering

Project No.: 99184

Depth to Groundwater (ft): 18 Drilling Contractor: Triad

Di		Q 11				Ī	1	·
Blow Counts or Rate	% Recovery	Soil Type	Soil Description/Observations		Depth ft (0.1)	Sample	PID (ppm)	Completion
of Rate	<u> </u>	Symbol	Tongoil/Consol for colling	-		<b>J</b>		
			Topsoil/Gravel; few cobbles  Dk Br c-m GRAVEL, some c-m-f SAND,	士				
İ			some Silt; few cobbles	_	∃			<b>東温</b> 東温
			Dk Br c-m GRAVEL, some c-m-f SAND,	-	- 5		0	
			some Silt grading to CLAY, some m-f	F	$\exists$			
			Sand, trace c-m Gravel, some Silt; few	F	$\exists$			
			cobbles, no odor	1	- 10 —		0	돌려 돌년
			Dk Br CLAY, some m-f Sand, trace c-f	F	7			
			Gravel, some Silt; moist, no odor		=			
			Gy-Br Silty CLAY, trace c-m GRAVEL;	t	- 15		0	
			occasional cobbles, saturated at 18.0', no	$\vdash$	$\dashv$			
			odor	F	<u> </u>			
		Ī	Gy-Br Silty CLAY, trace c-m GRAVEL;		20		0	
			occasional cobbles, saturated, no odor	E				
				F	a. 7			
			Gy-Br Silty CLAY, trace c-m GRAVEL;	_	25		0	
			occasional cobbles, saturated, no odor,		コ			
1			runny, loamy	-	20 -			
			Gy-Br Silty CLAY, trace c-m Gravel;	lacksquare	30		0	
			occasional cobbles, saturated, no odor,		4			
]	İ		loamy, dense	上	35		0	
]			Gy-Br Silty CLAY, trace c-m Gravel;	-	33 🗔			
1			occasional cobbles, saturated, no odor,	F	$\exists$		Ė	
			loamy, dense, sticky	上	40		0	
			Gy-Br Silty CLAY, trace c-m Gravel;	E				
			occasional cobbles, saturated, no odor, loamy, dense, sticky	F	7			į
					45		0	
			Gy-Br Silty CLAY, trace c-m Gravel, trace f Sand; occasional cobbles, saturated, no		=			
			odor, loamy, dense, sticky	-	$\dashv$			
		-		F	50 —		0	
			Gy-Br running SAND, some Silty Clay, trace c-m Gravel; no odor, saturated,					İ
			running sands	E	$\exists$			-
			Gy-Br running SAND, some Silty Clay,	-	55		0	
			trace c-m Gravel; no odor, saturated,	F	7			Ī
			running sands	L				
Notes:		<u>-</u>		4 h				
	allastad				breviatioi	n Leger		
No samples co			ne to saturation. Could not get well to sit in running	l	fine		Or - Ora	- 1
sand - kept por	nning 111	n Amoers	had approx. 20' running sand in bottom - kept filling	m -	medium		Gy - Gra	У
up. Pulled eve	erything	out. Starte	ed over again.	c - (	coarse		Gr - Gree	en
			otal depth = 38.5'. Stick-up Well	Bl -	- Black		Lt - Ligh	t
Top of casing				Br -	- Brown		Dk - Dar	k



Well No .:

TMW-3D

**BASF** 

Project Name: Project Location: Huntington, WV

Project No.:

99184

Date:

6/19/02

K. Pollack

Permit Number: Boring Method:

WV00226-0015-02

ELM Inspector:

Total Well Depth (ft): Depth to Groundwater (ft): 45

58

Sampler Type:

Hollow Stem Auger Straight Augering

Drilling Contractor: Triadq

77.	T	I		,	,	M	. Lupardis
Blow Counts	% Recovery	Soil Type	Soil Description/Observations	Depth	Sample	PID	Completion
or Rate	Rec	Symbol	,	ft (0.1)	San	(ppm)	Completion
	<u> </u>	27.11001	GRAVEL				
			Br Silty CLAY, trace f Sand; no odor,	/ F =			
			gobular				景温 景心
			Br Silty CLAY, trace f Sand; no odor,	5		0	= = =
			gobular as it comes up auger	F I			
			Br Silty CLAY, trace f Sand; no odor,	10	<del></del>	0	
			gobular as it comes up auger	F			
		ĺ	Br Silty CLAY, trace f Sand; no odor,	15		0	
			gobular as it comes up auger, slightly damp	⊢         –	į		
				F 7			
			Br Silty CLAY, trace f Sand; no odor,	20 🛨		0	루널 [루ː=
			gobular as it comes up auger, slightly moist,	$\vdash$ $\dashv$			
			sticky	F		į	
	l		Br m-f SAND, some Silt, trace c-m Gravel;	25		0	- 프 - 프 - 프 - 프 - 프 - 프
	l		occasional cobbles, no odor, moist	$\vdash$		Į.	
				F . 7		ł	
			Br m-f SAND, some Silt, trace c-m Gravel;	30 🛨		0	
			few cobbles 34' to 35', no odor, moist				
			Br COBBLES & c-m GRAVEL, some f	35		0	= = = = = = = = = = = = = = = = = = =
			Sand, some Silty Clay; rounded gravel, no	‡ 1		[.	
			odor			1	
		-	Br Silty CLAY, some f Sand; no odors,	+ 40 +		0	
			moist to wet at 40'			<u> </u>	
			Br Silty CLAY, some f Sand; no odors, wet			֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	
		<u></u>	to saturated at 45'	<del></del>		0	
			Br Silty CLAY, some f Sand; no odors, saturated	F I			
			saturateu				
		-	Br f SAND, some Silt; no odors, saturated,	50		0	
]			running sands	F 7	-		
			Br f SAND, some Silt; no odors, saturated,	55		0	
			Boulder/rock encountered apporx. 59.5'.	F 7			
			Could no get beyond 60', running sands	F = -			
Notes:				Abbreviation	I eee-		
No samples co	llected						ł
Total depth of				f - fine		Or - Orar	· 1
Screened 10'		· G- ·		m - medium		Gy - Gray	y
First real water	r at appo	orx. 45'.		c - coarse		Gr - Gree	n
Stick-up Well.	Top of	f casing ele	vation is 551.96 ft MSL.	Bl - Black		Lt - Light	:
				Br - Brown		Dk - Darl	Į.
						uii	•
		<del></del>					



Well No .:

TMW-4D

Date:

6/18/02

Permit Number:

WV00226-0014-02

Project Name:

**BASF** 

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Project Location: Huntington, WV

99184

Total Well Depth (ft):

56

Sampler Type:

Straight Augering

Project No.: Depth to Groundwater (ft):

30

Drilling Contractor: Triad

Blow	<u>5</u>	Soil						· ·
Counts	% Recovery	Туре	Soil Description/Observations	Dep		Sample	PID	Completion
or Rate	39	Symbol	2 of 2 of phone 3 of the cons	ft (0	.1)	San	(ppm)	Completion
Of Rate		Syllibol	ASPHALT/ROADSTONE					
			Gy-Purple COBBLES, some c-m Sand,	+				
			some Silty Clay	/ <u> </u>				東海 東海
			Purple Silty CLAY, trace c-m Sand;		_		0	
ı			globules, no odor	/ F	ᆿ			
			Purple-Dk Br Silty CLAY, trace m Sand;		ᆿ			
			globules, no odor	10	) -		0	
			Dk Br-Purple Silt CLAY, trace m Sand;	_	7			
			globules, no odor	E				
			Dk Br-Purple Silt CLAY, trace m Sand;	15	· 🛨		0	
		3.0	globules, no odor, wet to moist	-	$\dashv$			
				F	$\exists$			
			Dk Br-Purple rounded COBBLES & c-m	20	' 📑		0	
			GRAVEL, some m-f Sand, some Silty Clay;	<u> </u>	-			
			no odors, moist	F.	7		_	
			Dk Br-Purple rounded COBBLES & c-m	25	7		0	
	l		GRAVEL, some m-f Sand, some Silty Clay;	E	<b>+</b>			
			very strong, odor at 27'	- a	-		64-136	
		[	Dk Br-Purple rounded COBBLES & c-m	30	$\exists$			
			GRAVEL, some m-f Sand, some Silty Clay;		$\exists$		88-153	
			strong odors	35	-			
			Dk Br-Purple rounded COBBLES & c-m		4			
			GRAVEL, some m-f Sand, some Silty Clay;	F	7		18-30	
	1		some odors	40	$\exists$			
			Dk Br-Purple Silty CLAY, some c-m		$\exists$			
			Gravel, trace Sand; few rounded cobbles, saturated, very sloppy, odors	F	7			
		-		45	1		57.7	
			Dk Br-Purple Silty CLAY, some c-m Gravel, trace Sand; few rounded cobbles,	L	$\exists$			
			sloppy, wet/saturated odors	E	_			
		-	Dk Br-Gy Silty CLAY, some c-m Gravel,	50	7		37.9	
			some m-f Sand; occasional cobbles, odor,					
			saturated					
		-	Dk Br-Gy Silty CLAY, some c-m Gravel,	55	_		49.9	
		-	some m-f Sand; occasional cobbles, odor,	Æ	7		38	
			saturated		7			
Notes:	L			Abbrev	iatio	n Lege	nd:	
No samples co	ollected	l.		f - fine			<u>.110.</u> Or - Ora	inge
Well set to 56	', 5' scr	een, 51' cas		m - med	lium		Gy - Gra	_
Flush-mount,	Top of	casing elev	ration is 550.42 ft MSL.	c - coar			Gr - Gre	· 1
								1
				Bl - Bla			Lt - Ligh	l l
				Br - Bro	own		Dk - Da	rk



Well No .:

TMW-4S

Date:

6/18/02

Permit Number:

WV00226-0013-02

Project Name:

**BASF** 

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Project Location: Huntington, WV

99184

Total Well Depth (ft):

30

Sampler Type:

Straight Augering

Project No.:

Depth to Groundwater (ft): 30

Drilling Contractor: Triad

							. Lupardis
Blow	% Recovery	Soil		Donath	e	DID	
Counts	88	Туре	Soil Description/Observations	Depth	Sample	PID	Completion
or Rate	ို့ မွ	1	•	ft (0.1)	Sar	(ppm)	1
of Rate	+ ==	Symbol	A CDILA L T/DO A DOTONT				
			ASPHALT/ROADSTONE				
			Gy-Purple COBBLES, some c-m Sand, some Silty Clay				無理 美地
			Magenta Silty CLAY, trace c-m Sand;	_ 5 _		0	
			globules, no odor				
			Dk Br varigated CLAY, trace m Sand;			0	독립 돌립
			globules, no odor	_ 10 _		0	
*			Dk Br CLAY, trace f Sand; globules, no	_ '			
			odor	_ =		0	
			Lt Br CLAY; loamy, moist to wet, sticky	- ,, -			
			Dk Br CLAY, trace f Sand; dense, no odor	_ 15 _		0	
			Dk Br CLAY, trace f Sand; dense, no odor				
İ			Dk Br rounded COBBLES & c-m				
			GRAVEL, some Silty Clay; damp to moist	_ 20 _		0	
			Dk Br rounded COBBLES & c-m				
1			GRAVEL, some Silty Clay; damp				
			Dk Br rounded COBBLES & c-m	_ 25 _		0	
			GRAVEL, some Silty Clay; damp	_			
ĺ					1		
				<b>−</b> 30 <del>−</del>		0	
				_			
			ŀ		l		
				_ 35 _			
			-				1
			-	- 40 -			
		İ	<u> </u>	- " -			
					1		
			<u>t</u>	- 45 -			į
			-	- 73 -	1		
			<u> </u>	- 50 -			
				- 50 -			
					İ		
			-				-
				- 55 -			İ
			<u> </u>				
			Ĺ				
Notes:	<u> </u>	L		Abbreviatio	n I ecc	nd:	
	11				ii reke		ļ
No samples				- fine		Or - Ora	1
10' Screen - 2			r	n - medium		Gy - Gra	ıy
No measurab			r.  c	- coarse		Gr - Gre	en
Total depth of			alcorations in 550.25 A MOT	Bl - Black		Lt - Ligh	}
riusii-mount	well, to	p or casing	0.0.4.0.0.3 13 330.33 14 14.02.			_	1
			ļ.	Br - Brown		Dk - Dai	К
				<del></del>			



Well No.:

TMW-5D

Date:

6/24/02

Permit Number:

WV00226-0018-02

Project Name:

**BASF** 

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Project No.:

99184

Project Location: Huntington, WV

Total Well Depth (ft):

58

Sampler Type:

Straight Augering

Depth to Groundwater (ft): 35

Drilling Contractor: Triad

D1		0.1			l	γ	T. Eupardis
Blow	% Recovery	Soil	Soil Description (Observations	Depth	Sample	PID	
Counts	8 3	Туре	Soil Description/Observations	ft (0.1)	am	(ppm)	Completion
or Rate	~	Symbol			S		
			Grass/Topsoil	<u>-</u>			
			Lt Br c-m GRAVEL & COBBLES, some Silt; dry, no odor	F =			幸に 寺た
				5		0	
			Br Silty CLAY, some c-m Gravel, trace f Sand; occasional cobbles, no odor				
			Sand, occasional coboles, no odol	$\vdash$ $\dashv$			
			Br f SAND, trace c-m Gravel, trace Silty	<u> </u>		0	
			Clay; no odor				
			Br f SAND, trace Silt; no odor	15		0	
				F 7			
		İ		F =			
]		Ī	Br f SAND, trace c-m Gravel, trace Silt; no	20		0	
			odor, occasional cobbles	<u> </u>		j	
				- 25			
			Br f SAND, some c-m Gravel, trace Silt; no	25		0	
			odor, occasional cobbles				즐겁 돌결
						0	
			Br f SAND, some c-m Gravel, trace Silt; no	- ° -	ĺ	Ŭ	
			odor, occasional cobbles	F 7			
		<u> </u>	Profession of the City	35 —		0	
			Br f SAND, some c-m Gravel, trace Silt; no odor, occasional cobbles			[	
			odol, occasional coopies			ţ	
		+	Br f SAND, trace c-m Gravel, trace Silt; no	40 —		0	
			odor, occasional cobbles, moist (no sign of	= =		į	
			water yet)	F = 1			
			Br f SAND, trace c-m Gravel, trace Silt; no	45		0	
			odor, occasional cobbles, moist	<u> </u>			
				F = =		, F	
			Br COBBLES, some f Sand, some c-m	50 🛨		0	
			Gravel, trace Silt; no odor moist	<b>+ +</b>		ŀ	
			Br f SAND, trace m-f Gravel; running sand, no odor, saturated	55 =		0	
			Br f SAND, trace m-f Gravel; running sand,	E 3 -			
			no odor, saturated	F 7		F	
NT-4							
Notes:	11			Abbreviation	n Leger		
No samples co			401	f - fine		Or - Ora	nge
Total depth - :			48 casing. ation is 557.97 ft MSL.	m - medium		Gy - Gra	y
ap ;; on	, top or	Casing Cicv	adon is 337.77 it mod.	c - coarse		Gr - Gre	en
				Bl - Black		Lt - Ligh	ıt
				Br - Brown		Dk - Dar	·k
							1



Well No .:

TMW-6D

Date:

6/20/02

Permit Number:

WV00226-0016-02

Project Name:

**BASF** 

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Project Location: Huntington, WV Project No.:

99184

Total Well Depth (ft):

54

Sampler Type:

Straight Augering

Depth to Groundwater (ft): 43

Drilling Contractor: Triad

Country   95   True   Soil Description/Observations	Depth   S   Depth   S   Depth   S   Depth   S   Depth   S   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth   Depth	PID (ppm)	Completion
Grass & Topsoil Br Silty CLAY, trace f Sand; globular, no odor  Br Silty CLAY, trace f Sand; globular, no odor  Br Silty CLAY, trace f Sand; globular, no odor, occasional cobbles, sticky  Br Silty CLAY & c-m GRAVEL; many rounded cobbles and gravel, globular, moist, no odor  Br COBBLES & c-m GRAVEL, some Silty Clay; moist, no odor, rounded gravel  Br COBBLES & c-m GRAVEL, some Silty Clay; moist, no odor, rounded gravel  Br COBBLES & c-m GRAVEL, some Silty Clay; moist, no odor, rounded gravel  Br COBBLES & c-m GRAVEL, some Silty Clay; few rounded cobbles, moist  Br c-m GRAVEL, some Silty Clay; few rounded cobbles, no odor, wet to saturated, water at 43'  Dk Br Silty CLAY, some c-m Gravel, trace f Sand; saturated, no odor			
Br c-m GRAVEL, some Silty Clay; few rounded cobbles, moist  Br c-m GRAVEL, some Silty Clay; few rounded cobbles, no odor, wet to saturated, water at 43'  Dk Br Silty CLAY, some c-m Gravel, trace f Sand; saturated, no odor  Dk Br f SAND, some Silty Clay, trace f	- 10		
Br c-m GRAVEL, some Silty Clay; few rounded cobbles, no odor, wet to saturated, water at 43'  Dk Br Silty CLAY, some c-m Gravel, trace f Sand; saturated, no odor  Dk Br f SAND, some Silty Clay, trace f	- 30 -  35 -		
rounded cobbles, no odor, wet to saturated, water at 43'  Dk Br Silty CLAY, some c-m Gravel, trace f Sand; saturated, no odor  Dk Br f SAND, some Silty Clay, trace f	- 35 — 		
f Sand; saturated, no odor  Dk Br f SAND, some Silty Clay, trace f	45 —		
	50		
	55 —		
Dk Br f SAND, some Silty Clay, trace f Gravel; saturated, running sands, no odor			
No samples collected. Auger refusal at 57'. Total Depth - 54' bgs, 10' screen Stick-up Well, Top of casing elevation is 549.70 ft MSL.	Abbreviation Leg fine n - medium - coarse Bl - Black Br - Brown	gend: Or - Ora Gy - Gra Gr - Gre Lt - Ligh Dk - Dar	en nt



Well No.:

TMW-7D

Date:

6/24/02

Permit Number:

WV00226-0019-02

Project Name:

**BASF** 

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Troject Locativ

Project Location: Huntington, WV

Total Well Depth (ft):

51.5

Sampler Type:

Straight Augering

Project No.:

99184

Depth to Groundwater (ft): 35

Drilling Contractor: Triad

Triad M. Lupardis

	Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
-	of Rate	14	Symbol	Grass/Topsoil Br Silty CLAY; globules, no odor		<b>J</b>		
				Br Silty CLAY; globules, no odor	5 -		0	
				Br Silty CLAY; globules, no odor, slightly damp	10		0	
			-	Br Silty CLAY; globules, no odor, moist, plastic	15 -		0	
				Br Silty CLAY; pliable, sticky, no odor, moist	20 =		0	
				Br Silty CLAY; pliable, sticky, no odor, moist	25 =		0	
				Br Silty CLAY, trace f Sand; pliable, sticky, no odor, moist to wet	30 =		0	
				Br-Gy f SAND, trace Silt; running sands, no odor, wet, running sand approx. 36'	35 =		0	
				Br-Gy f SAND, trace Silt; running sands, no odor, wet	40 =		0	
				Br f SAND; running sands, saturated, no odor	45		0	
				Br f SAND; running sands, saturated, no odor	50 =		0	
				Br f SAND; running sands, saturated, no odor	55		0	
No	otes:	•	L		Abbreviation	n Lege	nd:	
	samples co				f - fine		Or - Ora	nge
	tal depth 51 reen 10'	.o' bgs.			m - medium Gy - Gray			
		oing up	- finally se	at below grade	c - coarse		Gr - Gree	en
Sti	ck-up Well,	top of	casing eleva	ation is 550.69 ft MSL.	Bl - Black		Lt - Ligh	t

No samples collected.

Dk - Dark

Br - Brown



Well No .:

TMW-8D

Date:

6/25/02

Permit Number:

WV00226-0020-02

Project Name:

**BASF** 

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Project Location: Huntington, WV Project No.:

99184

Total Well Depth (ft):

58.5

Sampler Type:

Straight Augering

Depth to Groundwater (ft): 7/50

Drilling Contractor: Triad

Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
			Grass/Topsoil Dk Br Silty CLAY; hint of blue pigment, moist, sticky, no odor Dk Br Silty CLAY; moist, sticky, no odor	5 -		0	
			Dk Br Silty CLAY; saturated, water at 7.0', no odor  Dk Br Silty CLAY; saturated to wet no odor	10	· · · · · · · · · · · · · · · · · · ·	0	
			Dk Br Silty CLAY, trace f Sand; wet to moist, no odor Dk Br f SAND, some Silt; occasional	15		0	
			Dk Br f SAND, some Silt, trace c-m-f Gravel; occasional cobbles, no odor	20 =		0	
			Dk Br f SAND, some Silt	25 =		0	
			Dk Br rounded COBBLES, some f Sand, trace c-m Gravel, trace Silt; no odor	30 =		0	
		-	Dk Br rounded COBBLES, some f Sand, trace c-m Gravel, trace Silt; no odor	35 =		0	
			Dk Br rounded COBBLES, some f Sand, trace c-m Gravel, trace Silt; no odor	40 =		0	
			Dk Br rounded COBBLES, some Silty Clay, trace c-m Gravel, trace f Sand; moist, no odor	45		0	
			Dk Br rounded COBBLES, some Silty Clay, moist to wet, no odor Dk Br c-m-f SAND, trace c-m Gravel, some	50		0	
			Silt; running sands, saturated, no odor Dk Br c-m-f SAND, trace c-m Gravel, some Silt; running sands, saturated, no odor	55		0	
Notes: No samples corrected ground				Abbreviatio f - fine	•	Or - Ora	-
Total depth - 10' screen	58.5'		vation is 557.79 ft MSL.	m - medium c - coarse Bl - Black Br - Brown		Gy - Gra Gr - Gre Lt - Ligh Dk - Dan	en it
				DI - DIOWN		DK - Dai	K

Well No .:

TMW-9D

Date:

6/26/02

Permit Number:

WV00226-0021-02

Project Name:

**BASF** 

ELM Inspector:

K. Pollack

Boring Method:

Hollow Stem Auger

Project Location: Huntington, WV

Total Well Depth (ft):

54.5

Sampler Type:

Straight Augering

Project No.: 99184

Depth to Groundwater (ft): 35

Drilling Contractor: Triad

Blow	75	Soil					Lapardis
Counts	% Recovery	Туре	Soil Description/Observations	Depth	Sample	PID	Completion
or Rate	Rec	Symbol	•	ft (0.1)	San	(ppm)	Completion
			GRAVEL			<u> </u>	
			No lithology described	_ F = -			
			No lithology described	5 🕂		0	
				F			
		-	No lithology described	$-$ 10 $\overline{}$	<del></del>	0	= = =
			The Minorogy desertated		:		
				F . ]			
			Br Silty CLAY; no odor, pliable	15		0	
				F =			
		-	Br Silty CLAY, trace f Sand; no odor	20 7		o	
			bi sitty CLA1, trace I saild; no odor				
						}	
			Br m-f SAND, trace Silt; no odor	25		0	
						ŀ	
		-	Day SCAND 4 City	30 -		0	
			Br m-f SAND, trace Silt; no odor, moist			Ĭ	
			Br f SAND, trace c-m Gravel, trace Silt;			0	
			running sands, no odor, saturated				
				<u></u>		0	
			Br f SAND, trace c-m Gravel, trace Silt; running sands, no odor, saturated	E * -		•	
			running sailus, no odor, saturated	E		÷	
			Br f SAND, some Silt, trace c-m Gravel;	← 45 → 45 → 45 → 45 → 45 → 45 → 45 →		0	
			running sands, occasional rounded cobbles,	F			
			saturated, no odor	F 50 7			
			Br f SAND, some Silt, trace c-m Gravel;	50		0	
			running sands, occasional rounded cobbles, saturated, no odor	F =			
		-	Br f SAND, some Silt, trace c-m Gravel;	F 55 -		0	
		-	running sands, occasional rounded cobbles,	F 1		0	
			saturated, no odor	<b> </b>			
Notes:				Abbreviation	Leger	ıd:	
Bedrock at 57.				f - fine		Or - Oran	ige
Total depth 54 Screen 10'	.5' bgs.			m - medium		Gy - Gray	· I
Stick-up Well				c - coarse		Gr - Gree	
No samples col	llected			Bl - Black		Lt - Light	1
-				Br - Brown		Dk - Dark	1
		**				·	



Well No .:

**TMW-11S** 

Date:

1/12/04

Permit Number:

WV00055-0001-05

Project Name:

**BASF** 

ELM Inspector:

L. LaPort

Boring Method:

Hollow Stem Auger

Project Location: Huntington, WV

Total Well Depth (ft):

35

Sampler Type:

**Drill Cuttings** 

99184 Depth to Groundwater (ft): ---Project No.:

Drilling Contractor: H.C. Nutting Co.

Blow Counts or Rate	Recovery	Soil Description/Observations/Sample	s	Depth (feet)	Sample	PID (ppm)	Completion
Of Rule	Gy S7 Gy S7	TONE; angular, 1-3" diameter. TONE; angular, rail basalt, 4'6" diame	ter.	_ 2 _	,,,,	0	
	Burga	andy c SAND, some c-f Gravel.		— 4 —			
	Burga	andy c SAND, some Silty Clay; dry.	· · ·	_ 6 <u>_</u>		0	
	Pures	andy/Maroon c-f SAND, trace c-f Grav	zel·	- 8 -  - 10 -		0	
	moist	i.	, 01,				
	Burga	andy/Maroon c-f SAND, some c-f Gra	vel,	— 14 — — — — — 16 —		0	
	little	Clay; moist.		- 18 <del>-</del>			
				20		0	
				— 22 — — — — 24 —			
						0	
				28			
				— 30 — — — — —		0	
				34 <del></del> _ 34 <del></del>	,	0	
				— 36 —			
Notes:				Abbreviati	on Leg		
Total depth 35' bgs. Screen 10'				f - fine m - mediu	m	Or - Or Gy - G	
Stick-up Well				c - coarse	111	Gr - Gr	-
No samples collecte	l			Bl - Black		Lt - Li	l l
				Br - Brown		Dk - D	1

# THE **EIM** GROUP

Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

### **MONITORING WELL TMW-12D**

PAGE 1 OF 2

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/7/09
PROJECT NUMBER 099184	DATE COMPLETED 7/7/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	CASING TYPE/DIAMETER PVC
DRILLING METHOD Hollow Stem Auger	SCREEN TYPE/SLOT 4" PVC 10 Slot Screen
BOREHOLE DIAMETER 8-inch	GRAVEL PACK TYPE Medium Sand
SAMPLING METHOD Macrocore / Split Spoon	SEAL TYPE Cement
LOGGED BY Brad Mescavage	GROUT TYPE Bentonite
PERMIT #	DEPTH TO WATER (ft BGS) 22.23

PID (ppm)	BLOW	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT	WELL DIAGRAM
0					4		GRAVEL (dry) Br, Or-Br silty CLAY (dry) (soft)	0.5	
0 0 0 0 0 0		5	AU 1		- 1 - - 2 - - 3 - - 4 -			5.0	
GPJ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		5	MC 2		- 6 - - 7 - - 8 - - 9 -		Brown, Orange Brown silty CLAY, trace gray mottled clay (moist)	10.0	
5/13/10 10:27 - C./PHASE II RFI BORING LOGS NEW.GPJ		5	MC 3		- 11 - - 12 - - 13 - - 14 -		Brown silty CLAY, trace f sand (moist)  Brown f-m SAND (dry)  Brown, Red-Brown mottled silty CLAY (moist)	11.5	
.GDT - 5/13/10 10:27 - C.\PHASE		5	MC 4		- 15 - - 16 - - 17 - - 18 - - 19 -		Brown f-m SAND (dry) Brown silty f-m SAND (dry) Brown silty CLAY, some f-m sand (dry) Brown, Orange-Brown, Gray f-m SAND, some silt (wet) Gray CLAY (wet)	15.6 16.5 17.4 18.7	
LOG - ELM DATA TEMPLATE.GDT -		3.5	MC 5		- 21 - - 22 - - 23 - - 24 -		Orange-Brown f-m SAND, trace c sand (dry)  Orange-Brown f-c SAND (wet)  Gray f-c SAND, trace gravel (wet)  No Recovery	21.5  ▼ 23.2 23.5 25.0	- Cement Seal - 4" PVC Riser
ELM WELL CONSTRUCTION LOG - ELM DAT		4	MC 6		- 26 - - 27 - - 28 - - 29 -		Gray f-c SAND (wet)  GRAVEL (wet)  Brown, Orange-Brown f-c SAND, some s-m gravel (wet)  No Recovery	26.5 26.7 29.2 30.0	

# THE **EIM** GROUP

Princeton, New Jersey Holicong, Pennsylvania Bethlehem, Pennsylvania New York, New York Boonton, New Jersey

### **MONITORING WELL TMW-12D**

PAGE 2 OF 2

PROJECT NAME Former BASF Huntington Works Facility	DATE STARTED 7/7/09
PROJECT NUMBER 099184	DATE COMPLETED 7/7/09
LOCATION 5th Avenue & 24th Street Huntington West Virginia	CASING TYPE/DIAMETER PVC
DRILLING METHOD Hollow Stem Auger	SCREEN TYPE/SLOT 4" PVC 10 Slot Screen
BOREHOLE DIAMETER 8-inch	GRAVEL PACK TYPE Medium Sand
SAMPLING METHOD Macrocore / Split Spoon	SEAL TYPE Cement
LOGGED BY Brad Mescavage	GROUT TYPE Bentonite
PERMIT # WV00271-0017-09	DEPTH TO WATER (ft BGS) 22.23
	, ,

	PID (ppm)	BLOW COUNTS	RECOVERY (feet)	CORE	ENV SAMPLE	DEPTH (ft. BGS)	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT	WELL DIAGRAM
	0 0 0 0 0 0 0		3.5	MC 7		- 31 - - 32 - - 33 - - 34 -		Brown f-c SAND, some s-l gravel (wet)  No Recovery	33.5 35.0	
	0 0 0 0 0 0 0 0 0		5	MC 8		- 35 - - 36 - - 37 - - 38 - - 39 -		Brown, Dark Brown f-m SAND (wet)  Brown, Dark Brown f-c SAND, some s-m gravel (wet)	38.5	
II RFI BORING LOGS NEW.G	0 0 0 0 0 0 0		2.5	MC 9		40 - 41 - - 42 - - 43 - - 44 -		Brown, Dark Brown f-c SAND, trace gravel (wet)  No Recovery	42.2	
0T - 5/13/10 10:27 - C:\PHASE II	0	1.		.5 MC 10		45 - 46 - - 47 - - 48 - - 49 -	******	Dark Brown f-c SAND, trace coal fragments (wet)  No Recovery	46.6	-4" PVC Screen
OG - ELM DATA TEMPLATE.C			0	MC 11		50 - 51 - - 52 - - 53 - - 54 -		Bottom of borehole at 54.5 feet.	_54.5	
ELM WELL CONSTRUCTION LOG - ELM DATA TEMPLATE.GDT - 5/13/10 10:27 - C.\PHASE II RFI BORING LOGS NEW.GPJ								BOROTH OF DOTETIONE AT 34.3 Reet.		

Monitoring Well Construction Well Number: WV00226-0022-02

Site Name/Physical Address:

Site: BASF Line 1: 24 th Street & 5 th Avenue

Line 2:

WV State: 25703-0000

Huntington City:

County: Cabell

Well Registration No. WV00226-0022-02 Grid Location:

a. Latitude:

38 25 31 .8 b. Longitude: 82 24 55 .0 **GPS** c. Method Used:

Company/Project Well No.:

TMW-1D

Well Owner (Name, Firm, Address):

Owner:

24 th Street & 5 th Ave. Line 2:

City: Huntington State: WV

25703-0000 Phone: 304-528-2316 Installed By (Name, Firm, Address):

Installer: Mark Lupardus Line 1: Triad Engineering, Inc.

Line 2: P.O. Box 1435 St. Albans City: State: WV 25177-1435 Zip: 304-755-0721 Phone:

**Purpose of Monitoring Well:** 

TO OBTAIN GROUNDWATER SAMPLES

Date Well Installed:

06/26/2002

Driller's WV Cert No.

WV00226

Section B: (all number fields must be in decimal format)

1.Cap and Lock:

2.Protective Cover:

3.Monitoring Well Reference Point:

4.Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout b.Installation Procedure: hand placed

6. Surface Seal Bottom/Annular Space Top:

7.Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9. Well Development Procedure: other - bailed

10. Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top: 38 ft.

12.Drilling Fluid Used: No Source: Air

13. Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14. Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16.Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length: 10 ft.

17. Filter Pack:

a.Material: coarse sand

b.Installation Procedure: poured

18.Well Depth:

19.Bottom of Filter Pack: 20.Bottom of Borehole:

21.Backfill Material (below filter pack): in-situ sand and gravel

22.Decontamination Procedures: steam cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. 006875

YES Flush Mount

0 ft

10 inches.

3 ft.

40 ft

43.5 ft.

53.5 ft.

53.5 ft. 60 ft.

Monitoring Well Construction Well Number: WV00226-0017-02

Site Name/Physical Address:

BASE Site:

Line 1: 24 th Street & 5 th Avenue

Line 2:

Huntington City: WV State: 25703-0000 Zip:

Well Registration No. WV00226-0017-02

**Grid Location:** a. Latitude:

38 25 19 .9 82 24 52 .9 b. Longitude: GPS c. Method Used:

Company/Project Well No.:

TMW-2D

Well Owner (Name, Firm, Address):

County: Cabell

Line 1: 24 th Street & 5 th Ave. Line 2:

City: Huntington State: WV 25703-0000 Zip: Phone: 304-528-2316 Installed By (Name, Firm, Address):

Mark Lupardus Installer: Line 1: Triad Engineering, Inc. P.O. Box 1435 Line 2: St. Albans City:

State: WV 25177-1435 Zip: 304-755-0721 Phone:

Purpose of Monitoring Well:

groundwater monitoring

Date Well Installed:

06/21/2002

Driller's WV Cert No.

WV00226

Section B: (all number fields must be in decimal format)

1.Cap and Lock:

2.Protective Cover:

3. Monitoring Well Reference Point:

4. Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout b.Installation Procedure: hand placed

6. Surface Seal Bottom/Annular Space Top:

7. Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9. Well Development Procedure: other - bailed

10.Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top:

12. Drilling Fluid Used: No Source: Air

13. Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14. Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16.Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length: 10 ft.

17.Filter Pack:

a.Material: coarse sand

b.Installation Procedure: poured

18.Well Depth:

19.Bottom of Filter Pack:

20.Bottom of Borehole:

21.Backfill Material (below filter pack): in-situ sand and gravel

22.Decontamination Procedures: steam cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. WV6875

YES Protective Cover Pipe

O ft

10 inches.

3 ft

24 ft.

26 ft.

28 ft.

38 ft. 38 ft.

60 ft.

Monitoring Well Construction Well Number: WV00226-0015-02

Site Name/Physical Address:

Site BASE

County: Cabell

Line 1: 24 th Street & 5 th Avenue

Line 2: Huntington City: State: WV 25703-0000 Well Registration No. WV00226-0015-02

Grid Location:

a. Latitude: 38 25 31 .2 b. Longitude: 82 24 49 .4 c. Method Used:

Company/Project Well No.: TMW-3D

Well Owner (Name, Firm, Address):

Owner: BASF 24 th Street & 5 th Ave. Line 1: Line 2:

Huntington City: WV State: 25703-0000 Zin: Phone: 304-528-2316 Installed By (Name, Firm, Address):

installer: Mark Lupardus Line 1: Triad Engineering, Inc. P.O. Box 1435 Line 2:

City: St. Albans State: 25177-1435 Zip: Phone: 304-755-0721 Purpose of Monitoring Well:

Groundwater monitoring

Date Well Installed: 06/19/2002

Driller's WV Cert No.

WV00226

Section B: (all number fields must be in decimal format)

1.Cap and Lock:

2.Protective Cover:

3. Monitoring Well Reference Point:

4.Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout b.Installation Procedure: hand placed

6.Surface Seal Bottom/Annular Space Top:

7. Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9. Well Development Procedure: other - bailed

10.Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top:

12.Drilling Fluid Used: No Source: Air

13 Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14. Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16.Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length: 10 ft.

17. Filter Pack:

a.Material: coarse sand

b.Installation Procedure: poured

18.Well Depth:

20.Bottom of Borehole:

19.Bottom of Filter Pack:

21.Backfill Material (below filter pack): in-situ sand

22.Decontamination Procedures: steam cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. wv6875

YES

Protective Cover Pipe

0 ft.

10 inches.

3 ft.

44 ft.

46 ft.

48 ft.

58 ft.

58 ft. 60 ft.

Well Programs Page 1 of 1

State of West Virginia Monitoring Well Construction Well Number: WV00226-0013-02 **Department of Environmental Protection** Site Name/Physical Address: Site: BASF Line 1: 24 th Street & 5 th Avenue Well Registration No. WV00226-0013-02 Grid Location: Purpose of Monitoring Well: monitor groundwater a. Latitude: 38 25 21 .2 82 24 50 .7 GPS b. Longitude: c. Method Used: Line 2: City: State: Huntington Zip: 25703-County: Cabell 25703-0000 Company/Project Well No.: Installed By (Name, Firm, Address): Installer: Mark Lupardus Line 1: Triad Engineering, Inc. Well Owner (Name, Firm, Address): Date Well Installed: 06/18/2002 Owner: BASI 24 th Street & 5 th Avenue Line 2: City: Line 2: P.O. Box 1435 St. Albans Driller's WV Cert No. Huntington City: WV00226 State: WV Zip: 25703-0000 **Phone:** 304-528-2316 State: 25177-1435 Zip: Phone: 304-755-0721 Section B: (all number fields must be in decimal format) 1.Cap and Lock: YES 2.Protective Cover: Flush Mount 3.Monitoring Well Reference Point: 0 ft. 4. Borehole Diameter: 10 inches. 5.Ground Surface Seal: a.Material: bentonite-cement grout b.Installation Procedure: hand placed 6. Surface Seal Bottom/Annular Space Top: 3 ft. 7.Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches. c.Material: PVC d.Installation Procedure: hand placed 8. Annular Space Seal: a.Material: cement grout b.Installation Procedure: tremie pipe-pumped 9. Well Development Procedure: other - bailed 10.Drilling Method Used: hollow stem auger -11. Annular Space Seal Bottom/Filter Pack Top: 17 ft. 12. Drilling Fluid Used: No Source: Air 13. Filter Pack Seal: a.Material: bentonite pellet b.Installation Procedure: Gravity Fed c.Volume Added: 50 pounds 14. Filter Pack Seal Bottom/Filter Pack Top: 19 ft. 15.Depth to Top of Screen: 20 ft. 16.Screen: a.Material: PVC b.Installation Procedure: hand placed c.Slot Size: .01 inches. d.Screen Length: 5 ft. 17.Filter Pack: a.Material: coarse sand b.Installation Procedure: poured 18.V/ell Depth: 30 ft. 19.Bottom of Filter Pack: 30 ft. 20.Bottom of Borehole: 30 ft. 21. Backfill Material (below filter pack): in-situ sand and gravel 22.Decontamination Procedures: steam cleaned 23. Special Circumstances and Exceptions: No Number: 24.WV Contractor License No. wv6875

Monitoring Well Construction Well Number: WV00226-0014-02

Site Name/Physical Address:

BASE

Line 1: 24 th Street & 5 th Avenue

Line 2: Huntington City:

State: WV Zip: 25703-0000 County: Cabell

Well Registration No. WV00226-0014-02

Grid Location: a. Latitude:

38 25 21 .2 b. Longitude: 82 24 50 .7 c. Method Used:

Company/Project Well No.:

Well Owner (Name, Firm, Address):

Owner: BASF

24 th Street & 5 th Ave. Line 1:

Line 2: City:

Huntington State: WV 25703-0000 Phone: 304-528-2316 Installed By (Name, Firm, Address):

Installer: Mark Lupardus Line 1: Triad Engineering, Inc.

Line 2: P.O. Box 1435 City: St. Albans WV

State: 25177-1435 304-755-0721 Purpose of Monitoring Well:

groundwater monitoring

Date Well Installed:

06/18/2002

Driller's WV Cert No.

WV00226

Section B: (all number fields must be in decimal format)

1.Cap and Lock:

2.Protective Cover:

3. Monitoring Well Reference Point:

4. Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout b.Installation Procedure: hand placed

6. Surface Seal Bottom/Annular Space Top:

7.Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9. Well Development Procedure: other - hand bailed

10.Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top:

12.Drilling Fluid Used: No Source: Air

13. Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14. Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16.Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length: 10 ft.

17 Filter Pack:

a.Material: coarse sand

b.Installation Procedure: poured

18. Well Depth:

19.Bottom of Filter Pack:

20.Bottom of Borehole:

21.Backfill Material (below filter pack): none

22.Decontamination Procedures: steam cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. WV6875

YES Flush Mount

> 0 ft. 10 inches.

3 ft.

48 ft.

50 ft.

51 ft.

56 ft. 56 ft.

61 ft.

Monitoring Well Construction Well Number: WV00226-0018-02

Site Name/Physical Address:

BASE

Line 1: 24 th Street & 5 th Avenue

Line 2:

City: Huntington

State: WV

25703-0000 County: Cabell

Well Registration No. WV00226-0018-02

**Grid Location:** a. Latitude:

38 25 27 .4 b. Longitude: 82 24 33 .7 c. Method Used:

Company/Project Well No.: TMW-5D

Well Owner (Name, Firm, Address):

Owner: BASF

24 th Street & 5 th Ave. Line 1:

Line 2: City:

Huntington State: WV 25703-0000 Zip: Phone: 304-528-2316 Installed By (Name, Firm, Address):

Installer: Mark Lupardus Triad Engineering, Inc. P.O. Box 1435

St. Albans City: State: WV 25177-1435 304-755-0721 Purpose of Monitoring Well: groundwater monitoring

Date Well Installed: 06/24/2002

Driller's WV Cert No. WV00226

Section B: (all number fields must be in decimal format)

1.Cap and Lock:

2.Protective Cover:

3.Monitoring Well Reference Point:

4. Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout b.Installation Procedure: hand placed

6. Surface Seal Bottom/Annular Space Top:

7.Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9. Weil Development Procedure: other - bailed

10. Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top:

12.Drilling Fluid Used: No Source: Air

13. Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14. Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16.Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length: 10 ft.

17.Filter Pack:

a.Material: coarse sand

b.Installation Procedure: poured

18.Well Depth:

19.Bottom of Filter Pack: 20.Bottom of Borehole:

21.Backfill Material (below filter pack): in-situ sand and gravel

22.Decontamination Procedures: steam cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. WV6875

YES

Protective Cover Pipe

Oft.

10 inches.

3 ft.

44 ft.

46 ft.

48 ft.

58 ft 58 ft.

Monitoring Well Construction Well Number: WV00226-0016-02

Site Name/Physical Address:

BASF Site:

Line 1: 24 th Street & 5 th Avenue

Line 2:

WV State:

Huntington Citv:

25703-0000 Zip: County: Cabell

Well Registration No. WV00226-0016-02

Grid Location: a. Latitude:

38 25 22 .4 b. Longitude: 82 24 36 .2 c. Method Used:

Company/Project Well No.:

TMW-6D

Well Owner (Name, Firm, Address):

Owner: BASF

Line 1: 24 th Street & 5 th Ave. Line 2:

City: Huntington

State: 25703-0000 Zip: Phone: 304-528-2316 Installed By (Name, Firm, Address):

Installer: Mark Lupardus Triad Engineering, Inc. Line 1: Line 2: P.O. Box 1435

City: St. Albans State: W۷ 25177-1435 Zip: Phone: 304-755-0721 Purpose of Monitoring Well:

groundwater monitoring

Date Well Installed: 06/20/2002

Driller's WV Cert No.

WV00226

Section B: (all number fields must be in decimal format)

1. Cap and Lock:

2.Protective Cover:

3. Monitoring Well Reference Point:

4. Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout b.Installation Procedure: hand placed

6. Surface Seal Bottom/Annular Space Top:

7.Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9. Well Development Procedure: other - bailed

10.Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top:

12.Drilling Fluid Used: No Source: Air

13. Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14. Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16.Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length; 10 ft.

17. Filter Pack:

a.Material: coarse sand

b.Installation Procedure: poured

18.Well Depth:

19.Bottom of Filter Pack:

20.Bottom of Borehole:

21.Backfill Material (below filter pack): in-situ sand and gravel

22.Decontamination Procedures: steamed Cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. wv6875

Protective Cover Pipe

O ft 10 inches.

3 ff

41 ft.

43 ft.

44 ft

54 ft. 54 ft

57 ft.

Monitoring Well Construction Well Number: WV00226-0019-02

Site Name/Physical Address:

BASE Site:

Line 1: 24 th Street & 5 th Avenue

Line 2: City:

County: Cabell

Huntington WV

State: 25703-0000 Zip:

Well Registration No. WV00226-0019-02 Grid Location:

a. Latitude:

38 25 29 .7 b. Longitude: 82 24 32 .6 c. Method Used: GPS

Company/Project Well No.:

TMW-7D

Well Owner (Name, Firm, Address):

24 th Street & 5 th Ave.

Line 2: City: Huntington

State: WV 25703-0000 Phone: 304-528-2316 Installed By (Name, Firm, Address):

Installer: Mark Lupardus Line 1: Triad Engineering, Inc. Line 2: P.O. Box 1435

St. Albans City: State: 25177-1435 Phone: 304-755-0721 Purpose of Monitoring Well:

groundwater monitoring

Date Well Installed:

06/24/2002 Driller's WV Cert No.

WV00226

Section B: (all number fields must be in decimal format)

1.Cap and Lock:

2.Protective Cover:

3. Monitoring Well Reference Point:

4.Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout b.Installation Procedure: hand placed

6. Surface Seal Bottom/Annular Space Top:

7.Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9. Well Development Procedure: other - bailed

10.Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top:

12.Drilling Fluid Used: No Source: Air

13. Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14. Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16.Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length: 10 ft.

17. Filter Pack:

a.Material: coarse sand

b.Installation Procedure: poured

18.Well Depth:

19.Bottom of Filter Pack:

20.Bottom of Borehole:

21.Backfill Material (below filter pack): in-situ sand and gravel

22.Decontamination Procedures: steam cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. WV6875

YES Protective Cover Pipe

0 ft.

10 inches.

3 ft.

38 ft.

40 ft

41.5 ft.

51.5 ft. 51.5 ft. 60 ft.

Monitoring Well Construction Well Number: WV00226-0020-02

Site Name/Physical Address:

Site: BASE

Line 1: 24 th Street & 5 th Avenue

Line 2:

County: Cabell

Huntington City: State: WV 25703-0000 Zip:

Well Registration No. WV00226-0020-02

Grid Location:

38 25 26 .9 a. Latitude: b. Longitude: 82 24 40 .2

c. Method Used:

Company/Project Well No.: TMW-8D

Well Owner (Name, Firm, Address):

24 th Street & 5 th Ave. Line 2:

City: Huntington State: WV 25703-0000 Zip: Phone: 304-528-2316 Installed By (Name, Firm, Address):

Installer: Mark Lupardus Triad Engineering, Inc. P.O. Box 1435 Line 2:

City: St. Albans State: WV 25177-1435 Zip: 304-755-0721 Purpose of Monitoring Well:

groundwater monitoring

Date Well Installed:

06/25/2002

Driller's WV Cert No.

Section B: (all number fields must be in decimal format)

1.Cap and Lock:

2.Protective Cover:

3. Monitoring Well Reference Point:

4.Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout b.Installation Procedure: hand placed

6.Surface Seal Bottom/Annular Space Top:

7.Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9. Well Development Procedure: other - bailed

10.Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top: 44 ft.

12.Drilling Fluid Used: No Source: Air

13. Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14.Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16 Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length: 10 ft.

17. Filter Pack:

a Material: coarse sand

b.Installation Procedure: poured

18.Well Depth:

19.Bottom of Filter Pack:

20.Bottom of Borehole:

21.Backfill Material (below filter pack): in-situ gravel

22.Decontamination Procedures: steam cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. WV6875

YES

Protective Cover Pipe

0 ft.

10 inches.

3 ft.

46 ft.

48.5 ft.

58.5 ft.

58.5 ft.

60 ft.

Monitoring Well Construction Well Number: WV00226-0021-02

Site Name/Physical Address:

BASE Site:

Line 1: 24 th Street & 5 th Avenue

Line 2: Huntington City:

State: WV 25703-0000 Zip: County: Cabell

a. Latitude: 38 25 31 .0 b. Longitude: 82 25 1 .6

Grid Location:

c. Method Used:

Company/Project Well No.:

TMW-9D

Well Owner (Name, Firm, Address):

Owner: BASF

24 th Street & 5 th Ave. Line 2:

City: Huntington WV

State: 25703-0000 Phone: 304-528-2316 Installed By (Name, Firm, Address):

Well Registration No. WV00226-0021-02

GPS

installer: Mark Lupardus Triad Engineering, Inc. Line 1: P.O. Box 1435 Line 2:

City: St. Albans State: WV 25177-1435 Zip: Phone: 304-755-0721 Purpose of Monitoring Well:

groundwater monitoring

Date Well Installed: 06/26/2002

Driller's WV Cert No.

WV00226

Section B: (all number fields must be in decimal format)

1.Cap and Lock:

2.Protective Cover:

3. Monitoring Well Reference Point:

4. Borehole Diameter:

5. Ground Surface Seal:

a.Material: bentonite-cement grout

b.Installation Procedure: hand placed

6. Surface Seal Bottom/Annular Space Top:

7. Well Riser: a.OD Well Riser: 2.38 inches. b.ID Well Riser: 2 inches.

c.Material: PVC

d.Installation Procedure: hand placed

8. Annular Space Seal:

a.Material: cement grout -

b.Installation Procedure: tremie pipe-pumped

9.Well Development Procedure: other - bailed

10.Drilling Method Used: hollow stem auger -

11. Annular Space Seal Bottom/Filter Pack Top:

12.Drilling Fluid Used: No Source: Air

13. Filter Pack Seal:

a.Material: bentonite pellet

b.Installation Procedure: Gravity Fed

c.Volume Added: 50 pounds

14. Filter Pack Seal Bottom/Filter Pack Top:

15.Depth to Top of Screen:

16.Screen:

a.Material: PVC

b.Installation Procedure: hand placed

c.Slot Size: .01 inches. d.Screen Length: 10 ft.

17. Filter Pack:

a.Material: coarse sand

b.Installation Procedure: poured

18.Well Depth:

19.Bottom of Filter Pack:

20.Bottom of Borehole:

21.Backfill Material (below filter pack): in-situ gravel

22.Decontamination Procedures: steam cleaned

23. Special Circumstances and Exceptions: No Number:

24.WV Contractor License No. WV6875

YES

Protective Cover Pipe

0 ft.

10 inches.

3 ft

41 ft

43 ft.

44.5 ft.

54.5 ft.

54.5 ft.

57.5 ft.

State of West Virginia Well Number: WV00055-0001-05A-MW-1 **Department of Environmental Protection** Well Registration No. WV00055-0001-05 Purpose of Monitoring Well: Site Name/Physical Address: WATER QUALITY Grid Location: BASF 38 25 21 ..1 Line 1: 24TH STREET & 5TH STREET a. Latitude: 82 24 50 ..7 b. Longitude: Line 2: c. Method Used: Topo Pick HUNTINGTON City: State: WV Company/Project Well No.: 25701-2070 Zip: MANUAL. <u>「MW--</u>!!S County: Cabell Installed By (Name, Firm, Address): Date Well Installed: Well Owner (Name, Firm, Address): 01/12/2005 Owner: ENVIRONMENTAL LIABILITY MANAGMENT INC. Installer: H.C. NUTTING COMPANY Line 1: 218 WALL STREET RESEARCH PARK 912 MORRIS STREET Line 1: Driller's WV Cert No. Line 2: Line 2: WV00055 CHARLESTON City: PRINCETON City: w State: State: NJ 25301-08540-Zip: Zio: 304-344-0821 Phone: Phone: 609-683-4848 Section B: (all number fields must be in decimal format) YES 1.Cap and Lock: Protective Cover Pipe 2.Protective Cover: 554.99 ft. 3.Monitoring Well Reference Point: 10 inches. 4 Borehole Diameter: 5.Ground Surface Seal: a.Material: encrete 59 Krefe b.Installation Procedure: mixed in a bucket 2 ft. 6.Surface Seal Bottom/Annular Space Top: 7.Well Riser: a.OD Well Riser: 2.25 inches. b.ID Well Riser: 2 inches. c.Material: PVC d.Installation Procedure: threaded 8. Annular Space Seal: a.Material: other - cement bentonite grout b.Installation Procedure: tremie pipe-gravity 9.Well Development Procedure: other - none 10. Drilling Method Used: hollow stem auger -2.5 ft. 11 Annular Space Seal Bottom/Filter Seal Top: 12.Drilling Fluid Used: No Source: Air 13.Filter Pack Seal: a.Material: bentonite the Pellets b.Installation Procedure: Gravity Fed c.Volume Added: 8 pounds (50 LBS) 22 ft. 14.Bottom of Bentonite Seal/Filter Pack Top: 34th 24 ft. 15.Depth to Top of Screen: a Material: PVC b.Installation Procedure: threaded c.Slot Size: 10 inches. d.Screen Length: 10 ft. 17.Filter Pack: a.Material: fine sand b.Installation Procedure: mixed in bucket Gravity fed 34 ft. 18. Well Depth: 34 ft. 19.Bottom of Filter Pack: 34 ft. 20.Bottom of Borehole: 21.Backfill Material (below filter pack): N/A 22.Decontamination Procedures: steam cleaner 23. Special Circumstances and Exceptions: No Variance Number: 011317 24.WV Contractor License No. WV00055

Monitoring Well Construction

Submitted 7-9-09

#### Monitoring Well Construction State of West Virginia Well Number: WV00271-0017-09 **Department of Environmental Protection** Well Registration No. VW00271-0017-09 Purpose of Monitoring Well: Site Name/Physical Address: Grid Location: **Groundwater Monitoring** BASF Site 38 25 32 .0 82 24 55 .0 2414 4th Ave. a. Latitude: Line 1 b. Longitude: Line 2 c. Method Used: City: Huntington State: W Company/Project Well No.: 25703-Zip: Cabell County Date Well Installed: Well Owner (Name, Firm, Address): Installed By (Name, Firm, Address): Installer Roy C Henderson 07/08/2009 Owner: Joe Mckeon Enviroprobe Integrated Solutions, Inc. Line 1: **BASF Corporation** Driller's WV Cert No. 630 Cross Lanes Drive 100 Campus Drive Line 2: Nitro WW/00271 City: City: Florham State W State 07932 ZID 25143-973-383-2649 Phone: 304-776-6717 Phone: Section B: (all number fields must be in decimal format) YES 1 Cap and Lock 2 Protective Cover Flush Mount 0.6 3.Monitoring Well Reference Point: 4. Borehole Diameter 11 inches 5. Ground Surface Seal: a.Material; concrete b.Installation Procedure: pour 211 6 Surface Seal Bottom/Annular Space Top: 7 Well Riser: a OD Well Riser: 4.5 inches. b ID Well Riser: 4.02 inches c.Material: PVC d.Installation Procedure: flush threaded w/o-ring 8. Annular Space Seal: a Material bentonite chip b.Installation Procedure: pour 9. Well Development Procedure: surge/purge 10 Drilling Method Used hollow stem auger 11 Annular Space Seal Bottom/Filter Seal Top: 38 ft. 12 Onlling Fluid Used: Yes Source: Water 13 Filter Pack Seal: a Material: bentonite chip b Installation Procedure: Gravity Fed c Volume Added: 100 pounds 40 ft. 14. Bottom of Bentonite Seal/Filter Pack Top: 15.Depth to Top of Screen: 44.5 ft. 16 Screen. a.Material: PVC b Installation Procedure: flush threaded wio-ring c. Slot Size: 0.01 inches. d. Screen Length: 10 ft 17 Filler Pack a:Material: medium sand b Installation Procedure: gravity fed w/weighted tape 18. Well Depth 54 5 ft. 19 Bottom of Filter Pack 54 5 ft. 57 ft. 20.Bottom of Borehole 21 Backfill Material (below filter pack): native soil 22 Decontamination Procedures: pressure spray 23 Special Circumstances and Exceptions: No. Variance Number 24,VW Contractor License No



Well No .:

**WP-1** 

Date:

2/20/03

Permit Number:

NA

Project Name:

**BASF** 

ELM Inspector:

R. Murray

Boring Method:

Auger

Project Location: Huntington, WV

99184

Total Well Depth (ft):

54.5

Sampler Type:

**Drill Cuttings** 

Project No.:

Depth to Groundwater (ft): 30

Drilling Contractor: Triad

C	Blow Counts r Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
				Or-Br f SAND and Silt	5 -		0	
				Or-Br m-f SAND, some Silt	10	H. D	0	
				Or-Tan c-f SAND	20		0	
					25			
				Or-Tan c-f SAND, some c-m Gravel; wet	30 -		0	
				Or-Tan c-f SAND, some c-m Gravel; saturated	40		o	
					45		0	
					55	,	-	
Notes	<u></u>				Abbreviation	n Lege	nd:	
well.	Switched	d to 10"	auger with	auger. Running sands made it impossible to set the plywood plug.	f - fine m - medium		Or - Ora Gy - Gra	- 1

gpm.

Used approx. 75 gallons of water during drilling.

Bedrock encountered at 54.5' bgs. Well set at 54.5' bgs.

Screened (10 slot) 44.5' to 54.5', PVC riser, natural pack. Purged 55 gallons at 1.2

Gr - Green

Lt - Light

Dk - Dark

c - coarse

BI - Black

Br - Brown



Well No.:

WP-2

Date:

2/20/03

Permit Number:

NA

Project Name:

BASF

ELM Inspector:

R. Murray

Boring Method:

Auger Drill Cuttings

Project No.:

99184

Project Location: Huntington, WV

Total Well Depth (ft):

Depth to Groundwater (ft):

55 30 Sampler Type:

Drilling Contractor: Triad

Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
			Or-Br SAND and SILT	5 -		0	
			Or-Br f SAND, tr Silt; moist	10 -		0	
·			Or-Br c-f SAND, tr m Gravel	20		0	
			Or-Br c-m SAND, some c-f Gravel; wet	25		0	
				35		0	
				45 —		0	
				55 —			
Notes:	otes: Abbreviation Legend:						
			uring drilling.	f - fine		Or - Ora	nge
Bedrock encountered at 55'. Screened (10 slot) 45' to 55', PVC riser, natural pack. Purged 55 gallons at 1.2 gpm.			n - medium		Gy - Gra	y	
			c - coarse		Gr - Gre	en	
		O.	ĮI	Bl - Black		Lt - Ligh	ıt
			I	Br - Brown		Dk - Dar	k



Well No .:

WP-3

Date:

2/20/03

Permit Number:

NA

Project Name:

BASF

ELM Inspector:

R. Murray

Boring Method:

Auger

Project No.:

Project Location: Huntington, WV

Total Well Depth (ft):

56'

Sampler Type:

**Drill Cuttings** 

99184

Depth to Groundwater (ft): 30

Drilling Contractor: Triad

Blow	very	Soil	C-11Divit /O1	Depth	ple	PID	
Counts or Rate	% Recovery	Type Symbol	Soil Description/Observations	ft (0.1)	Sample	(ppm)	Completion
		,	Or-Br c-f SAND, some Silt			0	
				5 -			
				E $\exists$			
		-	Or-Br f SAND and SILT; moist			0	
				15			
				E			
			Or-Br c-f SAND, some m-f Gravel	20		0	
				E E			
			Or-Br c-f SAND	25			
		-	Or-Br c-f SAND; wet	30		0	
				_ 35 _			
			<b></b>				
			Tan c-f SAND; wet	40		0	
						į.	
				_ 45 _		ļ	
						1	
				_ 50 +		0	
						[	
				_ 55 _			
Notes:				Abbreviation	n Lege	nd:	
Used approx.				f - fine		Or - Ora	nge
Bedrock enco Set well at 53	<b>'</b> .			m - medium		Gy - Gra	-
Screened (10 Purged 55 gal	slot) 43'	to 53', PVO	Inser, natural pack.	c - coarse Bl - Black		Gr - Gree Lt - Ligh	
I areca JJ gai	ions at	spiii.	1	Br - Brown		Dk - Dar	1



Well No .:

**WP-4** 

Date:

2/21/03

Permit Number:

NA

Project Name:

**BASF** 

**ELM Inspector:** 

R. Murray

Boring Method:

Auger **Drill Cuttings** 

Project Location: Huntington, WV

Total Well Depth (ft):

55.5

Sampler Type:

Project No.:

99184

Depth to Groundwater (ft): 30

Drilling Contractor: Triad

Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
			Or-Br f SAND and Silt	5 -		0	
				10 -		0	
			Gy f SAND	20		0	
			Br c-f SAND, some c-f Gravel  Br c-f SAND, some c-f Gravel; wet	30		0	
			Br c-f SAND, some c-f Gravel; saturated	35 —		0	
				45 = 50 = 50		0	
Notes:				Abbreviation	on Lege		
Soil sample V Used approx.	50 gall	ons water d	@10:30. uring drilling. Vell set at 53.5'	f - fine m - mediun	า	Or - Ora Gy - Gr	- 1

Purged 55 gallons at 1.2 gpm.

Bedrock encountered at 55.5'. Well set at 53.5'.

Screened (10 slot) 43.5' to 53.5', PVC riser, natural pack.

Gr - Green

Lt - Light

Dk - Dark

c - coarse

Bl - Black

Br - Brown



Well No .:

WP-5

Date:

2/21/03

Permit Number:

NA

Project Name:

**BASF** 

ELM Inspector:

R. Murray

Boring Method:

Auger

Project Location: Huntington, WV

Total Well Depth (ft):

56

Sampler Type:

Drill Cuttings

Project No.:

99184

Depth to Groundwater (ft): 30

Drilling Contractor: Triad

Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
			Or-Br f SAND and SILT	5 -		0	
			Or-Br f SAND, some Silt	10 —		0	
			Br c-f SAND, trace c-f Gravel	20 = 25 = 25 = 3		0	
			Br c-f SAND, trace c-f Gravel; wet	30 = 35 = 35 = 35		0	
			Or-Br c-f SAND, some c-f Gravel; wet	40		0	
				55 -		0	
Notes:				Abbreviatio	n Lege	nd:	
Used approx. Bedrock enco Set well at 53'	untered		uring drilling.	f - fine m - medium	ı	Or - Ora Gy - Gra	ay
	slot) 43		C riser, natural pack	c - coarse Bl - Black Br - Brown		Gr - Gre Lt - Light Dk - Da	nt



Well No .:

**WP-6** 

Date:

2/21/03

Permit Number:

NA

Project Name:

BASF

ELM Inspector:

R. Murray

Boring Method:

Auger

Project Location: Huntington, WV

Total Well Depth (ft):

56'

Sampler Type:

**Drill Cuttings** 

Project No.:

99184

Depth to Groundwater (ft): 30

Drilling Contractor: Triad

Blow Counts	% Recovery	Soil Type	Soil Description/Observations	Depth	Sample	PID	Completion
or Rate	Rec	Symbol		ft (0.1)	Sai	(ppm)	
			Or-Br f SAND and SILT			0	
			Or-Br f SAND, some Silt	5 =			
:				10		0	
				15			
				20		0	
			Br c-f SAND, trace c-f Gravel	25			
			Br c-f SAND, trace c-f Gravel; wet	30 =		0	
				35			
			Or-Br c-f SAND, trace c-f Gravel; saturated				
				40		0	
}				45			
				50		0	
			11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 11200 1	55			
Notes:				Abbreviatio	n Lege	nd:	
Used approx.	55 gallo	ons water d	uring drilling.	f - fine		Or - Ora	nge
Bedrock enco Well set at 52		at 56'.		m - medium	ı	Gy - Gra	ıy

Screened (10 slot) 42' to 52', PVC riser, natural pack.

Purged 55 gallons at 1.2 gpm.

c - coarse

Gr - Green

Bl - Black

Lt - Light

Br - Brown

Dk - Dark



Well No .:

**WP-7** 

Date:

2/24/03

Permit Number:

NA

Project Name:

BASF

ELM Inspector:

R. Murray

Boring Method:

Auger

Project Location: Huntington, WV

Total Well Depth (ft):

58

Sampler Type:

**Drill Cuttings** 

Project No.:

99184

Depth to Groundwater (ft): 30

Drilling Contractor: Triad

Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
1	Reco		Or-Br f SAND, some Silt  Br c-f SAND, some c-f Gravel  Br c-f SAND  Br c-f SAND, some c-f Gravel; wet	ft (0.1)  5  10  15  20  30  40  45  45	San	(ppm) 0	
		_		55 —		0	
Notes:  Used approx. 55 gallons during drilling.  Abbreviation Legend:  f - fine Or - Orange				nge			
Bedrock enco Well set at 55 Screened (10 Purged 55 gal	.5'. slot) 45	.5' to 55.5',	PVC riser, natural pack.	m - medium c - coarse Bl - Black Br - Brown	1	Gy - Gra Gr - Gre Lt - Ligh Dk - Dan	en it



Well No.:

Project Name:

Project No.:

WP-8

**BASF** 

Project Location: Huntington, WV

99184

Date:

2/24/03

R. Murray

Total Well Depth (ft):

ELM Inspector:

Depth to Groundwater (ft): 30

57.5

Boring Method: Sampler Type:

Permit Number:

NA Auger

Drill Cuttigs

Drilling Contractor: Triad

Blow Counts or Rate	% Recovery	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
			Or-Br f SAND, some c-f Gravel  Br c-f SAND  Br c-f SAND  Br c-f SAND, some c-f Gravel; wet	5 — 10 — 15 — 20 — 35 — 35 — 40 — 55 — 55 — 55 — 55 — 55 — 55 — 5		0	
Notes:			<b>,</b>	Abbreviation	ı Legen	ıd:	
Used approx. Bedrock enco Set well at 52 Screened (10 Purged 55 gal	ountered.'. slot) 42'	at 57.5' to 52', PVC	Tring drilling  Criser, natural pack	f - fine m - medium c - coarse Bl - Black		Or - Orar Gy - Gra Gr - Gree Lt - Ligh	y en t
				Br - Brown		Dk - Darl	



Well No .:

**WP-9** 

Date:

2/24/03

Permit Number:

NA

Project Name:

BASF

ELM Inspector:

R. Murray

Boring Method:

Auger Drill Cuttings

Project No.:

Project Location: Huntington, WV

Total Well Depth (ft):

56

Sampler Type:

99184 Depth to Groundwater (ft): 30 Drilling Contractor: Triad


Blow %000 %000 %000 %000 %000 %000 %000 %0	Soil Type Symbol	Soil Description/Observations	Depth ft (0.1)	Sample	PID (ppm)	Completion
		Or-Br f SAND, some c-f Gravel  Br c-f SAND  Br c-f SAND, some c-f Gravel; wet	10 — 15 — 20 — 35 — 40 — 45 — 50 — 55 — 55 — 55 — 55 — 5		0	
Notes			A h.h	- T		
Notes: Used approx. 50 gall Bedrock encountered Well set at 55'. Screened (10 slot) 45 Purged 55 gallons at	l at 56'. 5' to 55', PV	C riser, natural pack.	Abbreviatio f - fine m - medium c - coarse Bl - Black Br - Brown		nd: Or - Ora Gy - Gra Gr - Gre Lt - Ligh Dk - Dan	een nt

ATTACHMENT D

**Slug Test Data** 



Page 1



Site Name:

**BASF** 

Location:

Huntington, WV

Test Date:

2/20/03

Project Number:

99184

Import File:

C:\DaveProj\99184\Aquifer Test Data\TMW-3D.txt

Well Label:

TMW-3D

Aquifer Thickness:

32. feet

Screen Length:

10. feet

Casing Radius:

8.333e-002 feet

**Effective Radius:** 

0.25 feet

Static Water Level:

0. feet

Water Table to Screen Bottom:

30. feet

Anisotropy Ratio:

1.

Time Adjustment:

5.94 Seconds

Test starts with trial 9

There are 68 time and drawdown measurements

Maximum head is 2.634 feet

Minimum head is 0. feet

Trial	Time	Adjusted Time	Drawdown	Head	Head Ratio
	(minutes)	(minutes)	(feet)	(feet)	
1	0.	-9.9e-002	Ò.	0.	0.
2	1.1e-002	-8.8e-002	3.e-003	3.e-003	1.139e-003
3	2.2e-002	-7.7e-002	3.e-003	3.e-003	1.139e-003
4	3.3e-002	-6.6e-002	3.e-003	3.e-003	1.139e-003
5	4.4e-002	-5.5e-002	1.e-003	1.e-003	3.797e-004
6	5.5e-002	-4.4e-002	1.e-003	1.e-003	3.797e-004
7	6.6e-002	-3.3e-002	0.192	0.192	7.289e-002
8	7.7e-002	-2.2e-002	0.656	0.656	0.2491
9	8.8e-002	-1.1e-002	2.323	2.323	0.8819
10	9.9e-002	0.	2.634	2.634	1.
11	0.11	1.1e-002	2.401	2.401	0.9115
12	0.121	2.2e-002	1.989	1.989	0.7551
13	0.132	3.3 <del>e-</del> 002	1.233	1.233	0.4681
14	0.143	4.4e-002	0.649	0.649	0.2464
15	0.154	5.5e-002	0.304	0.304	0.1154
16	0.165	6.6e-002	0.133	0.133	5.049e-002
17	0.176	7.7e-002	7.2e-002	7.2e-002	2.733e-002
18	0.187	8.8e-002	5.1e-002	5.1e-002	1.936e-002
19	0.198	9.9e-002	4.5e-002	4.5e-002	1.708e-002
20	0.209	0.11	3.6e-002	3.6e-002	1.367e-002
21	0.22	0.121	3.9e-002	3.9e-002	1.481e-002
22	0.231	0.132	3.8e-002	3.8e-002	1.443e-002
23	0.2427	0.1437	3.2e-002	3.2e-002	1.215e-002
24	0.2552	0.1562	2.6e-002	2.6e-002	9.871e-003
25	0.2683	0.1693	2.9e-002	2.9e-002	1.101e-002
26	0.2823	0.1833	3.2e-002	3.2e-002	1.215e-002
27	0.2972	0.1982	2.9e-002	2.9e-002	1.101e-002
28	0.3128	0.2138	3.e-002	3.e-002	1.139e-002
29	0.3295	0.2305	3.5e-002	3.5e-002	1.329e-002
30	0.3472	0.2482	3.2e-002	3.2e-002	1.215e-002
31	0.3658	0.2668	3.3e-002	3.3e-002	1.253e-002
32	0.3857	0.2867	2.9e-002	2.9e-002	1.101e-002
33	0.4067	0.3077	2.9e-002	2.9e-002	1.101e-002
34	0.4288	0.3298	3.2e-002	3.2e-002	1.215e-002
35	0.4523	0.3533	3.3e-002	3.3e-002	1.253e-002
36	0.4772	0.3782	3.6e-002	3.6e-002	1.367e-002
37	0.5035	0.4045	3.2e-002	3.2e-002	1.215e-002

38	0.5315	0.4325	3.5e-002	3.5e-002	1.329e-002
39	0.5612	0.4622	3.5e-002	3.5e-002	1.329e-002
40	0.5925	0.4935	3.2e-002	3.2e-002	1,215e-002
41	0.6257	0.5267	3.5e-002	3.5e-002	1.329e-002
42	0.6608	0.5618	3.5e-002	3.5e-002	1.329e-002
43	0.6982	0.5992	2.9e-002	2.9e-002	1.101e-002
44	0.7377	0.6387	2.9e-002	2.9e-002	1.101e-002
45	0.7795	0.6805	3.2e-002	3.2e-002	1.215e-002
46	0.8238	0.7248	3.e-002	3.e-002	1.139e-002
47	0.8708	0.7718	3.2e-002	3.2e-002	1.215e-002
48	0.9207	0.8217	3.e-002	3.e-002	1.139e-002
49	0.9733	0.8743	2.7e-002	2.7e-002	1.025e-002
50	1.029	0.93	3.3e-002	3.3e-002	1.253e-002
51	1.088	0.989	3.e-002	3.e-002	1.139e-002
52	1.151	1.052	3.6e-002	3.6e-002	1.367e-002
53	1.217	1.118	3.2e-002	3.2e-002	1.215e-002
54	1.288	1.189	3.2e-002	3.2e-002	1.215e-002
55	1.362	1.263	3.2e-002	3.2e-002	1.215e-002
56	1.441	1.342	3.6e-002	3.6e-002	1.367e-002
57	1.525	1.426	2.7e-002	2.7e-002	1.025e-002
58	1.613	1.514	3.e-002	3.e-002	1.139e-002
59	1.707	1.608	3.5e-002	3.5e-002	1.329e-002
60	1.806	1.707	3.3e-002	3.3e-002	1.253e-002
61	1.912	1.813	3.2e-002	3.2e-002	1.215e-002
62	2.023	1.924	2.9e-002	2.9e-002	1.101e-002
63	2.142	2.043	3.6e-002	3.6e-002	1.367e-002
64	2.267	2.168	3.2e-002	3.2e-002	1.215e-002
65	2.399	2.3	2.9e-002	2.9e-002	1.101e-002
66	2.54	2.441	2.9e-002	2.9e-002	1.101e-002
67	2.688	2.589	2.5e-002	2.5e-002	9.491e-003
68	2.846	2.747	2.7e-002	2.7e-002	1.025e-002

In-Situ Inc. Hermit 3000 Report generated: 3/25/03 14:21:51 Report from file: C:\DaveProj\99184\Aquifer Test Data\TMW-3D Test #1.bin DataMgr Version 3.7 Serial number: 45468 Firmware Version 7.1 Unit name: **HERMIT 3000** Test name: TMW-3D Test #1

Test defined on: 2/13/03 16:46:32 Test started on: 2/20/03 15:25:27 Test stopped on: 2/20/03 15:35:38 Test extracted on: 3/25/03 13:08:29

Data gathered using Logarithmic testing

Maximum time between data points: 0.5000 Minutes. Number of data samples: 90

Channel number [2]

Measurement type: Pressure Channel name: Ch. #2 #6986 10# Linearity: 0.0249 Scale: 9.9889 Offset: 0.0557 Warmup: 50 Specific gravity: 1 Mode: TOC

User-defined reference:

Referenced on: test start

Pressure head at reference: 19.409 Feet H2O

Channel number [0]

Measurement type: Barometric Pressure Channel name: Barometric Linearity: 0 Scale: 0 Offset: 0 Warmup: 50

Date	Time	ET (min)	Chan[2] Feet H2O	Chan[0] Inches Hg
0/00/00 4/				
2/20/03 1		0	0	29.736
2/20/03 1	5:25:27	0.011	0.003	29.736
2/20/03 1	5:25:28	0.022	0.003	29.734
2/20/03 1	5:25:28	0.033	0.003	29.732
2/20/03 1	5:25:29	0.044	0.001	29.73
2/20/03 1	5:25:30 ⁻	0.055	0.001	29.728
2/20/03 1	5:25:30	0.066	0.192	29.719
2/20/03 1	5:25:31	0.077	0.656	29.724
2/20/03 1	5:25:32	0.088	2.323	29.717
2/20/03 1	5:25:32	0.099	2.634	29.719
2/20/03 1	5:25:33	0.11	2.401	29.711
2/20/03 1	5:25:34	0.121	1.989	29.711
2/20/03 1	5:25:34	0.132	1.233	29.709
2/20/03 1	5:25:35	0.143	0.649	29.705
2/20/03 1	5:25:36	0.154	0.304	29.705
2/20/03 1	5:25:36	0.165	0.133	29.699

0 Feet H2O

TMW-3D Test 1.xis\TMW-3D Test #1


Date Time	ET (min)	Chan[2] Feet H2O	Chan[0] Inches Hg
2/20/03 15:25:37	0.176	0.072	29.699
2/20/03 15:25:38	0.187	0.051	29.697
2/20/03 15:25:38	0.198	0.045	29.697
2/20/03 15:25:39	0.209	0.036	29.691
2/20/03 15:25:40	0.22	0.039	29.689
2/20/03 15:25:40	0.231	0.038	29.683
2/20/03 15:25:41	0.2427	0.032	29.685
2/20/03 15:25:42	0.2552	0.026	29.685
2/20/03 15:25:43	0.2683	0.029	29.683
2/20/03 15:25:43	0.2823	0.032	29.679
2/20/03 15:25:44	0.2972	0.029	29.681
2/20/03 15:25:45	0.3128	0.03	29.673
2/20/03 15:25:46	0.3295	0.035	29.677
2/20/03 15:25:47	0.3472	0.032	29.673
2/20/03 15:25:48	0.3658	0.033	29.673
2/20/03 15:25:50	0.3857	0.029	29.669
2/20/03 15:25:51	0.4067	0.029	29.665
2/20/03 15:25:52	0.4288	0.032	29.665
2/20/03 15:25:54	0.4523	0.033	29.66
2/20/03 15:25:55	0.4772	0.036	29.66
2/20/03 15:25:57	0.5035	0.032	29.66
2/20/03 15:25:58	0.5315	0.035	29.66
2/20/03 15:26:00	0.5612	0.035	29.665
2/20/03 15:26:02	0.5925	0.032	29.667
2/20/03 15:26:04	0.6257	0.035	29.669
2/20/03 15:26:06	0.6608	0.035	29.671
2/20/03 15:26:08	0.6982	0.029	29.671
2/20/03 15:26:11	0.7377	0.029	29.675
2/20/03 15:26:13	0.7795	0.032	29.679
2/20/03 15:26:16	0.8238	0.03	29.677
2/20/03 15:26:19	0.8708	0.032	29.683
2/20/03 15:26:22	0.9207	0.03	29.683
2/20/03 15:26:25	0.9733	0.027	29.687
2/20/03 15:26:28	1.0292	0.033	29.689
2/20/03 15:26:32 2/20/03 15:26:36	1.0883	0.03	29.689
2/20/03 15:26:40	1.151	0.036	29.689
2/20/03 15:26:44	1.2173 1.2877	0.032	29.695
2/20/03 15:26:48		0.032	29.697
2/20/03 15:26:53	1.3622 1.4412	0.032	29.701
2/20/03 15:26:58	1.5248	0.036	29.693
2/20/03 15:27:03	1.6133	0.027 0.03	29.679
2/20/03 15:27:09	1.7072	0.035	29.658 29.648
2/20/03 15:27:15	1.8065	0.033	29.66
2/20/03 15:27:21	1.9118	0.032	29.677
2/20/03 15:27:28	2.0233	0.032	29.687
2/20/03 15:27:35	2.1415	0.036	29.671
2/20/03 15:27:43	2.2667	0.032	29.658
2/20/03 15:27:50	2.3992	0.032	29.675
2/20/03 15:27:59	2.5397	0.029	29.685
2/20/03 15:28:08	2.6885	0.025	29.695
2/20/03 15:28:17	2.846	0.023	29.703
2/20/03 15:28:27	3.0128	0.019	29.703 29.711
2/20/03 15:28:38	3.1897	0.029	29.711 29.701
2/20/03 15:28:49	3.377	0.029	29.709
	0.011	0.020	29.709 TMW-3D Te

Date	Time	ET (min)	Chan[2] Feet H2O	Chan[0] Inches Hg
	************			
2/20/03 15	5:29:01	3.5753	0.032	29.715
2/20/03 15	5:29:14	3.7855	0.032	29,719
2/20/03 15	5:29:27	4.0082	0.027	29.722
2/20/03 15	5:29:41	4.244	0.029	29.73
2/20/03 15	:29:56	4.4938	0.026	29.734
2/20/03 15	:30:12	4.7585	0.026	29.734
2/20/03 15	:30:29	5.0388	0.027	29.738
2/20/03 15	:30:47	5.3357	0.03	29.738
2/20/03 15		5.6502	0.027	29.738
2/20/03 15	:31:26	5.9833	0.02	29.742
2/20/03 15	:31:47	6.3362	0.032	29.746
2/20/03 15	:32:09	6.71	0.03	29.744
2/20/03 15		7.106	0.029	29.746
2/20/03 15	:32:58	7.5253	0.022	29.746
2/20/03 15		7.9697	0.019	29.746
2/20/03 15		8.4403	0.022	29.748
2/20/03 15		8.9388	0.014	29.744
2/20/03 15	:34:53	9.4388	0.016	29.748
2/20/03 15	:35:23	9.9388	0.02	29.746


# S S S Tuches Hg 30.766 30.410 30.054 29.342 28.986 28.630 10.000 [0] - Barometric 8.333 6.667 3.333 5.000 6. **Time (Minutes)** · [2] - Ch. #2 #6986 10# 1.6673.000 U.000 1.000 -1.500 -2.500 -2.000 -0.500 0.000

TMW-3D Test #1

Feet H2O



Feet H2O



C:\DaveProj\99184\Aquifer Test Data\TMW-7D.slg

Site Name:

**BASF** 

Location:

Huntington, WV

Test Date: Project Number: 2/20/03 99184

Import File:

C:\DaveProj\99184\Aquifer Test Data\TMW-7D.txt

Well Label: Aquifer Thickness: Screen Length:

TMW-7D 31. feet 10. feet

Casing Radius: Effective Radius: 8.33e-002 feet 0.25 feet

Static Water Level:

0. feet

Water Table to Screen Bottom: Anisotropy Ratio:

25. feet

1.

Time Adjustment:

5.94 Seconds

Test starts with trial 9

There are 68 time and drawdown measurements

Maximum head is 2.656 feet Minimum head is 0. feet

Trial	Time	Adjusted Time	Drawdown	Head	Head Ratio
	(minutes)	(minutes)	(feet)	(feet)	
1	0.	-9.9e-002	8.e-003	8.e-003	3.012e-003
2	1.1e-002	-8.8e-002	8.e-003	8.e-003	3.012e-003
3	2.2e-002	-7.7e-002	8.e-003	8.e-003	3.012e-003
4	3.3e-002	-6.6e-002	9.e-003	9.e-003	3.389e-003
5	4.4e-002	-5.5e-002	1.2e-002	1.2e-002	4.518e-003
6	5.5e-002	-4.4e-002	9.8e-002	9.8e-002	3.69e-002
7	6.6e-002	-3.3e-002	2.e-002	2.e-002	7.53e-003
8	7.7e-002	-2.2e-002	, 3.e-002	3.e-002	1.13e-002
9	8.8e-002	-1.1e-002	3.1e-002	3.1e-002	1.167e-002
10	9.9e-002	0.	2.656	2.656	1.
11	0.11	1.1e-002	2.442	2.442	0.9194
12	0.121	2.2e-002	2.115	2.115	0.7963
13	0.132	3.3e-002	2.101	2.101	0.791
14	0.143	4.4e-002	1.483	1.483	0.5584
15	0.154	5.5e-002	0.97	0.97	0.3652
16	0.165	6.6e-002	0.63	0.63	0.2372
17	0.176	7.7e-002	0.439	0.439	0.1653
18	0.187	8.8e-002	0.296	0.296	0.1114
19	0.198	9.9e-002	0.193	0.193	7.267e-002
20	0.209	0.11	0.145	0.145	5.459e-002
21	0.22	0.121	0.101	0.101	3.803e-002
22	0.231	0.132	7.7e-002	7.7e-002	2.899e-002
23	0.2427	0.1437	4.7e-002	4.7e-002	1.77e-002
24	0.2552	0.1562	4.6e-002	4.6e-002	1.732e-002
25	0.2683	0.1693	3.3e-002	3.3e-002	1.242e-002
26	0.2823	0.1833	2.7e-002	2.7e-002	1.017e-002
27	0.2972	0.1982	2.1e-002	2.1e-002	7.907e-003
28	0.3128	0.2138	2.1e-002	2.1e-002	7.907e-003
29	0.3295	0.2305	2.1e-002	2.1e-002	7.907e-003
30	0.3472	0.2482	1.8e-002	1.8e-002	6.777e-003
31	0.3658	0.2668	1.8e-002	1.8e-002	6.777e-003
32	0.3857	0.2867	1.8e-002	1.8e-002	6.777e-003
33	0.4067	0.3077	1.8e-002	1.8e-002	6.777e-003
34	0.4288	0.3298	1.5e-002	1.5e-002	5.648e-003
35	0.4523	0.3533	1.5e-002	1.5e-002 1.5e-002	5.648e-003
36	0.4772	0.3782	1.4e-002	1.4e-002	5.271e-003
37	0.5035	0.4045	1.4e-002 1.4e-002	1.4e-002 1.4e-002	5.271e-003 5.271e-003

			•		
38	0.5315	0.4325	1.2e-002	1.2e-002	4.518e-003
39	0.5612	0.4622	1.1e-002	1.1e-002	4.142e-003
40	0.5925	0.4935	1.1e-002	1.1e-002	4.142e-003
41	0.6257	0.5267	9.e-003	9.e-003	3.389e-003
42	0.6608	0.5618	8.e-003	8.e-003	3.012e-003
43	0.6982	0.5992	8.e-003	8.e-003	3.012e-003
44	0.7377	0.6387	8.e-003	8.e-003	3.012e-003
45	0.7795	0.6805	5.e-003	5.e-003	1.883e-003
46	0.8238	0.7248	5.e-003	5.e-003	1.883e-003
47	0.8708	0.7718	5.e-003	5.e-003	1.883e-003
48	0.9207	0.8217	5.e-003	5.e-003	1.883e-003
49	0.9733	0.8743	5.e-003	5.e-003	1.883e-003
50	1.029	0.93	4.e-003	4.e-003	1.506e-003
51	1.088	0.989	4.e-003	4.e-003	1.506e-003
52	1.151	1.052	2.e-003	2.e-003	7.53e-004
53	1.217	1.118	2.e-003	2.e-003	7.53e-004
54	1.288	1.189	2.e-003	2.e-003	7.53e-004
<b>55</b>	1.362	1.263	2.e-003	2.e-003	7.53e-004
56	1.441	1.342	1.e-003	1.e-003	3.765e-004
57	1.525	1.426	1.e-003	1.e-003	3.765e-004
58	1.613	1.514	2.e-003	2.e-003	7.53e-004
59	1.707	1.608	2.e-003	2.e-003	7.53e-004
60	1.806	1.707	2.e-003	2.e-003	7.53e-004
61	1.912	1.813	2.e-003	2.e-003	7.53e-004
62	2.023	1.924	2.e-003	2.e-003	7.53e-004
63	2.142	2.043	2.e-003	2.e-003	7.53e-004
64	2.267	2.168	2.e-003	2.e-003	7.53e-004
65	2.399	2.3	2.e-003	2.e-003	7.53e-004
66	2.54	2.441	1.e-003	1.e-003	3.765e-004
67	2.688	2.589	2.e-003	2.e-003	7.53e-004
68	2.846	2.747	1.e-003	1.e-003	3.765e-004

In-Situ Inc. Hermit 3000 Report generated: 3/25/03 14:38:20 Report from file: C:\DaveProj\99184\Aquifer Test Data\TMW-7D Test #3.bin DataMgr Version 3.7 Serial number: 45468 Firmware Version 7.1 Unit name: **HERMIT 3000** Test name: TMW-7D Test #3 Test defined on: 2/13/03 17:03:03 Test started on: 2/20/03 17:51:01

2/20/03

3/25/03

18:00:31

13:11:11

0 Feet H2O

Data gathered using Logarithmic testing

Maximum time between data points: 0.5000 Minutes. Number of data samples: 89

Channel number [2]

Test stopped on:

Test extracted on:

Measurement type: Pressure Channel name: Ch. #2 #6986 10# Linearity: 0.0249 Scale: 9.9889 Offset: 0.0557 Warmup: 50 Specific gravity: 1 Mode: TOC

User-defined reference:

Referenced on: test start

Pressure head at reference: 21.378 Feet H2O

Channel number [0]

			Chan[2]	Chan[0]
Date	Time	ET (min)	Feet H2O	Inches Hg
0/00/00			-	
2/20/03 1		0	0	29.722
2/20/03 1	7:51:01	0.011	0	29.719
2/20/03 1	7:51:02	0.022	0	29.715
2/20/03 1	7:51:02	0.033	0.001	29.717
2/20/03 1	7:51:03	0.044	0.004	29.713
2/20/03 1	7:51:04	0.055	0.09	29.709
2/20/03 1	7:51:04	0.066	0.012	29.707
2/20/03 1	7:51:05	0.077	0.022	29.705
2/20/03 1	7:51:06	0.088	0.21	29.705
2/20/03 1	7:51:06	0.099	2.648	29.703
2/20/03 1	7:51:07	0.11	2.434	29.697
2/20/03 1	7:51:08	0.121	2.107	29.695
2/20/03 1	7:51:08	0.132	2.093	29.693
2/20/03 1	7:51:09	0.143	1.475	29.689
2/20/03 1	7:51:10	0.154	0.962	29.689
2/20/03 1	7:51:10	0.165	0.622	29.689
				77.844.75


TMW-7D Test 3.xls\TMW-7D Test #3 1 of 3

Date	Time	ET (min)	Chan[2] Feet H2O	Chan[0] Inches Hg
2/20/03 17	:51:11	0.176	0.431	29.683
2/20/03 17	:51:12	0.187	0.288	29.683
2/20/03 17	:51:12	0.198	0.185	29.683
2/20/03 17		0.209	0.137	29.681
2/20/03 17		0.22	0.093	29.677
2/20/03 17		0.231	0.069	29.677
2/20/03 17	:51:15	0.2427	0.039	29.675
2/20/03 17		0.2552	0.038	29.671
2/20/03 17	:51:17	0.2683	0.025	29.671
2/20/03 17	:51:17	0.2823	0.019	29.667
2/20/03 17	:51:18	0.2972	0.013	29.665
2/20/03 17	:51:19	0.3128	0.017	29.662
2/20/03 17	:51:20	0.3295	0.003	29.658
2/20/03 17	:51:21	0.3472	0.006	29.656
2/20/03 17	51:22	0.3658	0.006	29.656
2/20/03 17	:51:24	0.3857	0.01	29.65
2/20/03 17		0.4067	0.01	29.648
2/20/03 17	:51:26	0.4288	0.007	29.648
2/20/03 17:		0.4523	0.007	29.644
2/20/03 17		0.4772	0.006	29.64
2/20/03 17		0.5035	0.01	29.638
2/20/03 17		0.5315	0.004	29.646
2/20/03 17:		0.5612	0.003	29.646
2/20/03 17:		0.5925	0.003	29.648
2/20/03 17:		0.6257	0.001	29.65
2/20/03 17:		0.6608	0	29.65
2/20/03 17:		0.6982	0	29.654
2/20/03 17: 2/20/03 17:		0.7377 0.7795	0	29.656
2/20/03 17:		0.7795	-0.003 -0.003	29.658
2/20/03 17:		0.8708	-0.003	29.66
2/20/03 17:		0.9207	-0.004	29.662 29.662
2/20/03 17:		0.9733	-0.003	29.665
2/20/03 17:		1.0292	-0.004	29.665
2/20/03 17:		1.0883	-0.004	29.669
2/20/03 17:	52:10	1.151	-0.006	29.669
2/20/03 17:	52:14	1.2173	-0.004	29.673
2/20/03 17:	52:18	1.2877	-0.004	29.675
2/20/03 17:	52:22	1.3622	-0.006	29.677
2/20/03 17:	52:27	1.4412	-0.007	29.679
2/20/03 17:	52:32	1.5248	-0.007	29.683
2/20/03 17:	52:37	1.6133	-0.006	29.685
2/20/03 17:		1.7072	-0.004	29.679
2/20/03 17:		1.8065	-0.004	29.66
2/20/03 17:		1.9118	-0.004	29.642
2/20/03 17:		2.0233	-0.006	29.65
2/20/03 17:		2.1415	-0.006	29.65
2/20/03 17:		2.2667	-0.004	29.63
2/20/03 17:		2.3992	-0.006	29.646
2/20/03 17:		2.5397	-0.007	29.66
2/20/03 17:		2.6885	-0.006	29.669
2/20/03 17:		2.846	-0.007	29.675
2/20/03 17:		3.0128	-0.006	29.679
2/20/03 17:		3.1897	-0.007	29.685
2/20/03 17:	54:23	3.377	-0.007	29.691


Date	Time	ET (min)	Chan[2] Feet H2O	Chan[0] Inches Hg
2/20/03 17	7:54:35	3.5753	-0.007	29.693
2/20/03 17	7:54:48	3.7855	-0.007	29.695
2/20/03 17	7:55:01	4.0082	-0.006	29.697
2/20/03 17	7:55:15	4.244	-0.006	29.703
2/20/03 17	7:55:30	4.4938	-0.004	29.705
2/20/03 17	<b>':55:46</b>	4.7585	-0.006	29.705
2/20/03 17	7:56:03	5.0388	-0.003	29.707
2/20/03 17	':56:21	5.3357	-0.007	29.709
2/20/03 17	':56:40	5.6502	-0.006	29.709
2/20/03 17	':57:00	5.9833	-0.004	29.709
2/20/03 17	:57:21	6.3362	-0.007	29.711
2/20/03 17	:57:43	6.71	-0.006	29.715
2/20/03 17	:58:07	7.106	-0.007	29.717
2/20/03 17	:58:32	7.5253	-0.007	29.717
2/20/03 17	:58:59	7.9697	-0.006	29.717
2/20/03 17		8.4403	-0.006	29.719
2/20/03 17	:59:57	8.9388	-0.004	29.724
2/20/03 18	:00:27	9.4388	-0.004	29.722

### Inches Hg 30.742 30.387 30.032 29.322 28.612 28.967 10.000 [0] - Barometric 8.333 TMW-7D Test #3 6.667 3.333 5.000 6. Time (Minutes) · [2] - Ch. #2 #6986 10# 1.667 3.000 0.083 --799.01.250 -1.833 2.417 -0.500

Feet H2O



Page 1



Site Name:

Location:

**BASF** 

Huntington, WV

**Test Date:** 

2/20/03

**Project Number:** 

99184

Import File:

C:\DaveProj\99184\Aquifer Test Data\TMW-1D.txt

Well Label: Aquifer Thickness: TMW-1D 33.5 feet

Screen Length:

10. feet

Casing Radius: Effective Radius:

8.333e-002 feet

Static Water Level:

0.25 feet

Water Table to Screen Bottom:

0. feet

Anisotropy Ratio:

27. feet

Time Adjustment:

1.

4.62 Seconds

Test starts with trial 7

There are 68 time and drawdown measurements

Maximum head is 1.723 feet Minimum head is -0.228 feet

Trial	Time	Adjusted Time	Drawdown	Head	Head Ratio
	(minutes)	(minutes)	(feet)	(feet)	
1	0.	-7.7e-002	Ò.	ò.	0.
2	1.1e-002	-6.6e-002	1.e-003	1.e-003	5.804e-004
3	2.2e-002	-5.5e-002	1.e-003	1.e-003	5.804e-004
4	3.3e-002	-4.4e-002	0.	0.	0.
5	4.4e-002	-3.3e-002	0.	0.	0.
6	5.5e-002	-2.2e-002	0.	0.	0.
7	6.6e-002	-1.1e-002	5.6e-002	5.6e-002	3.25e-002
8	7.7e-002	0.	1.723	1.723	1.
9	8.8e-002	1.1e-002	1.7	1.7	0.9867
10	9.9e-002	2.2e-002	1.22	1.22	0.7081
11	0.11	3.3e-002	0.797	0.797	0.4626
12	0.121	4.4e-002	0.249	0.249	0.1445
13	0.132	5.5e-002	-0.119	-0.119	-6.907e-002
14	0.143	6.6e-002	-0.228	-0.228	-0.1323
15 .	0.154	7.7e-002	-0.178	-0.178	-0.1033
16	0.165	8.8e-002	-5.5e-002	-5.5e-002	-3.192e-002
17	0.176	9.9e-002	4.9e-002	4.9e-002	2.844e-002
18	0.187	0.11	8.4e-002	8.4e-002	4.875e-002
19	0.198	0.121	7.5e-002	7.5e-002	4.353e-002
20	0.209	0.132	4.e-002	4.e-002	2.322e-002
21	0.22	0.143	4.e-003	4.e-003	2.322e-003
22	0.231	0.154	-1.e-002	-1.e-002	-5.804e-003
23	0.2427	0.1657	-6.e-003	-6.e-003	-3.482e-003
24	0.2552	0.1782	7.e-003	7.e-003	4.063e-003
25	0.2683	0.1913	2.e-002	2.e-002	1.161e-002
26	0.2823	0.2053	2.5e-002	2.5e-002	1.451e-002
27	0.2972	0.2202	1.9e-002	1.9e-002	1.103e-002
28	0.3128	0.2358	1.4e-002	1.4e-002	8.125e-003
29	0.3295	0.2525	1.2e-002	1.2e-002	6.965e-003
30	0.3472	0.2702	1.e-002	1.e-002	5.804e-003
31	0.3658	0.2888	1.2e-002	1.2e-002	6.965e-003
32	0.3857	0.3087	1.e-002	1.e-002	5.804e-003
33	0.4067	0.3297	1.e-002 1.e-002	1.e-002 1.e-002	
34	0.4288	0.3518	9.e-003		5.804e-003
3 <del>5</del>	0.4523	0.3753		9.e-003	5.223e-003
36	0.4523 0.4772		1.e-002	1.e-002	5.804e-003
		0.4002	1.e-002	1.e-002	5.804e-003
37	0.5035	0.4265	1.2e-002	1.2e-002	6.965e-003

38	0.5315	0.4545	1.e-002	1.e-002	5.80 <del>4e</del> -003
39	0.5612	0.4842	1.e-002	1.e-002	5.804e-003
40	0.5925	0.5155	9.e-003	9.e-003	5.223e-003
41	0.6257	0.5487	1.e-002	1.e-002	5.804e-003
42	0.6608	0.5838	9.e-003	9.e-003	5.223e-003
43	0.6982	0.6212	9.e-003	9.e-003	5.223e-003
44	0.7377	0.6607	9.e-003	9.e-003	5.223e-003 5.223e-003
45	0.7795	0.7025	1.e-002	1.e-002	5.804e-003
46	0.8238	0.7468	1.e-002	1.e-002	5.804e-003
47 ·	0.8708	0.7938	1.e-002	1.e-002	5.804e-003
48	0.9207	0.8437	9.e-003	9.e-003	5.223e-003
49	0.9733	0.8963	1.e-002	1.e-002	5.804e-003
50	1.029	0.952	1.e-002	1.e-002	5.804e-003
51	1.088	1.011	9.e-003	9.e-003	5.223e-003
52	1.151	1.074	9.e-003	9.e-003	5.223e-003 5.223e-003
53	1.217	1.14	9.e-003	9.e-003	5.223e-003
54	1.288	1.211	9.e-003	9.e-003	5.223e-003
55	1.362	1.285	7.e-003	7.e-003	4.063e-003
56	1. <del>44</del> 1	1.364	7.e-003	7.e-003	4.063e-003
57	1.525	1.448	9.e-003	9.e-003	5.223e-003
58	1.613	1.536	9.e-003	9.e-003	5.223e-003
59	1.707	1.63	9.e-003	9.e-003	5.223e-003
60	1.806	1.729	9.e-003	9.e-003	5.223e-003
61	1.912	1.835	7.e-003	7.e-003	4.063e-003
62	2.023	1.946	9.e-003	9.e-003	5.223e-003
63	2.142	2.065	7.e-003	7.e-003	4.063e-003
64	2.267	2.19	6.e-003	6.e-003	3.482e-003
65	2.399	2.322	9.e-003	9.e-003	5.223e-003
66	2.54	2.463	6.e-003	6.e-003	3.482e-003
67	2.688	2.611	6.e-003	6.e-003	3.482e-003
68	2.846	2.769	6.e-003	6.e-003	3.482e-003

In-Situ Inc. Report generated: Report from file: DataMgr Version Serial number: Firmware Version Unit name:	Hermit 3000 3/26/03 12:23:07 C:\DaveProj\99184\Aquifer Test Data\TMW-1D Test #3.bin 3.7 45468 7.1 HERMIT 3000
Test name: Test defined on: Test started on: Test stopped on:	TMW-1D Test #3 2/13/03 16:45:20 2/20/03 12:00:32 2/20/03 12:09:43

3/25/03

13:07:08

Data gathered using Logarithmic testing

Maximum time between data points: 0.5000 Minutes. Number of data samples: 88

Channel number [2]

Test extracted on:

Measurement type: Pressure Channel name: Ch. #2 #6986 10# Linearity: 0.0249 Scale: 9.9889 Offset: 0.0557 Warmup: 50 Specific gravity: 1 Mode: TOC User-defined reference: 0 Feet H2O Referenced on: test start

Pressure head at reference: 18.913 Feet H2O

Channel number [0]

Measurement type: **Barometric Pressure** Channel name: Barometric Linearity: 0 Scale: 0 Offset: 0 Warmup: 50

Date Tir	me ET (min)	Chan[2] Feet H2O	Chan[0] Inches Hg
2/20/03 12:00:	32 0	0	29.864
2/20/03 12:00:	32 0.011	0.001	29.856
2/20/03 12:00:	33 0.022	0.001	29.854
2/20/03 12:00:	33 0.033	0	29.854
2/20/03 12:00:	34 0.044	0	29.852
2/20/03 12:00:	35 0.055	0	29.85
2/20/03 12:00:	35 0.066	0.056	29.844
2/20/03 12:00:	36 0.077	1.723	29.844
2/20/03 12:00:	37 0.088	1.7	29.84
2/20/03 12:00:	37 0.099	1.22	29.838
2/20/03 12:00:	38 0.11	0.797	29.836
2/20/03 12:00:	39 0.121	0.249	29.834
2/20/03 12:00:	39 0.132	-0.119	29.829
2/20/03 12:00:	40 0.143	-0.228	29.827
2/20/03 12:00:	41 0.154	-0.178	29.825
2/20/03 12:00:4	41 0.165	-0.055	29.825

TMW-1D Test 3.xis\TMW-1D Test #3

Date Time	ET (min)	Chan[2] Feet H2O	Chan[0] Inches Hg
2/20/03 12:00:42	0.176	0.049	29.819
2/20/03 12:00:43	0.187	0.084	29.819
2/20/03 12:00:43	0.198	0.075	29.819
2/20/03 12:00:44	0.209	0.04	29.817
2/20/03 12:00:45	0.22	0.004	29.813
2/20/03 12:00:45	0.231	-0.01	29.809
2/20/03 12:00:46	0.2427	-0.006	29.811
2/20/03 12:00:47	0.2552	0.007	29.805
2/20/03 12:00:48	0.2683	0.02	29.807
2/20/03 12:00:48	0.2823	0.025	29.801
2/20/03 12:00:49	0.2972	0.019	29.803
2/20/03 12:00:50	0.3128	0.014	29.801
2/20/03 12:00:51	0.3295	0.012	29.797
2/20/03 12:00:52	0.3472	0.01	29.797
2/20/03 12:00:53	0.3658	0.012	29.795
2/20/03 12:00:55	0.3857	0.01	29.793
2/20/03 12:00:56	0.4067	0.01	29.789
2/20/03 12:00:57	0.4288	0.009	29.787
2/20/03 12:00:59	0.4523	0.01	29.785
2/20/03 12:01:00 2/20/03 12:01:02	0.4772	0.01	29.785
2/20/03 12:01:02	0.5035	0.012	29.781
2/20/03 12:01:05	0.5315 0.5612	0.01	29.785
2/20/03 12:01:07	0.5925	0.0 <u>1</u> 0.009	29.789
2/20/03 12:01:09	0.6257	0.009	29.789 29.791
2/20/03 12:01:11	0.6608	0.009	29.791
2/20/03 12:01:13	0.6982	0.009	29.795
2/20/03 12:01:16	0.7377	0.009	29.799
2/20/03 12:01:18	0.7795	0.01	29.799
2/20/03 12:01:21	0.8238	0.01	29.797
2/20/03 12:01:24	0.8708	0.01	29.805
2/20/03 12:01:27	0.9207	0.009	29.807
2/20/03 12:01:30	0.9733	0.01	29.807
2/20/03 12:01:33	1.0292	0.01	29.807
2/20/03 12:01:37	1.0883	0.009	29.811
2/20/03 12:01:41	1.151	0.009	29.813
2/20/03 12:01:45 2/20/03 12:01:49	1.2173	0.009	29.815
2/20/03 12:01:49 2/20/03 12:01:53	1.2877	0.009	29.817
2/20/03 12:01:58	1.3622 1.4412	0.007	29.821
2/20/03 12:02:03	1.4412	0.007 0.009	29.819
2/20/03 12:02:08	1.6133	0.009	29.821 29.821
2/20/03 12:02:14	1.7072	0.009	29.825
2/20/03 12:02:20	1.8065	0.009	29.825
2/20/03 12:02:26	1.9118	0.007	29.831
2/20/03 12:02:33	2.0233	0.009	29.829
2/20/03 12:02:40	2.1415	0.007	29.834
2/20/03 12:02:48	2.2667	0.006	29.834
2/20/03 12:02:55	2.3992	0.009	29.811
2/20/03 12:03:04	2.5397	0.006	29.803
2/20/03 12:03:13	2.6885	0.006	29.815
2/20/03 12:03:22	2.846	0.006	29.821
2/20/03 12:03:32	3.0128	0.006	29.829
2/20/03 12:03:43	3.1897	0.006	29.834
2/20/03 12:03:54	3.377	0.006	29.836 TMW-1D To

Date	Time	ET (min)	Chan[2] Feet H2O	Chan[0] Inches Hg
2/20/03 12	2:04:06	3.5753	0.004	29.836
2/20/03 12	2:04:19	3.7855	0.004	29.84
2/20/03 12	2:04:32	4.0082	0.004	29.844
2/20/03 12	2:04:46	4.244	0.004	29.842
2/20/03 12	2:05:01	4.4938	0.004	29.846
2/20/03 12	2:05:17	4.7585	0.003	29.85
2/20/03 12	2:05:34	5.0388	0.001	29.854
2/20/03 12	:05:52	5.3357	0.001	29.85
2/20/03 12	2:06:11	5.6502	0.003	29.852
2/20/03 12	2:06:31	5.9833	0.001	29.854
2/20/03 12	::06:52	6.3362	-0.001	29.852
2/20/03 12	::07:14	6.71	0	29.854
2/20/03 12	::07:38	7.106	0	29.854
2/20/03 12	::08:03	7.5253	-0.001	29.856
2/20/03 12	::08:30	7.9697	-0.001	29.856
2/20/03 12	:08:58	8.4403	-0.001	29.854
2/20/03 12	:09:28	8,9388	-0.004	29.856

### Inches Hg 30.882 30.529 30.176 29.116 29.469 28.763 [0] - Barometric 8.333TMW-1D Test #3 6.667 Time (Minutes) 5.0003.333 .[2] - Ch. #2 #6986 10# 1.667 0.625 -0.250 -1.000 --0.1251.375 -0.500

Feet H2O


### Inches Hg 30.882 30.529 30.176 29.469 29.116 28.763 1.000[0] - Barometric 0.833 TMW-1D Test #3 0.667 Time (Minutes) 0.333 0.500 [2] - Ch. #2 #6986 10# 0.1671.750 0.000 0.250 --0.1251.375 -0.625 -0.500 1.000


Feet H2O

### ATTACHMENT E

Potentiometric Ground Water Contours 2002, 2003 and 2005








### NOTES:

1) FIGURE IS IN NAD 83 WEST VIRGINIA STATE PLANE COORDINATES, SOUTH ZONE, US FOOT.

### SOURCE:

1)"GENERAL PLANT MAP HUNTINGTON WORKS",
DRAWING NUMBER 0110-HUN-W1-GEN-001,
BY BASF CORPORATION, DATED FEBRUARY, 1996,
REVISION 13






FIGURE E1

POTENTIOMETRIC CONTOURS FOR GROUND WATER AUGUST 2002

LOCATION:
BASF CORPORATION
HUNTINGTON,
WEST VIRGINIA

DATE: 07/23/03


FILENAME: 99184_GWC

LAYOUT: 2008FSP E1




ENVIRONMENTAL LIABILITY MANAGEMENT, INC.

218 Wall Street, Research Park, Princeton, NJ 08540 4920 York Road, Ste. 2CC2, P.O. Box 306, Holicong, PA 18928 612 Main Street, 2nd Floor, Boonton, NJ 07005








INFERRED GROUND WATER FLOW DIRECTION

### NOTES:

- 1) FIGURE IS IN NAD 83 WEST VIRGINIA STATE PLANE COORDINATES, SOUTH ZONE, US FOOT.
- 2) TMW-3D CASING WAS DAMAGED, THEREFORE NO DEPTH TO WATER MEASUREMENT WAS COLLECTED.
- 3) MONITORING WELLS IN GRAY WERE NOT USED TO GENERATE GROUND WATER CONTOURS.

### SOURCE:

1) "GENERAL PLANT MAP HUNTINGTON WORKS", DRAWING NUMBER 0110-HUN-W1-GEN-001. BY BASF CORPORATION, DATED FEBRUARY, 1996, REVISION 13






FIGURE E2

POTENTIOMETRIC CONTOURS FOR GROUND WATER FEBRUARY 2003


LOCATION BASF CORPORATION HUNTINGTON, WEST VIRGINIA


DATE: 07/24/03 FILENAME: 99184 GWC LAYOUT: 2008FSP E2



ENVIRONMENTAL LIABILITY MANAGEMENT, INC.

218 Wall Street, Research Park, Princeton, NJ 08540 4920 York Road, Ste. 2CC2, P.O. Box 306, Holicong, PA 18928 612 Main Street, 2nd Floor, Boonton, NJ 07005







### NOTES:

- 1) FIGURE IS IN NAD 83 WEST VIRGINIA STATE PLANE COORDINATES SOUTH ZONE, US FOOT.
- 2) TMW-4S AND TMW-11S ARE SCREENED AT SHALLOWER INTERVALS THAN THE TMW-#D WELLS.
  THEREFORE DATA FROM TMW-4S AND TMW-11S WAS NOT USED TO GENERATE CONTOURS.
- 3) MONITORING WELL TMW-3D WAS DAMAGED IN FALL/WINTER 2002 AND CLOSED IN FEBRUARY 2003.
- 4) CONTOURS WERE GENERATED USING SURFER v8.0 WITH A KRIEGG ROUTINE

### SOURCE:

1)"GENERAL PLANT MAP HUNTINGTON WORKS", DRAWING NUMBER 110-HUN-W1-GEN-001, BY BASE CORPORATION, DATED FEBRUARY 1996, REVISION 13.





TITLE:

LAYOUT:

### FIGURE E3 POTENTIOMETRIC CONTOURS FOR GROUND WATER February 28, 2005

LOCATION:
BASF CORPORATION
HUNTINGTON,
WEST VIRGINIA

DATE: 05/25/05

FILENAME: 99184 WELLS

2008FSP E3

Elm Elm

ENVIRONMENTAL LIABILITY MANAGEMENT, INC.

218 Wall Street, Research Park, Princeton, NJ 08540 4920 York Road, Ste. 2CC2, P.O. Box 306, Holicong, PA 18928 612 Main Street, 2nd Floor, Boonton, NJ 07005

### ATTACHMENT F

Soil Drill Cuttings and Purge Water Disposal Manifest



4									
A	. 1	iON-HAZARDOUS 1. Generator ID Number	1 -	3, Emergency Respons			acking Numb	er er	
		VASTE MANIFEST EXEMPT	1	877-736-73			9101		
	1	enerator's Name and Mailing Address		Generator's Site Addres	•	an mailing addre	SS)		X
	1	ASF CORPORATION	10	FLINT GROU		** 1. ·		*** 05	700
		00 Campus Drive, Florham Park, NJ 0793		2401 Fifth		e, Hunti	ington,	WV 25	703
	6 Tro	erator's Phone: 973-383-2649 Joseph McKeon ansporter 1 Company Name	1	304-528-23	וַט	U.S. EPA ID I	Vumber		
	1	O-FIRST, Inc.				WVR		. 0 1 2	n #
		ansporter 2 Company Name				U.S. EPAID 1		013	0 4
	8. De	signated Facility Name and Site Address				U.S. EPA ID N	Yumber		
	EC	W-FIRST, Inc.							
	3	Harvest View Drive, Lesage, WV 25537							
	Facilit	ty's Phone: 304-736-7303 Dana Tomes				WVRC	0005	0 1 3	04
		Waste Shipping Name and Description		10. Conta	ainers	11. Total	12. Unit		
				No.	Туре	Quantity	Wt./Vol.		
Œ		1.							
ATC									
GENERATOR	ļ	Non-Regulated Soil Cuttings		006	DM	<u>1800</u>	P		
ື່ນ		2							
1		Non Bosslated Days (Days lawnest State		0.01					
	<u> </u>	Non-Regulated Purge/Development Wate	rs	0 0 1	DM	<u>0 0 5 0</u>	G	<del> </del>	
	.				ĺ	İ		•	
		4.					<del>-  -</del>		
	.			ŀ					
	13. S	pecial Handling Instructions and Additional Information							3
П	Ana	alysis on file.							
Н									
									20
		ENERATOR'S CERTIFICATION: I certify the materials described above on this manifes			ebougud brober	disposal of Haz	ardous Waste.		Day Vees
		ators/Offeror's Printed/Typed Name	•	nature / / /	n hu	1 ().	_	Month	Day Year 1 0 0 9
7	<i>ن ز_</i> 15 int	OSCHEM Melleon Jr BASF Corporat.	<b>-</b>	>show "	7 700	Cy-		0 9	1009
F		import to U.S.	Export from L		•				
-		corter Signature (for exports only): ansporter Acknowledgment of Receipt of Materials		Date leavi	ng v.S.:				
TRANPORTER		porter 1 Printed/Typed Name	Sig	nature				Month	Day Year
POF	Š	TCPLING AYENS, ECO-FIRST, INC		the	ali	leno	45	0 9	1 0 0 9
Ä	Transf	onter z Furacu rypos sum.		nature				Month	Day Year
Ţ						-			
A		descentification Space 577							
	178. 0	ilscrepancy indication Space Quantity Type		Residue		Partial Reje	ction	Шfī	ili Hejecikin
				Marriera Dafassas A					
<u> </u>	17h Al	Iternate Facility (or Generator)	_	Manifest Reference N	eumber:	U.S. EPA ID N	lumber		
LIT	170.70	notions and the address of							
DESIGNATED FACILITY	Eacility	r's Phone:				1			
ΞĐ		ignature of Alternate Facility (or Generator)	·					Month	Day Year
IAT			1						
2 S			J						
DES									
Ī	•								
	18. De:	signated Facility Owner or Operator: Certification of receipt of materials covered by the				A			
	Printed	VTyped Name	Sig	naluse.	5	<del>╎</del> ╌	5000	→ Month	Day Year
٧	Dan	a L. Tomes, ECO-FIRST, Inc.		JIA	$W \succeq$	A C	XXX	409	1_0_10_9 🗷
169		-C 6 10497 (Rev. 8/06)			DE	SIĞNATEI	D FACILÍ	TY TO GE	NERATOR

### ATTACHMENT G

**July 2009 Ground Water Sampling Report** 



### Monitoring Well/Groundwater Elevations Former BASF Plant Huntington, WV

	Date of		Top of	GW
Well No.	Sampling	SWL	Casing	Elevation
	Jamping		Elevation	MSL
TMW-1D	7/23/09	24.66	548.23	523.57
TMW-2D	7/23/09	25.12	549.46	524.34
TMW-4S	7/23/09	26.22	550.37	524.15
TMW-4D	7/23/09	26.27	550.42	524.15
TMW-5D	7/24/09	34.14	557.97	523.83
TMW-6D	7/24/09	25.78	549.7	523.92
TMW-7D	7/24/09	27.00	550.69	523.69
TMW-8D	7/24/09	33.87	557.79	523.92
TMW-9D	7/22/09	25.00	548.48	523.48
TMW-11S	7/23/09	30.86	554.99	524.13
TMW-12D	7/22/09	22.23	545.79	523.56

Note: Wells TMW-2D and TMW-11S surveyed 2-05 by Potesta. Wells TMW-4S and TMW-12D surveyed 7-09 by Potesta.

### First Semi-Annual 2009 GW Sampling Report (08-0250-001)\TMW-9D

Page 1 of 1

Field Sampling Measurements and Data (Low Flow Sampling Method)

BASF Huntington Works Facility

Huntington, West Virginia

07/22/09

BASF, Huntington, WV

TMW-9D

Total Depth (ft): Purge Method:

Site Name:

Well ID:

Screen Depth (ft): Well Dia. (in):

44.5 to 54.5

25

Pump Depth (ft):

Purge Method:	od:	Bladder pump	dwr		Sampling	Method:	Sampling Method: Bladder pump			.(11)	25	
Weather:		Cloudy, 85°F	2°F		Field Sampler:	pler:	D. Junker / L. Sullivan	Sullivan				
	Elapsed	Purge	Volume Depth	Depth to			Spec.					
	Time	Rate	Rate   Purged   Wate		Temp.	Ha	Cond. DO	00	ORP Turbidity	Turbidity		

	•		• ;							
Time	Rate	Purged	Water	Temp.	ЬH	Cond.	20	ORP	Turbidity	
h:mm	ml/min.	Liters	Feet	ပွ	ns	mɔ/℧n	mg/L	Λm	NTO	Comment
0:05	0.4	4	25.01	21.83	5.83	649	2.28	-186		Slightly cloudy
0:10	0.4	9	24.98	21.84	5.84	629	1.64	-189	ı	Slightly cloudy
0:15	0.4	8		21.85	5.89	663	1.03	-190		Slightly cloudy
0:20	0.4	9		21.93	5.91	664	0.59	-189		Slightly cloudy
0:25	0.4	12		21.90	5.91	999	09.0	-189		Slightly cloudy
0:30	0.4	14	24.97	21.84	5.92	999	0.26	-190		Clear
										TO THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF TH
										Sample collected at 1600
										THE DESIGNATION AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRES
										T. TOTAL COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN TO THE COLUMN
										TANAPAT TILLIAN TO THE TANAPAT TILLIAN TO THE TANAPAT TILLIAN TO THE TANAPAT TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN TILLIAN T
										CONTRACTOR OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS
										The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s
	0:00 0:10 0:15 0:20 0:20 0:30		M/Min. 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.	Mi/min. Liters  0.4 4  0.4 6  0.4 6  0.4 10  0.4 12  0.4 14  0.4 14	Milmin. Liters Feet  0.4	m/min.     Liters     Feet     °C       0.4     4     25.01     21.83       0.4     6     24.98     21.84       0.4     8     21.84       0.4     10     21.85       0.4     12     21.90       0.4     14     24.97     21.84       0.4     14     24.97     21.84	mi/min.     Liters     Feet     C     su       0.4     4     25.01     21.83     5.83       0.4     6     24.98     21.84     5.84       0.4     10     21.85     5.81       0.4     12     21.93     5.91       0.4     14     24.97     21.84     5.92       0.4     14     24.97     21.84     5.92       0.4     14     24.97     21.84     5.92       0.4     14     24.97     21.84     5.92       0.4     14     24.97     21.84     5.92       0.4     14     24.97     21.84     5.92       0.4     14     24.97     21.84     5.92       0.5     1.0     1.0     1.0     1.0       0.5     1.0     1.0     1.0     1.0       0.5     1.0     1.0     1.0     1.0       0.6     1.0     1.0     1.0     1.0       0.7     1.0     1.0     1.0     1.0       0.8     1.0     1.0     1.0     1.0       0.7     1.0     1.0     1.0     1.0       0.8     1.0     1.0     1.0     1.0       0.8     1.0	mi/min.         Liters         Feet         °C         su         uΩ/cm           0.4         4         25.01         21.83         5.83         649           0.4         6         24.98         21.84         5.84         659           0.4         10         21.85         5.91         664           0.4         12         21.93         5.91         665           0.4         14         24.97         21.84         5.92         666           0.4         14         24.97         21.84         5.92         666           0.4         14         24.97         21.84         5.92         666           0.4         14         24.97         21.84         5.92         666	Milmin, Liters   Feet   °C   su   u\(2\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\triangle{O}\t	mi/min.         Liters         Feet         °C         su         u.D/cm         mg/L         mV         NTU           0.4         4         25.01         21.83         5.83         649         2.28         -186         164           0.4         6         24.98         21.84         5.84         659         1.64         -189         164           0.4         10         21.85         5.81         664         0.59         -189         164           0.4         10         21.93         5.91         664         0.59         -189         46.4           0.4         12         24.97         21.84         5.92         666         0.26         -190         40.1           0.4         14         24.97         21.84         5.92         666         0.26         -190         40.1           1         24.97         21.84         5.92         666         0.26         -190         40.1           1         24.97         21.84         5.92         666         0.26         -190         40.1

### First Semi-Annual 2009 GW Sampling Report (08-0250-001)/TMW-12D

### Page 1 of 1

Field Sampling Measurements and Data (Low Flow Sampling Method)

**BASF Huntington Works Facility** Huntington, West Virginia

07/22/09

Date: BASF, Huntington, WV

Bladder pump

Total Depth (ft): Purge Method:

Weather:

Site Name:

Well ID:

**TMW-12D** 

Well Dia. (in):

Screen Depth (ft):

44 - 54

Pump Depth (ft):

25

Bladder pump Sampling Method:

D. Junker / L. Sullivan Snec Field Sampler: Cloudy, 80°F Purge | Volume | Depth to Elapsed

	<b>,</b>	_	,	_			_	_		 				,	,	,	,	,	_	_	 _		 	 	_
	Comment		Slightly cloudy	*Clear	*Clear	*Clear	*Clear	**************************************	Sample collected at 1743	*Note: Observed PVC dust in	purge water potentially due to	well installation.												Account of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the contract of the	
Turbidity	NTO		39.2																			-			
ORP	/m		-170	-146	-176	-184	-190																		
00	mg/L	)	0.00	0.00	0.00	0.00	0.00																		
Spec. Cond.	uΩ/cm		672	685	671	999	999																		
На	ns		6.62	6.56	6.53	6.56	6.58																		
Temp.	ပ		20.88	21.69	20.70	20.60	20.57																		
Depth to Water	Feet		21.22		22.20		22.21				•														
Volume	Liters		2	4	9	8	10																		
Purge Rate	ml/min.		0.4	0.4	0.4	0.4	0.4																		
Elapsed Time	h:mm		0:05	0:10	0:15	0:20	0:25																		
	Time	1712	1717	1722	1727	1732	1737																		

### First Semi-Annual 2009 GW Sampling Report (08-0250-001)\TMW-1D

### Page 1 of 1

# Field Sampling Measurements and Data (Low Flow Sampling Method) BASF Huntington Works Facility

Huntington, West Virginia

Date: BASF, Huntington, WV

TMW-1D 53.58 Total Depth (ft):

Weather:

Site Name:

Well ID:

Well Dia. (in):

07/23/09 2

20

Pump Depth (ft):

Sampling Method: Screen Depth (ft):

43.5 to 53.5 Bladder pump

90				Comment		Cloudy	Turbidity error - cleaned	probe and held purge	Cloudy	Cloudy	Cloudy	Cloudy	Slightly cloudy	Slightly cloudy	Slightly cloudy	Sample collected at 10:30						The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s			
oth (ft):			Turbidity	NTU		0			069			258		145	132										
Pump Deptn (rt):	_		ORP	ΛW		25			59	23	14	26	4	1	1										
0	mp 'L. Sullivar		DO	mg/L		0.00			2.46	0.00	00.0	00.0	0.00	0.00	0.00										
45.5 to 55.5	biadder pump D. Junker / L. Sullivan	Spec.	Cond.	uΩ/cm		539			515	536	543	545	546	546	546				-						
iptin (rt.): Mathadi	Metnod: pler:		рН	ns		6.17			6.05	6.15	6.20	6.21	6.25	6.26	6.25										
Screen Deptin (II): Sempling Mathed	Sampling Method: Field Sampler:		Temp.	ပ		19.89			21.46	20.21	20.01	20.00	20.02	20.05	20.07										
		Depth to	Water	Feet		24.69									24.65										
2	d E F	Volume	Purged	Liters		2		4	8	10	12	14	16	18	20										
DO.00 Bloddor pr	Cloudy, 80°F	Purge	Rate	ml/min.		0.4			0.8	0.7	9.0	9.0	0.5	0.5	0.5										
	5	Elapsed	Time	h:mm		0:05			0:10	0:15	0:20	0:25	0:30	0:35	0:40										
otal Depth (it).	Veather:			Time	0923	0928		0933	0948	0953	0958	1003	1008	1013	1018					<b>O</b> )					

# Field Sampling Measurements and Data (Low Flow Sampling Method)

BASF Huntington Works Facility Huntington, West Virginia

Date: BASF, Huntington, WV Site Name: Well ID:

TMW-2D Total Depth (ft):

Bladder pump Cloudy, 80°F

Purge Method:

Weather:

07/23/09 Well Dia. (in): Screen Depth (ft):

36

Pump Depth (ft):

28.5-38.5 **Pt** Bladder pump D. Junker / L. Sullivan Sampling Method: Field Sampler:

Г		Γ	Τ	T	T	۱ĕ	Т	Τ	Π	Т	T		<u> </u>	Г	Т	Ι				Π		l			ĺ
		Comment		Cloudy	Cloudy	DO malfunction - rinsed probe	Cloudy	Cloudy	Clondy	Cloudy		Cloudy	Cloudy	Cloudy		Sample collected at 1305			The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s						
	Turbidity	NTO		434	423		199	188	171	182		145	139	137				-							
	ORP	m/		-93	-108		-117	-116	-121	-122		-122	-126	-125											
	DO	mg/L		0.00	0.00		2.05	1.46	0.77	0.35		0.00	0.00	3.05											
Spec.	Cond.	m3/cm		488	450		432	430	425	423		420	414	417											
	рН	ns		6.76	6.76		6.74	99.9	69.9	6.70		6.68	6.72	6.76											
	Temp.	၁ွ		17.52	17.52		17.59	17.50	17.45	17.45		17.45	17.40	17.43											
Depth to	Water	Feet		25.32										25.30											
Volume	Purged	Liters		2	4	9	æ	10	12	14	16	20	24	28											
Purge	Rate	ml/min.		0.4	0.4		0.5	0.5	0.5	0.46	0.48	0.5	0.5	0.56											
Elapsed	Time	h:mm		0:05	0:10		0:15	0:20	0:25	0:30	0:35	0:40	0:45	0:50					•						-
		Time	1144	1149	1154	1159	1204	1209	1214	1219	1224	1229	1234	1239											

### First Semi-Annual 2009 GW Sampling Report (08-0250-001)\TMW-4S

## Field Sampling Measurements and Data (Low Flow Sampling Method) BASF Huntington Works Facility Huntington, West Virginia

Well Dia. (in): Date: BASF, Huntington, WV TMW-4S Site Name: Well ID:

Bladder pump

Total Depth (ft): Purge Method:

20 to 30 Screen Depth (ft):

07/23/09

31

Pump Depth (ft):

Bladder pump Sampling Method: Field Sampler:

D. Junker / L. Sullivan Rain, 75°F Purge | Volume | Depth to Elapsed Weather:

		_		F		_		 	 7	_	_	 							 
	Comment	TO THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERT	Cloudy	Pump malfunction - replaced O-ring and reduced flow rate	Cloudy	Cloudy	Cloudy	Samplect collected at 1450	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s									-	
Turbidify	NTO		17.9			24.7													
aac	Λm		-36		-110	-107	-103												
C	mg/L		6.86		8.21	8.33	8.25												
Spec.	mɔ/ʊn		1000		984	966	1001												
Ŧ	ns		99.9		99.9	6.73	6.70												
Temp	ပ		19.87		19.82	19.88	19.96												
Depth to Wafer	Feet		26.67		26.97	26.82	26.87												
Volume Depth	Liters		2		4	4.25	4.5												
Purge Rate	ml/min.		0.4		0.27	0.2	0.2												
Elapsed Time	h:mm		0:05		0:15	0:20	0:25												
	Time	1400	1405	1410	1435	1440	1445												

### First Semi-Annual 2009 GW Sampling Report (08-0250-001)\TMW-4D

## Field Sampling Measurements and Data (Low Flow Sampling Method) BASF Huntington Works Facility Huntington, West Virginia

BASF, Huntington, WV Site Name: Well ID:

TMW-4D 55-75

Date:

07/23/09 2 51 to 56 Screen Depth (ft): Well Dia. (in):

D. Junker / L. Sullivan

53

Total Depth (ft): Purge Method: Weather:

Sampling Method: Field Sampler:

Pump Depth (ft):

- The same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the		Comment		Slightly cloudy	Slightly cloudy	Slightly cloudy	Slightly cloudy	Slightly cloudy		Sample collected at 1630	Duplicate sample (TMW-10D)	collected time recorded as	0800									
	Turbidity	NTU		6.52	Г	7.82	l			9,			)									
	ORP	Λm		-140	-148	-146	-147	-149														
	00	mg/L		0.00	0.00	0.00	00.0	0.00														
Spec.	Cond.	uΩ/cm		658	649	665	649	643														
	Hd	su		7.25	7.24	7.23	7.20	7.21														
	Temp.	ပွ		18.64	18.57	18.76	18.78	18.69														
Depth to	Water	Feet	26.27					26.23														
Volume	Purged	Liters		2	4	9	8	10														
Purge	Rate	ml/min.		0.4	0.4	0.4	0.4	0.4														
Elapsed	Time	h:mm		0:05	0:10	0:15	0:20	0:25														
		Time	1550	1555	1600	1605	1610	1615	W									:				

# Field Sampling Measurements and Data (Low Flow Sampling Method)

BASF Huntington Works Facility Huntington, West Virginia

07/23/09

TMW-11S 35 Bladder pump-low flow BASF, Huntington, WV

> Total Depth (ft): Purge Method:

Weather:

Site Name:

Well ID:

Well Dia. (in): Screen Depth (ft):

33

Pump Depth (ft):

2 25 - 35 Pu Bladder pump D. Junker / L. Sullivan Sampling Method: Field Sampler:

					b						5										
		Comment		Water clear	DO inconsistant and failed	to record.				Water clear	Sample collected at 1805	"Field blank 7-23-09"	collected at 1755		THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE P		THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY ADDRESS OF THE PROPER				
	Turbidity	NTC		1.74	1.74	2.75	2.70	2.67	2.67	2.58											
	ORP	/m		-156	-158	-158	-153	-153	-150	-152							The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon				
5 i	00	mg/L		0.00	0.00	0.00	0.00	2.61	0.00	0.00											
	Spec. Cond.	uΩ/cm		1050	1010	1000	992	983	975	973											
	Ha	ns		6.77	6.70	6.80	6.75	6.72	6.72	6.76											
	Temp.	ပွ		19.49	18.67	18.62	18.66	18.58	18.66	18.75											
Danth to	Water Water	Feet	30.84							31.69											
Vel:::::::	Purged	Liters		2	4	9	8	10	12	14											
Division	Rate	ml/min.		0.4	0.4	0.4	0.4	0.4	0.4	0.4											
Flancod	Time	h:mm		0:05	0:10	0:15	0:20	0:25	0:30	0:35											
		Time	1725	1730	1735	1740	1745	1750	1755	1800											

### First Semi-Annual 2009 GW Sampling Report (08-0250-001)\TMW-6D

## Field Sampling Measurements and Data (Low Flow Sampling Method)

**BASF Huntington Works Facility** 

Huntington, West Virginia

BASF, Huntington, WV Site Name:

Well ID:

TMW-6D

07/24/09 Well Dia. (in): Date:

Screen Depth (ft):

44 - 54

52 Pump Depth (ft):

Bladder pump Sampling Method: Field Sampler: Bladder pump P. Cloudy, 85°F Total Depth (ft): Purge Method: Weather:

D. Junker / L. Sullivan

Sample collected at 1225 Comment Cloudy Cloudy Cloudy Cloudy Cloudy Cloudy Cloudy Clear Clear Clear Clear Clear **Turbidity** 56.9 10.6 4.76 NTC 28.2 1.28 0.00 0.00 88.1 39.7 0.17 151 ORP 159 160 160 157 144 153 159 159 159 **a** 151 mg/L 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.00 8 mე/cm Cond. Spec. 529 529 530 530 529 530 532 534 536 536 538 540 6.15 6.16 6.16 6.16 6.16 6.13 6.13 6.19 6.11 6.14 6.20 6.17 H ns Temp. 17.73 18.15 18.06 18.00 17.92 17.74 17.74 17.73 17.77 17.77 ပွ Depth to Water 25.83 Feet 25.81 Volume Purged Liters 10 12 4 2 2 2 2 4 ဖ |∞ Purge ml/min. Rate 0.4 0.4 0.4 0.4 0.4 0.4 0.4 4.0 0.4 Elapsed h:mm Time 0:15 0:25 0:05 0:10 0:30 0:35 0:40 0:45 0:50 0:55 09:0 1122 1132 1142 1152 1202 1212 1147 1127 1137 1157 1207 1217 1222

### First Semi-Annual 2009 GW Sampling Report (08-0250-001)\TMW-5D

## Field Sampling Measurements and Data (Low Flow Sampling Method) BASF Huntington Works Facility

Huntington, West Virginia

BASF, Huntington, WV Site Name: Well ID:

TMW-5D

Well Dia. (in): Date:

07/24/09 2

57 Pump Depth (ft):

Bladder pump P. Cloudy, 85°F 59.17 Total Depth (ft): Purge Method: Weather:

Screen Depth (ft):

D. Junker / L. Sullivan 48 to 58 Bladder pump Sampling Method: Field Sampler: Elapsed Purge Volume | Depth to

			-,	_		<b>,</b>			,						 		 			 		
	Comment		Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Cloudy	Slightly cloudy	Sample collected at 1415	MS/MSD sample collected	from TMW-5D	Field Blank 7-24-09 sample	collecred at 1400		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s				The second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second secon
Turbidity	NTO		294	160		6.96		69.1	2.73	45.1		-										
ORP	ΛW		62	64	63	09	48	43	40	37	32											
00	mg/L		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-										
Spec. Cond.	uΩ/cm		395	394	396	395	397	396	399	399	400											
На	ns	-	6.33	6.36	6.37	6.37	6.38	6.38	6.39	6.38	6.39											
Temp.	၁ွ		19.54	19.17	19.20	18.94	19.05	19.03	19.13	19.12	19.19										100	
Deptn to Water	Feet		34.16								34.12											
Volume Purged	Liters		2	4	9	8	10	12	14	16	18											
Furge Rate	ml/min.		0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4											
riapseα Time	h:mm		0:05	0:10	0:15	0:20	0:25	0:30	0:35	0:40	0:45											
	Time	1326	1331	1336	1341	1346	1351	1356	1401	1406	1411	MATERIAL III.										

# Field Sampling Measurements and Data (Low Flow Sampling Method)

BASF Huntington Works Facility

Huntington, West Virginia

07/24/09

BASF, Huntington, WV

TMW-8D

Well Dia. (in):

Screen Depth (ft):

26

Pump Depth (ft):

48.5 - 58.5 Pt Bladder pump D. Junker / L. Sullivan Sampling Method: Field Sampler:

Bladder pump Clear, 85°F

Total Depth (ft): Purge Method:

Weather:

Site Name:

Well ID:

	$\top$	$\top$	<del></del>	1	Т	1	Т	Т	Т	T		Γ	Γ	т	Г—	т—	г	Т-	_	Γ	Ι	 _			_	_
	1	Comment	Cloudy	record.	Cloudy	Clear	Clear	Clear	Clear		Sample collected at 1028	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s						- The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the								
	I urbidity	2	47.70	Allowed 5 min. purge prior to continuing parameter record.	15.80			3.84	3.12																	
1	ORP PA		-73	continuing	9/-	69-	02-	-20	69-																	
	200	IIIg/L	0.00	ge prior to	4.46	0.67	0.00	0.00	0.00																	
Spec.	Cond.	US 2/CIII	029	5 min. pur	672	699	699	0/9	670			,														
	Ed 5	ne	6.87	Ι.	6.75	6.76	6.77	6.78	6.75																	
F	c C C	>	18.58	ti-meter for DO	18.42	18.39	18.38	18.42	18.43																	
Depth to	Foot	100 -	33.90	on multi-n					33.90																	
Volume	r urgeu	רוננוס	2	naintenance	4	9	œ	10	12																	
Purge	m/min		0.4	perform n	0.4	9.0	0.4	0.4	0.4																	
Elapsed	all u		0:05	Held purge to perform maintenance on mul	0:10	0:15	0:20	0:25	0:30																	
	Time	0938	0943		1005	1010	1015	1020	1025																	

# Field Sampling Measurements and Data (Low Flow Sampling Method)

BASF Huntington Works Facility Huntington, West Virginia

07/24/09

Date: BASF, Huntington, WV

TMW-7D

Bladder pump P. Cloudy, 85°F 54.05

Total Depth (ft): Purge Method:

Weather:

Site Name:

Well ID:

41.5 to 51.5 Well Dia. (in): Screen Depth (ft):

Bladder pump Sampling Method:

25

Pump Depth (ft):

<ul><li>D. Junker / L. Sullivan</li></ul>	
Field Sampler:	

Cloudy Cloudy Cloudy Cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy Slightly cloudy	
Turbidity NTU NTU 192 354 192 149 122 148 82.9 65.5 65.5 27.2 27.2	
ORP MV 148 148 30 30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
DO	
Spec. Cond.  U\(\text{L}\text{Cond}\).  \(\text{387}\) \(\text{387}\) \(\text{389}\) \(\text{392}\) \(\text{392}\) \(\text{392}\) \(\text{392}\) \(\text{392}\) \(\text{392}\) \(\text{392}\) \(\text{392}\) \(\text{393}\) \(\text{393}\) \(\text{393}\) \(\text{393}\) \(\text{393}\) \(\text{393}\) \(\text{393}\)	
PH su su su su su su su su su su su su su	
23.56 22.49 20.62 20.62 20.62 20.03 19.80 19.66 19.66 19.66	
Nater   Feet	
Volume           Purged           Liters           2           4           4           6           8           10           12           14           14           16           18           20           22           22           22           24           26           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           28           29           20           24           25           26           27           28	
Purge Rate ml/min. 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.4 0.	
Elapsed Time h:mm h:mm h:mm 0:05 0:00 0:30 0:35 0:45 0:55 0:55 0:55 0:65 0:65 0:65 0:65 0:6	
Time 1524 1529 1539 1544 1559 1604 1604 1619 1624 1623 1634	

### ATTACHMENT H

**Data Validation Report (bound separately)** 



### **ATTACHMENT I**

**Environmental Resource Associates Performance Evaluation Results for Sample AOC2-22-10.0** 





### Data PacK™ Certification Sheet(s)

The data contained in this section of the Data PacK™ contains all of the certification sheets for the quality control samples that you have ordered.

If you have any questions concerning the data listed in this portion of your Data PacK™ please feel free to call ERA's Technical Staff at 1-800-372-0122.







- 1. The **Total Concentrations** are equal to the background concentrations in the soil matrix (measured using neutron activation, XRF, and total digestion techniques) plus the amount of each analyte spiked onto the soil. For Trace Metals, the values listed are only "theoretical values" based upon the methodologies listed.
- 2. The **Certified Values** are equal to the mean recoveries for the parameters as determined in an interlaboratory round robin study based on all applicable digestion techniques reported in the study. The certified values are based on an "as received" basis, assuming 100% solids content.
- **3.** The stated **Uncertainty** is the total propagated uncertainty at the 95% confidence interval. The uncertainty is based on the preparation and internal analytical verification of the product by ERA using a 3050 digestion procedure followed by ICP and/or ICP-MS analysis for the metals and a BrCl leach followed by CVAA analysis for Hg.
- 4. The QC Performance Acceptance Limits (QC PALs™) are based on actual historical data collected in ERA's Proficiency Testing program. The QC PALs™ reflect any inherent biases in the methods used to establish the limits and closely approximate a 95% confidence interval of the performance that experienced laboratories should achieve using accepted environmental methods. Use the QC PALs™ to realistically evaluate your performance against your peers.
- 5. The PT Performance Acceptance Limits (PT PALsTM) are calculated using the regression equations and fixed acceptance criteria specified in the NELAC proficiency testing requirements. Use the PT PALsTM when analyzing this QC standard alongside USEPA and NELAC compliant PT standards. Please note that many PT study acceptance limits are concentration dependent (some non-linearly) and, therefore, the acceptance limits of this QC standard and any PT standard may differ relative to their difference in concentrations.

This standard **expires 10/2010.** The certified values are monitored and purchasers will be notified of any significant changes resulting in recertification or withdrawal of this certified reference material during the period of validity of this certificate.

If you have any questions or need technical assistance, please call ERA technical assistance at 1-800-372-0122 or email to info@eraqc.com.

Certifying Officer: Tom Widera



Lot No. D061-540

### **Metals in Soil**

Catalog No. 540 Issue Date: May 1, 2008 Revision Date: Original

### Certification

	Total	Certified	Uncertainty ³	QС	PT
	Concentration 1	Value ²	•	PALs ^{TM 4}	PALs ^{™ 5}
	(mg/kg)	(mg/kg)		(mg/kg)	(mg/kg)
Parameter	. 5, 5,			(3/3/	(***51***57
aluminum	61800	10600	5.1%	5750 - 15400	4880 - 16300
antimony	267	126	1.6%	63.3 - 189	26.5 - 317
arsenic	253	225	3.8%	181 - 270	160 - 290
barium	1160	565	4.6%	461 - 669	422 - 709
beryllium	178	162	5.4%	134 - 190	122 - 202
boron	129	107	9.3%	74.3 - 139	63.1 - 151
cadmium	79.5	69.1	6.3%	58.1 - 80.1	50.6 - 87.6
calcium	18100	10000	7.1%	8310 - 11700	7540 - 12400
chromium	356	124	5.4%	101 - 147	86.7 - 161
cobalt	132	115	6.2%	95.6 - <b>13</b> 5	85.7 - 145
copper	78.8	66.7	5.3%	53.9 - 79.5	48.8 - 84.6
iron	34400	17600	2.4%	8930 - 26400	7320 - 28000
lead	272	223	3.6%	183 - 264	168 - 27 <del>9</del>
magnesium	7 <del>44</del> 0	4260	5.6%	3290 - 5230	2980 5540
manganese	695	368	4.8%	304 - 433	279 - 458
mercury	5.20	5.15	20.1%	3.69 - 6.61	2.63 - 7.67
molybdenum	136	107	6.2%	83.8 - 130	75.0 - 141
nickel	202	172	7.0%	140 - 204	127 - 218
potassium	24200	4090	4.4%	2960 - 5220	2660 - 5520
selenium	166	147	3.5%	114 - 180	98.7 - 195
silver	40.1	35.2	7.0%	23.3 - 47.1	23.1 - 47.3
sodium	13500	538	7.1%	366 - 710	280 - 796
strontium	294	117	6.1%	94.8 - 139	82.3 - 151
thallium	197	173	3.2%	140 - 205	119 - 227
tin	189	164	5.3%	121 - 207	99.1 - 229
titanium	2920	381	2.8%	116 - 647	0.00 - 779
vanadium	155	93.9	4.4%	72.1 - 116	60.6 ~ 127
zinc	424	349	5.8%	280 - 418	252 - 446

Please see footnotes on back

			ar Tarak
,			



### PriorityPollutnT™ PCBs in Soil

Catalog No.

726

Issue Date:

January 22, 2009

Revision:

Original

### Certification

Expiration Date: 1 10/2010

Parameter	Certified Value ²	Uncertainty ³	QC Performance Acceptance Limits ⁴	PT Performance Acceptance Limits ⁵
	mg/kg	%	mg/kg	mg/kg
Aroclor 1016	<0.5	-	-	-
Aroclor 1221	<0.5	-	-	-
Aroclor 1232	<0.5	-	-	-
Aroclor 1242	< 0.5	-	-	-
Aroclor 1248	<0.5	-	-	-
Aroclor 1254	4.70	16	1.98 - 5.64	0.993 - 7.24
Aroclor 1260	<0.5	-	-	-

### **Analytical Verification**

Parameter	Certified Value	Proficie Mean Re	ncy Testing S ecovery	Study 6
	mg/kg	mg/kg	%	
Aroclor 1016	<0.5	-	-	-
Aroctor 1221	<0.5	-	-	-
Aroclor 1232	< 0.5	-	-	-
Aroclor 1242	<0.5	-	-	-
Aroclor 1248	< 0.5	-	-	-
Aroclor 1254	4.70	4.12	87.7	102
Aroclor 1260	<0.5	-	-	-

- 1. The certified values are monitored and purchasers will be notified of any significant changes resulting in recertification or withdrawal of this certified reference material during the period of validity of this certificate.
- 2. The Certified Values are the actual 'made-to' concentrations confirmed by ERA analytical verification.
- 3. The stated Uncertainty is the total propagated uncertainty at the 95% confidence interval. This Uncertainty is based on the internal analytical verification of the product by ERA. The method of calculating uncertainty is taken from the ISO Guide to the Expression of Uncertainty in Measurement (current version). The uncertainty applies to the product as supplied and does not take into account any required or optional dilutions and/or preparations the laboratory may perform while using this product.
- 4. The QC Performance Acceptance Limits (QC PALs™) are based on actual historical data collected in ERA's Proficiency Testing program. The QC PALs™ reflect any inherent biases in the methods used to establish the limits and closely approximate a 95% confidence interval of the performance that experienced laboratories should achieve using accepted environmental methods. Use the QC PALs™ to realistically evaluate your performance against your peers.
- 5. The PT Performance Acceptance Limits (PT PALs™) are calculated using the regression equations and fixed acceptance criteria specified in the USEPA National Standards Criteria Document and/or the NELAC proficiency testing requirements. Use the PT PALs™ when analyzing this QC standard alongside USEPA and NELAC compliant PT standards. Please note that many PT study acceptance limits are concentration dependent (some non-linearly) and, therefore, the acceptance limits of this QC standard and any PT standard may differ relative to their difference in concentrations.
- 6. The Analytical Verification data include the mean value, percent recovery and number of data points reported by the laboratories in our Proficiency Testing study compared to the Certified Values.

Please call ERA at 1-800-372-0122 or email to info@eraqc.com if you have questions or need technical assistance.

Certifying Officer: Michael Blades



Lot No. D062-727

### Certificate of Analysis

PriorityPollutnT™ Base/Neutrals and Acids in Soil

Catalog No.

727

Original

Issue Date: Revision: July 01, 2008

Expiration Date: 1 03/2011

### **Analytical Verification**

	Certified	Proficie	ncy Testing S	tudy 6
Parameter	Value	Mean Recovery		
	μg/kg	μg/kg	%	
Nitrobenzene	9030	6060	67.1	83
2-Nitrophenol	14100	9020	64.0	82
4-Nitrophenol	7750	4880	63.0	80
N-Nitrosodiethylamine	<1000	-	~	-
N-Nitrosodimethylamine	5450	3350	61.5	70
N-Nitrosodiphenylamine	<1000	-	-	-
N-Nitroso-di-n-propylamine	11100	8030	72.3	81
Pentachiorobenzene	<1000	=	-	-
Pentachlorophenol	13900	6810	49.0	85
Phenanthrene	3330	2680	80.5	86
Phenol	8410	5420	64.4	82
Pyrene	1810	1570	86.7	85
Pyridine	<1000	-	-	-
1,2,4,5-Tetrachlorobenzene	<1000	-	-	-
2,3,4,6-Tetrachlorophenol	<1000	-	-	-
1,2,4-Trichlorobenzene	13100	8400	64.1	80
2,4,5-Trichlorophenol	9790	6860	70.1	83
2,4,6-Trichlorophenol	7990	5470	68.5	83

^{6.} The Analytical Verification data include the mean value, percent recovery and number of data points reported by the laboratories in our Proficiency Testing study compared to the Certified Values.

Please call ERA at 1-800-372-0122 or email to info@eraqc.com if you have questions or need technical assistance.

Certifying Officer: Michael Blades



Lot No. D062-727

Expiration Date: 1 03/2011

### PriorityPollutnT™ Base/Neutrals and Acids in Soil

Catalog No.

727

Issue Date: Revision: July 01, 2008 Original

### **Analytical Verification**

Parameter	Certified Value	Proficiency Testing Study ⁶ Mean Recovery n		
	μg/kg	μg/kg	%	
Acenaphthene	4200	3120	74.3	85
Acenaphthylene	2840	2220	78.2	85
2-Amino-1-methylbenzene (o-toluidine)	<1000	-	-	-
Aniline	<1000	-	-	-
Anthracene	8580	6530	76.1	85
Benzidine	<1000	-	-	-
Benzoic acid	<1000	-	-	-
Benzo(a)anthracene	3490	2810	80.5	85
Benzo(b)fluoranthene	4250	3360	79.1	85
Benzo(k)fluoranthene	4160	3390	81.5	85
Benzo(g,h,i)perylene	1460	1160	79.4	81
Benzo(a)pyrene	4160	3200	76.9	85
Benzyl alcohol	<1000		-	-
bis(2-Chloroethoxy)methane	11800	8360	70.8	77
bis(2-Chloroethyl)ether	10800	7190	66.6	81
bis(2-Chloroisopropyl)ether	2900	1990	68.6	79
4-Bromophenyl-phenylether	<1000	-	•	-
Butylbenzylphthalate	<1000	-	-	-
Carbazole	<1000	-	-	•
4-Chloroaniline	<1000		-	-
4-Chioro-3-methyiphenol	<1000	-	-	-
1-Chloronaphthalene	<1000	-	-	-
2-Chloronaphthalene	<1000	-		-
2-Chlorophenol	6860	4380	63.8	81
4-Chlorophenyl-phenylether	13800	10600	76.8	79
Chrysene	2610	2280	87.4	84
Dibenz(a,h)anthracene	<1000	<u>.</u>		
Dibenzofuran	7390	5470	74.0	78
Di-n-butylphthalate	<1000	-	-	-
1,2-Dichlorobenzene	<1000	-	-	
1,3-Dichlorobenzene	12400	6310	50.9	77
1,4-Dichlorobenzene	8240	4340	52.7	82
3,3'-Dichlorobenzidine	<1000	-	-	-
2,4-Dichlorophenol	<1000			-
2,6-Dichlorophenol	4350	2910	66.9	43
Diethylphthalate 2,4-Dimethylphenol	<1000		-	-
Dimethylphthalate	<1000 <1000	_	-	-
2,4-Dinitrophenol	8240	1280	- 15.5	- FC
2,4-Dinitrotoluene	<1000	1280	12.5	56
2,6-Dinitrotoluene	<1000	-	-	-
Di-n-octylphthalate	<1000	_	_	-
bis(2-Ethylhexyl)phthalate	4090	3420	83.6	- 79
Fluoranthene	2460	2000	81.3	85
Fluorene	3340	2610	78.1	86
Hexachlorobenzene	9740	7740	79.5	82
Hexachlorobutadiene	9650	5770	59.8	83
Hexachiorocyclopentadiene	<1000	5//0	-	- 33
Hexachloroethane	<1000	-	_	
Indeno(1,2,3-cd)pyrene	<1000	_	_	_
Isophorone	5210	3900	74.9	79
4,6-Dinitro-2-methylphenol	13700	4470	32.6	74 74
2-Methylnaphthalene	3090	2380	77.0	80
2-Methyliphenol	8350	3870	46.4	84
3&4-Methylphenol	11100	5990	54.0	85
Naphthalene	<1000	-	J4.0 -	03
2-Nitroaniline	<1000	-	-	-
3-Nitroaniline	<1000	-	<b>.</b>	-
4-Nitroaniline	<1000	-	-	-



PriorityPollutnT™ Base/Neutrals and Acids in Soil

Catalog No.

727

Expiration Date: 1 03/2011 Issue Date: Revision:

July 01, 2008 Original

### Certification

Lot No. D062-727

Parameter	Certified Value ²	Uncertainty ³	QC Performance Acceptance Limits ⁴	PT Performance Acceptance Limits ⁵
	μg/kg	%	μg/kg	μg/kg
Nitrobenzene	9030	13	2950 - 9210	1580 - 10500
2-Nitrophenol	14100	5. <del>9</del>	3880 - 14100	1780 - 16300
4-Nitrophenol	7750	11	1080 - 8060	775 - 10700
N-Nitrosodiethylamine	<1000	-	=	-
N-Nitrosodimethylamine	5450	6.6	954 - 5610	701 - 6010
N-Nitrosodiphenylamine	<1000	-	-	-
N-Nitroso-di-n-propylamine	11100	14	3350 - 12100	1500 - 14600
Pentachlorobenzene	<1000	•	•	•
Pentachlorophenol	13900	3.2	2110 - 13900	1390 - 15300
Phenanthrene	3330	11	1710 - 3800	987 - 4380
Phenol	8410	7.2	2190 - 8410	841 - 10000
Pyrene	1810	13	833 - 2080	570 - 2560
Pyridine	<1000	-	-	-
1,2,4,5-Tetrachlorobenzene	<1000	_	-	-
2,3,4,6-Tetrachlorophenol	<1000	-	-	-
1,2,4-Trichlorobenzene	13100	13	4130 - 13100	2370 - 14400
2,4,5-Trichlorophenol	9790	10	2750 - 9790	1540 - 12200
2,4,6-Trichlorophenol	7990	9.8	2380 - 7990	1600 - 9340

- 1. The certified values are monitored and purchasers will be notified of any significant changes resulting in recertification or withdrawal of this certified reference material during the period of validity of this certificate.
- 2. The Certified Values are the actual 'made-to' concentrations confirmed by ERA analytical verification.
- 3. The stated Uncertainty is the total propagated uncertainty at the 95% confidence interval. This Uncertainty is based on the internal analytical verification of the product by ERA. The method of calculating uncertainty is taken from the ISO Guide to the Expression of Uncertainty in Measurement (current version). The uncertainty applies to the product as supplied and does not take into account any required or optional dilutions and/or preparations the laboratory may perform while using this product.
- 4. The QC Performance Acceptance Limits (QC PALs™) are based on actual historical data collected in ERA's Proficiency Testing program. The QC PALs™ reflect any inherent blases in the methods used to establish the limits and closely approximate a 95% confidence interval of the performance that experienced laboratories should achieve using accepted environmental methods. Use the QC PALs™ to realistically evaluate your performance against your peers.
- 5. The PT Performance Acceptance Limits (PT PALs™) are calculated using the regression equations and fixed acceptance criteria specified in the USEPA National Standards Criteria Document and/or the NELAC proficiency testing requirements. Use the PT PALs™ when analyzing this QC standard alongside USEPA and NELAC compliant PT standards. Please note that many PT study acceptance limits are concentration dependent (some non-linearly) and, therefore, the acceptance limits of this QC standard and any PT standard may differ relative to their difference in concentrations.

D.L. - Detection Limit

6000 West 54th Ave. Arvada CO 80002

fax 303-421-0159



Lot No. D062-727

Expiration Date: 1 03/2011

### PriorityPollutnT™ Base/Neutrals and Acids in Soil

Catalog No.

727

Issue Date: Revision: July 01, 2008 Original

### Certification

Parameter	Certified Value ²	Uncertainty ³	QC Performance Acceptance Limits ⁴	PT Performance Acceptance Limits ⁵
	μg/kg	%	μg/kg	μg/kg
Acenaphthene	4200	11	1800 - 4370	1060 - 5180
Acenaphthylene	2840	13	997 - 2840	636 - 3810
2-Amino-1-methylbenzene (o-toluidine		•	-	-
Aniline	<1000	-	<u>-</u>	-
Anthracene	8580	11	3470 - 8580	2200 - 10800
Benzidine	<1000	-	-	-
Benzoic acid	<1000	-	-	-
Benzo(a)anthracene	3490	19	1750 - 3800	1110 - 4510
Benzo(b)fluoranthene	4250	9.8	1980 - 5060	1120 - 5600
Benzo(k)fluoranthene	4160	20	1970 - 4870	1170 - 5610
Benzo(g,h,i)perylene	1460	7.5	640 - 1710	226 - 2100
Benzo(a)pyrene	4160	3.0	<b>1580 - 4160</b>	976 - 5430
Benzyl alcohol	<1000	-	-	-
bis(2-Chloroethoxy)methane	11800	15	4320 - 12600	2470 - 14200
bis(2-Chloroethyl)ether	10800	12	2500 - 10800	2790 - 11900
bis(2-Chloroisopropyl)ether	2900	7.6	884 - 3130	300 - 3720
4-Bromophenyl-phenylether	<1000	•	-	-
Butylbenzylphthalate	<1000	-	-	-
Carbazole	<1000	-	-	~
4-Chloroaniline	<1000	-		-
4-Chloro-3-methylphenol	<1000	•	-	-
1-Chloronaphthalene	<1000	•	-	-
2-Chloronaphthalene	<1000	-	1700 6060	1040 7710
2-Chlorophenol	6860	6.8	1790 - 6860	1040 - 7710
4-Chlorophenyl-phenylether	13800 2610	9.8 6.3	6100 - 15600	3740 - 17400
Chrysene Dibenz(a,h)anthracene	<1000	-	1310 - 3050	824 - 3740
Dibenzofuran	7390	10	3220 - 7910	- 1950 - 8990
Di-n-butylphthalate	<1000	-	5220 - 7910	1930 - 8990
1,2-Dichlorobenzene	<1000	_	_	_
1,3-Dichlorobenzene	12400	15	2020 - 12400	1240 - 13600
1,4-Dichlorobenzene	8240	12	1530 - 8240	824 - 9060
3,3'-Dichlorobenzidine	<1000		-	-
2,4-Dichlorophenol	<1000	-	-	-
2,6-Dichlorophenol	4350	8.5	1200 - 4350	1540 - 4780
Diethylphthalate	<1000	-	-	<u>-</u>
2,4-Dimethylphenol	<1000	-	-	-
Dimethylphthalate	<1000	-	-	-
2,4-Dinitrophenol	8240	9.7	D.L 8240	0.00 - 9060
2,4-Dinitrotoluene	<1000	-	-	-
2,6-Dinitrotoluene	<1000	-	-	-
Di-n-octylphthalate	<1000	-	•	-
bis(2-Ethylhexyl)phthalate	4090	13	1700 - 5030	956 - 5890
Fluoranthene	2460	14	1200 - 2780	773 - 3230
Fluorene	3340	11	1540 - 3610	945 - 4280
Hexachlorobenzene	9740	12	4580 - 10800	3110 - 12400
Hexachlorobutadiene	9650	15	2850 - 9650	1340 - 10600
Hexachlorocyclopentadiene	<1000	=	-	-
Hexachloroethane	<1000	=	-	-
Indeno(1,2,3-cd)pyrene	<1000	-	1720 5000	1640 5150
Isophorone	5210	16	1720 - 5680	1640 - 6160
4,6-Dinitro-2-methylphenol	13700	14	68.0 - 13700	0.00 - 15100
2-Methylphonol	3090	10	1120 - 3150	1080 - 3680
2-Methylphenol 3&4-Methylphenol	8350	8.3	786 - 8350 780 - 11100	835 - 9180
Naphthalene	11100 <1000	9.6	789 - 11100	1600 - 12200
2-Nitroaniline	<1000	-	-	<del>-</del> -
3-Nitroaniline	<1000	<del>"</del>	<u>-</u>	- -



Lot No. D062-924

Expiration Date: 1 04/2011

PriorityPollutnT™ Ready-to-Use VOAs in Soil

Catalog No.

924

Issue Date:

September 23, 2008

Revision:

Original

6. The Analytical Verification data include the mean value, percent recovery and number of data points reported by the laboratories in our Proficiency Testing study compared to the Certified Values.

(1) m, o & p-xylenes analyzed as total xylenes in the study.

(2) Insufficient data to report.

Please call ERA at 1-800-372-0122 or email to info@eraqc.com if you have questions or need technical assistance.

Certifying Officer: Michael Blades



Lot No. D062-924

Expiration Date: 1 04/2011

### PriorityPollutnT™ Ready-to-Use VOAs in Soil

Catalog No.

924

Issue Date:

September 23, 2008

Revision: Original

### **Analytical Verification**

	Certified	Proficie	ncy Testing S	tudy ⁶
Parameter	Value	Mean Re		n
	μg/kg	μg/kg	%	
Acetone	15600	15000	96.2	34
Acetonitrile	<1000	-	-	-
Acrolein	<1000		-	-
Benzene	9860	9800	99.4	38
Bromobenzene	4140	4280	103	29
Bromodichloromethane	4290	4400	103	37
Bromoform	2270	2240	98.7	37
Bromomethane	<1000	-	-	-
2-Butanone (MEK)	<1000		-	-
tert-Butyl methyl ether (MTBE)	6860	6800	99.1	33
Carbon disulfide	<1000	4020	-	-
Carbon tetrachloride	3910	4020	103	37
Chlorobenzene Chlorodibromomethane	<1000 1420	1410	00.2	36
Chioroethane	<1000	1410	99.3	- 30
2-Chloroethylvinylether	<1000	-	_	_
Chloroform	<1000	-	-	-
Chloromethane	<1000	-	-	_
1,2-Dibromo-3-chloropropane (DBCP)	<1000	_	_	_
1,2-Dibromoethane (EDB)	2300	2340	102	31
Dibromomethane	3210	3320	103	30
1.2-Dichlorobenzene	<1000	-	-	-
1,3-Dichlorobenzene	8940	8970	100	37
1,4-Dichlorobenzene	9090	9100	100	37
Dichlorodifluoromethane (Freon 12)	<1000	-	-	-
1,1-Dichloroethane	<1000	-	-	-
1,2-Dichloroethane	1940	2000	103	36
1,1-Dichloroethylene	<1000	-	*	-
cis-1,2-Dichloroethylene	3620	3670	101	34
trans-1,2-Dichloroethylene	<1000	-	-	-
1,2-Dichloropropane	8600	8590	99.9	37
cis-1,3-Dichloropropylene	<1000	-	-	-
trans-1,3-Dichloropropylene	<1000	•	•	-
Ethylbenzene	8320	8470	102	38
Hexachlorobutadiene	6530	6630	102	27
Hexachloroethane	10500	10800	103	4
2-Hexanone	18100	18700	103	31
Isopropylbenzene	7550	8200	109	32
Methylene chloride	7310	7240	99.0	37
4-Methyi-2-pentanone (MIBK) Naphthalene	8990 5080	9150 4810	102 94.7	32 31
Nitrobenzene	8080	see (2)	94.7	1
Styrene	5110	5310	104	35
1,1,1,2-Tetrachloroethane	5680	5840	103	32
1,1,2,2-Tetrachloroethane	<1000	-	-	_
Tetrachloroethylene	1440	1620	112	37
Toluene	3730	3840	103	38
1,2,4-Trichlorobenzene	2140	2140	100	32
1,1,1-Trichloroethane	9670	9750	101	37
1,1,2-Trichloroethane	6090	6300	103	36
Trichloroethylene	8710	8500	97.6	37
Trichlorofluoromethane	<1000	-	-	-
1,2,3-Trichloropropane (TCP)	7410	7130	96.2	27
Vinyl acetate	<1000	-	-	
Vinyl chloride	<1000	-	-	-
m-Xylene	3810	see (1)	~	-
o-Xylene	1740	see (1)	-	-
W. Lean	3610	see (1)	_	_
p-Xylene	2010	300 (1)		_



Lot No. D062-924

Expiration Date: 1 04/2011

PriorityPollutnT™ Ready-to-Use VOAs in Soil

Catalog No.

924

Issue Date:

September 23, 2008

Revision:

Original

- 1. The certified values are monitored and purchasers will be notified of any significant changes resulting in recertification or withdrawal of this certified reference material during the period of validity of this certificate.
- 2. The Certified Values are the actual 'made-to' concentrations confirmed by ERA analytical verification.
- 3. The stated Uncertainty is the total propagated uncertainty at the 95% confidence interval. This Uncertainty is based on the internal analytical verification of the product by ERA. The method of calculating uncertainty is taken from the ISO Guide to the Expression of Uncertainty in Measurement (current version). The uncertainty applies to the product as supplied and does not take into account any required or optional dilutions and/or preparations the laboratory may perform while using this product.
- 4. The QC Performance Acceptance Limits (QC PALs™) are based on actual historical data collected in ERA's Proficiency Testing program. The QC PALs™ reflect any inherent biases in the methods used to establish the limits and closely approximate a 95% confidence interval of the performance that experienced laboratories should achieve using accepted environmental methods. Use the QC PALs™ to realistically evaluate your performance against your peers.
- 5. The PT Performance Acceptance Limits (PT PALs^{IM}) are calculated using the regression equations and fixed acceptance criteria specified in the USEPA National Standards Criteria Document and/or the NELAC proficiency testing requirements. Use the PT PALs^{IM} when analyzing this QC standard alongside USEPA and NELAC compliant PT standards. Please note that many PT study acceptance limits are concentration dependent (some non-linearly) and, therefore, the acceptance limits of this QC standard and any PT standard may differ relative to their difference in concentrations.
- (1) m, o & p-xylenes analyzed as total xylenes in the study.
- (2) Insufficient data to report.



Lot No. D062-924

Expiration Date: 1 04/2011

### PriorityPollutnT™ Ready-to-Use VOAs in Soil

Catalog No.

924

Issue Date:

September 23, 2008

Revision:

Original

### Certification

Parameter	Certified Value ²	Uncertainty ³	QC Performance Acceptance Limits ⁴	PT Performance Acceptance Limits ⁵
	μg/kg	%	μg/kg	μg/kg
Acetone	15600	6.6	5790 - 22600	4450 - 23800
Acetonitrile	<1000	-	-	-
Acrolein	<1000	-	<u>-</u>	-
Benzene	9860	3.1	7830 - 11900	7220 - 12700
Bromobenzene	4140	2.9	3410 - 4800	3250 - 5320
Bromodichloromethane	4290	2.4	3460 - 5530	2900 - 6050
Bromoform	2270	2.5	<b>1</b> 590 - 2970	1320 - 3240
Bromomethane	<1000	-	-	<b>-</b> ·
2-Butanone (MEK)	<1000	-	-	<u></u>
tert-Butyl methyl ether (MTBE)	6860	2.2	4990 - 8370	4360 <b>-</b> 9250
Carbon disulfide	<1000	-	_	-
Carbon tetrachloride	3910	6.3	2720 - 5080	2400 - 5380
Chlorobenzene	<1000	-	-	-
Chlorodibromomethane	1420	3.6	1060 - 1800	920 - 2030
Chloroethane	<1000	-	-	-
2-Chloroethylvinylether	<1000		-	-
Chloroform	<1000	**	-	-
Chloromethane	<1000	-	-	-
1,2-Dibromo-3-chloropropane (DBCP)	<1000	-	-	-
1,2-Dibromoethane (EDB)	2300	7.5	1870 - 2780	1670 - 3010
Dibromomethane	3210	3.6	2650 - 3850	2430 - 4200
1,2-Dichlorobenzene	<1000	-	-	-
1,3-Dichlorobenzene	8940	3.1	6960 - 11200	6510 - 11500
1,4-Dichlorobenzene	9090	3.0	7160 - 11400	6720 - 11200
Dichlorodifluoromethane (Freon 12)	<1000	•	-	-
1,1-Dichloroethane	<1000	-	-	-
1,2-Dichloroethane	1940	2.8	1490 - 2440	1020 - 3190
1,1-Dichloroethylene	<1000	_	_	-
cis-1,2-Dichloroethylene	3620	1.0	3120 - 4270	2430 - 4910
trans-1,2-Dichloroethylene	<1000	_	_	_
1,2-Dichloropropane	8600	3.4	7070 - 10200	6530 - 10600
cis-1,3-Dichloropropylene	<1000	-	-	-
trans-1,3-Dichloropropylene	<1000	-	-	-
Ethylbenzene	8320	7.2	6610 - 10300	5710 - 11200
Hexachlorobutadiene	6530	3.2	4880 - 8750	1560 - 11700
Hexachloroethane	10500	4.2	7150 - 14200	4080 - 17500
2-Hexanone	18100	19	10600 - 23700	9040 - 28400
Isopropylbenzene	7550	1.4	6290 - 9970	5740 - 10700
Methylene chloride	7310	3.5	4890 - 9500	4030 - 10300
4-Methyl-2-pentanone (MIBK)	8990	10	5430 - 11600	4880 - 12200
Naphthalene	5080	18	3270 - 6500	2610 - 7020
Nitrobenzene	8080	30	1960 - 10600	see (2)
Styrene	5110	4.4	4200 - 6390	3970 - 6640
1,1,1,2-Tetrachloroethane	5680	6.7	4560 - 7040	4150 - 7270
1,1,2,2-Tetrachloroethane	<1000	-	-	-
Tetrachloroethylene	1440	1.9	1060 - 1870	841 - 2140
Toluene	3730	4.0	3010 - 4480	2610 - 4910
1,2,4-Trichlorobenzene	2140	7.2	1540 - 2630	1570 - 2720
1,1,1-Trichloroethane	9670	4.5	7400 - 12100	7190 - 12400
1,1,2-Trichloroethane	6090	13	4880 - 7310	4260 - 8000
Trichloroethylene	8710	4.6	6860 - 10900	6090 - <b>11400</b>
Trichlorofluoromethane	<1000	-	_	-
1,2,3-Trichloropropane (TCP)	7410	4.7	4450 - 10000	3700 - 10400
Vinyl acetate	<1000	-	<del>-</del>	-
Vinyl chloride	<1000	-	•	<u>-</u> .
m-Xylene	3810	-	3080 ~ 4720	see (1)
o-Xylene	1740	_	1410 - 2160	see (1)
0-Aylene				
p-Xylene	3610	-	2920 - 4480	see (1)